

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 08/08/2019 Revision date: : Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : FRESH SHINE VANILLA

Product code : 15298 Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Automotive Care Products.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited 4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road Liverpool, L30 4AB - United Kingdom T +44 151 530 4740

MSDS@turtlewax.com

1.4. Emergency telephone number

Emergency number : +44 (0) 845 600 3663

Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Aerosol 1
 H222;H229

 Skin Irrit. 2
 H315

 STOT SE 3
 H336

 Aquatic Chronic 3
 H412

Full text of H statements : see section 16

2.2. Label elements

Signal word (CLP)

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

: Danger

Hazardous ingredients : ISOPROPYL ALCOHOL; Hydrocarbons, c7, n-alkanes, isoalkanes, cyclics

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P271 - Use only outdoors or in a well-ventilated area. P302+P352 - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

08/08/2019 EN (English) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}$ C. P501 - Dispose of contents / container in accordance with local / national regulations.

UFI : HK1M-N3FJ-600N-JFXW

2.3. Other hazards

Adverse physicochemical, human health and

environmental effects

Other hazards not contributing to the classification

: Pressurised container: May burst if heated. Extremely flammable aerosol. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

: None under normal conditions.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, c7, n-alkanes, isoalkanes, cyclics	(CAS-No.) 64742-49-0 (EC-No.) 927-510-4 (EC Index-No.) 649-328-00-1 (REACH-no) 01-2119475515-33	20 - 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
propan-2-ol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Move immediately to fresh air in case of accidental inhalation of vapours. If experiencing respiratory symptoms: Get medical advice/attention.

First-aid measures after skin contact

: Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Immediately rinse with plenty of water (for at least 15 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: If swallowed, do NOT induce vomiting. Rinse mouth out with water. Drink plenty of water. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: May cause drowsiness or dizziness.: May cause respiratory irritation.

Symptoms/effects after inhalation Symptoms/effects after skin contact

: Causes skin irritation. irritation (itching, redness, blistering).

Symptoms/effects after eye contact

Gauses skill initiation, initiation (itering, redness, bilistering).
 May cause moderate irritation, including burning sensation, tearing, redness or swelling.

Symptoms/effects after ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Extremely flammable aerosol.

: Carbon dioxide. Carbon monoxide.

Explosion hazard

: Pressurised container: May burst if heated.

Reactivity in case of fire

: Not known.

Hazardous decomposition products in case of

fire

08/08/2019 EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area.

Firefighting instructions : Evacuate area. Eliminate all ignition sources if safe to do so. Use extinguishing media

appropriate for surrounding fire.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid release to the environment. No flames, no sparks. Eliminate all sources of ignition.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protection equipment (PPE). For further information refer to section 8:

"Exposure controls/personal protection".

Emergency procedures : Eliminate all ignition sources if safe to do so. Ventilate spillage area. Avoid breathing fume,

vapours. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. For further information refer to section 8:

"Exposure controls/personal protection".

Emergency procedures : Eliminate all ignition sources if safe to do so. Ventilate area. Do not breathe vapour/aerosol.

Avoid contact with skin and eyes.

6.2. Environmental precautions

Avoid release to the environment

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Use appropriate personal protection equipment (PPE). Ventilate spillage area. Allow the

residual product to evaporate. Place in a suitable container for disposal in accordance with the

waste regulations (see Section 13). Use only non-sparking tools.

Other information : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Observe the label precautions. Keep out of reach of children. Use only in well ventilated areas.

Avoid breathing fume, vapours. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep out of reach of children. Protect from sunlight. Do not

expose to temperatures exceeding 50 °C/ 122 °F. Keep cool.

Storage area : Store away from heat. Store in a well-ventilated place.

Packaging materials : Keep only in original container.

7.3. Specific end use(s)

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propan-2-ol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm

8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation.

Personal protective equipment : Not required for normal conditions of use.

08/08/2019 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Materials for protective clothing : Not required for normal conditions of use
Hand protection : Not required for normal conditions of use

Eye protection : Eye protection should only be necessary where liquid could be splashed or sprayed

Skin and body protection : Not required for normal conditions of use
Respiratory protection : Not necessary with sufficient ventilation

Environmental exposure controls : Avoid release to the environment.

Consumer exposure controls : Read label before use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless gas or liquefied gas.

Colour : Colourless.
Odour : Vanilla.

: No data available Odour threshold рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available : No data available Boiling point Flash point No data available Auto-ignition temperature No data available Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Solubility : immiscible and insoluble.

Log Pow: No data availableViscosity, kinematic: <= 21 mm²/s</td>Viscosity, dynamic: No data available

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : Not applicable.

Explosive limits : No data available

9.2. Other information

VOC content : 93.6 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

08/08/2019 EN (English) 4/8

Safety Data Sheet

propan-2-ol (67-63-0)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION II. TOXICOIOGICAL IIIIOIIIIAL	TION 11: Toxicological information	bn	۱	
---------------------------------------	------------------------------------	----	---	--

11.1. Information on toxicological effects

Acute toxicity : Not classified

The state of the s			
LD50 oral	4384 mg/kg		
LD50 dermal	12800 mg/kg bodyweight		
Hydrocarbons, c7, n-alkanes, isoalkanes, cyclics (64742-49-0)			
LD50 oral	> 5840 mg/kg bodyweight		
LD50 dermal	> 2920 mg/kg bodyweight		
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 23300 mg/m³		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)		

Respiratory or skin sensitisation

Serm cell mutagenicity

Carcinogenicity

Not classified (Based on available data, the classification criteria are not met)

Not classified (Based on available data, the classification criteria are not met)

Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

FRESH SHINE VANILLA	
Vaporizer	Aerosol
Viscosity, kinematic	<= 21 mm²/s

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

propan-2-ol (67-63-0)		
LC50 fish 1	9640 mg/l	
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	
Hydrocarbons c7 n-alkanes isoalkanes cyclics (64742-49-0)		

Hydrocarbons, c7, n-alkanes, isoalkanes, cyclics (64742-49-0)	
LC50 fish 1	> 3 mg/l
EC50 other aquatic organisms 1	4.6 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	10 mg/l IC50 algea (72 h) mg/l

12.2. Persistence and degradability

FRESH SHINE VANILLA	
Persistence and degradability	No data available.

12.3. Bioaccumulative potential

FRESH SHINE VANILLA	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

FRESH SHINE VANILLA	
Ecology - soil	No data available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : None known.

Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

08/08/2019 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Product/Packaging disposal recommendations

: Container under pressure. Do not drill or burn even after use. Dispose in a safe manner in accordance with local/national regulations. Do not pierce or burn, even after use.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
1950	1950	1950	1950	1950	
14.2. UN proper shippin	g name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS	
Transport document descri	ption				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1				
14.3. Transport hazard	class(es)				
2.1	2.1	2.1	2.1	2.1	
2	2	2	2	2	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental haz	zards				
Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
	Marine pollutant : No				
No supplementary information available					

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11
Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Cassial aresi

Special provisions for carriage - Loading, : CV9, CV12

unloading and handling (ADR)

Special provisions for carriage - Operation : S2

(ADR)

Tunnel restriction code (ADR) : D

- Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02

Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
MFAG-No : 126

- Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203

08/08/2019 EN (English) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

- Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1
Carriage prohibited (ADN) : No
Not subject to ADN : No

- Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP02 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages : W14

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW9, CW12

Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 23
Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 93.6 %

15.1.2. National regulations

Seveso Directive : 2012/18/EU (Seveso III)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Composition/information on ingredients.

composition in attended to ingredients.			
2.1	Composition/informatio	Modified	
	n on ingredients		

Full text of H- and EUH-statements:

08/08/2019 EN (English) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aerosol 1 Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol. Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. Causes serious eye irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.		
Aquatic Chronic 3 Asp. Tox. 1 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Stort SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	Aerosol 1	Aerosol, Category 1
Asp. Tox. 1 Aspiration hazard, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Flam. Liq. 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	Asp. Tox. 1	Aspiration hazard, Category 1
Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	Flam. Liq. 2	Flammable liquids, Category 2
H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	Skin Irrit. 2	Skin corrosion/irritation, Category 2
H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	H222	Extremely flammable aerosol.
H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	H225	Highly flammable liquid and vapour.
H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	H229	Pressurised container: May burst if heated.
H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	H304	May be fatal if swallowed and enters airways.
H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	H315	Causes skin irritation.
H411 Toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.
1 0 0	H336	May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.	H411	Toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.

Legal disclaimer: Turtle Wax Europe Limited. All rights reserved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use. This includes transportation, storage and disposal which are outside of our control.

08/08/2019 EN (English) 8/8