

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

Revision date 09-Nov-2022

Revision Number 3

\_\_\_

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name EVO-STIK THE DOG'S B\*LL\*CKS BLACK

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

**United Kingdom** Bostik: +44 (1785) 272650

NHS: 111

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains Trimethoxyvinylsilane & Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine. May produce an allergic reaction

EUH210 - Safety data sheet available on request

United Kingdom - BE Page 1 / 17

Revision date 09-Nov-2022

**Revision Number** 3

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

-

### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

Supercedes Date: 22-Jun-2021

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Trimethoxyvinylsilane	(014-049-00- 0) 220-449-8	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Carbon black	215-609-9	1333-86-4	1 - <2.5	[C]	-	01-2119384822- 32-XXXX
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine	309-629-8	100545-48-0	0.1- <1	Skin Sens. 1B (H317)	Skin Sens. 1 :: C>=25%	01-2119979085- 27-XXXX
Dioctyltin oxide	212-791-1	870-08-6	0.1 - <0.5	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1 - <0.3	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	-	01-2119537297- 32-XXXX
Ethyl silicate	(014-005-00- 0) 201-083-8	78-10-4	0.1 - <0.3	Acute Tox. 4 (H332) Eye Irrit. 2 (H319) STOT SE 3 (H335) Flam. Liq. 3 (H226)	-	01-2119496195- 28-xxxx

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

United Kingdom - BE Page 2 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and Skin contact

water.

Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by Ingestion

mouth to an unconscious person. Small amounts of toxic methanol are released by

Revision date 09-Nov-2022

**Revision Number** 3

hydrolysis.

### 4.2. Most important symptoms and effects, both acute and delayed

None known. **Symptoms** 

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide. Hazardous combustion products

5.3. Advice for firefighters

precautions for fire-fighters

**Special protective equipment and** Wear self contained breathing apparatus for fire fighting if necessary.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

United Kingdom - BE Page 3 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021 Revision Number 3

Revision date 09-Nov-2022

\_\_\_\_\_

**For emergency responders** Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections**See section 8 for more information. See section 13 for more information.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Protect from moisture. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing This product contains carbon black in a non-respirable form. Inhalation of carbon

black is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*
Carbon black	-	TWA: 3.5 mg/m <sup>3</sup>

United Kingdom - BE Page 4 / 17

Revision date 09-Nov-2022

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021 Revision Number 3

1333-86-4		STEL: 7 mg/m <sup>3</sup>
Dioctyltin oxide 870-08-6	-	TWA: 0.1 mg/m³ STEL: 0.2 mg/m³ Sk*
Ethyl silicate 78-10-4	TWA: 44 mg/m³ TWA: 5 ppm	TWA: 5 ppm TWA: 44 mg/m³ STEL: 15 ppm STEL: 132 mg/m³

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
Trimethoxyvinylsilane (2768-	02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	27,6 mg/m³			
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d			

Carbon black (1333-86-4)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	2 mg/m³		
worker Long term Local health effects	Inhalation	2 mg/m³		

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)				
Type	Exposure route	Derived No Effect Level	Safety factor	
		(DNEL)		
worker	Inhalation	3.35 mg/m <sup>3</sup>		
Long term				
Local health effects				

Dioctyltin oxide (870-08-6)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Dermal	0.05 mg/kg bw/d			
worker Long term Systemic health effects	Inhalation	0.004 mg/m³			

Bis(2,2,6,6-tetramethyl-4-piperidy	) sebacate (52829-07-9)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Short term Long term Systemic health effects	Inhalation	2.82 mg/m³	
worker	Dermal	1.6 mg/kg	

United Kingdom - BE Page 5 / 17

Revision date 09-Nov-2022

**Revision Number** 3

EVO-STIK THE DOG'S B\*LL\*CKS BLACK
Supercedes Date: 22-Jun-2021

Long term
Systemic health effects

Ed. 1 . 11 (70.40.4)						
Ethyl silicate (78-10-4)						
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Short term Systemic health effects	Dermal	12.1 mg/kg bw/d				
worker Systemic health effects Long term	Dermal	12.1 mg/kg bw/d				
worker Short term Systemic health effects	Inhalation	85 mg/m³				
worker Short term Local health effects	Inhalation	85 mg/m³				
worker Long term Systemic health effects	Inhalation	85 mg/m³				
worker Long term Local health effects	Inhalation	85 mg/m³				

Derived No Effect Level (DNEL)					
Trimethoxyvinylsilane (2768	-02-7)				
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³			
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d			
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d			

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)				
Туре		Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term	Inhalation	0.83 mg/m³		

Dioctyltin oxide (870-08-6)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d			
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d			
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³			

## Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

United Kingdom - BE Page 6 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

Revision date 09-Nov-2022

**Revision Number** 3

Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	0.8 mg/kg	
Consumer Long term Systemic health effects	Oral	0.4 mg/kg	

Ethyl silicate (78-10-4)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Short term Systemic health effects	Dermal	8.4 mg/kg bw/d			
Consumer Long term Systemic health effects	Dermal	8.4 mg/kg bw/d			
Consumer Short term Systemic health effects	Inhalation	25 mg/m³			
Consumer Short term Local health effects	Inhalation	25 mg/m³			
Consumer Long term Systemic health effects	Inhalation	25 mg/m³			
Consumer Long term Local health effects	Inhalation	25 mg/m³			

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)				
Trimethoxyvinylsilane (2768-02-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.34 mg/l			
Marine water	0.034 mg/l			
Microorganisms in sewage treatment	110 mg/l			

Carbon black (1333-86-4)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	5 mg/l
Marine water	5 mg/l

Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater sediment	0.02798 mg/kg dry weight
Marine sediment	0.002798 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

United Kingdom - BE Page 7 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

Ethyl silicate (78-10-4)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.192 mg/l
Marine water	0.0192 mg/l
Freshwater sediment	0.18 mg/kg dry weight
Marine sediment	0.018 mg/kg dry weight
Soil	0.05 mg/kg

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

None known

Revision date 09-Nov-2022

**Revision Number** 3

gloves. Gloves must conform to standard EN 374

**Skin and body protection**None under normal use conditions.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Colour Black

Odour No information available.
Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

**Flammability** Not applicable for liquids .

Flammability Limit in Air None known

**Upper flammability or explosive** No data available **limits** 

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone known

Decomposition temperature

pH No data available Not applicable. Insoluble in water.

pH (as aqueous solution)

No data available

None known

No data available

None known

No data available

Dynamic viscosity 4500 - 7500 Pa.s Spindle Z4U @ 1 rpm @ 23 °C

Water solubilityNo data available.None knownSolubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk Density

No data available
Liquid Density

No data - 1.52 g/cm³

Relative vapour density No data available None known

United Kingdom - BE Page 8 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

Revision date 09-Nov-2022

**Revision Number** 3

\_\_\_

**Particle characteristics** 

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Product cures with moisture.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

United Kingdom - BE Page 9 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

\_\_

**Skin contact** Based on available data, the classification criteria are not met. May cause sensitisation in

Revision date 09-Nov-2022

**Revision Number** 3

susceptible persons.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 877.30 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Carbon black	LD50 > 8000 mg/kg (Rattus)	> 3 g/kg (Oryctolagus	> 4.6 mg/m³ (Rat) 4 h
	OECD 401	cuniculus)	
Octadecanoic acid,	LD50 >2000 mg/kg (Rattus)	-	LC50 > 5.05 mg/kg (Rattus)
12-hydroxy-, reaction products			
with ethylenediamine			
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
		OECD 402	
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m <sup>3</sup> (Rattus) 4 h
dyl) sebacate	OECD 423	OECD 402	
Ethyl silicate	LD50 > 2500 mg/kg (Rattus)	= 5878 mg/kg (Oryctolagus	= 10 mg/L (Rat male) 4 h
	OECD 423	cuniculus) = 6300 μL/kg	> 16.8 mg/L (Rat female) 4 h
		(Oryctolagus cuniculus)	

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 431: In	EPISKIN™	in vitro	0.02 g	4 hours	Non-irritant
Vitro Skin Corrosion:					
Human Skin Model Test					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

United Kingdom - BE Page 10 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye	0.1 mL	72 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Revision date 09-Nov-2022

**Revision Number** 3

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation, Buehler test			-

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Sensitizing > 25 %
Sensitisation			

Bis(2.2.6.6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Results		
OECD Test No. 406: Skin	Guinea pig		No sensitisation responses		
Sensitisation			were observed		

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

**Carcinogenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method Species	Results
----------------	---------

United Kingdom - BE Page 11 / 17

Revision date 09-Nov-2022

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021 Revision Number 3

OECD Test No. 422: Combined Repeated Dose Rat Not Classifiable

Toxicity Study with the
Reproduction/Developmental Toxicity Screening
Test

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)

Method	Species	Results
OECD Test No. 421:	Rat	Not Classifiable
Reproduction/Developmental Toxicity Screening		
Test		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	reproductive toxicant
Toxicity Study		

STOT - single exposure

Based on available data, the classification criteria are not met.

Carbon black (1333-86-4) Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

STOT - repeated exposure Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation				-	
Toxicity: 90-day Study					

Dioctyltin oxide (870-08-6)

**Aspiration hazard** 

Biodiyiliii oxilao (or o oo o	Breety harrowade (ere de e)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

-

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

### **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** Harmful to aquatic life.

United Kingdom - BE Page 12/17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

Revision date 09-Nov-2022 Revision Number 3

\_\_\_

Chemical name	Ob	Al	E:-I-	Tandaltanta	0	M Fastan	Maratan
Trimethoxyvinylsilane	Cnemical name		FISN			IVI-Factor	
191 mg/l	T: 4 : 1 !!		1.050 (001.)	microorganisms			(long-term)
Carbon black   Subspicatus   EU Method C.3   Carbon black   1333-86-4   Section   Subspicatus   Subspicatus   Section   Sect		` ′		-	, , ,		
Subspicatus   EU Method C.3   Section black	2768-02-7						
Carbon black   >10000 mg/l   >1000 mg/l   -   EC50:			,		, ,		
Carbon black   13000 mg/l   (Desmodesmus subspicatus)   OECD 202			mykiss)		magna)		
1333-86-4							
Subspicatus   OECD 202	Carbon black	>10000 mg/l	>1000 mg/l	-			
OECD 202   Octadecanoic acid,   EL50 (72h) >100   mg/L Algae   >10mg/L   Daphnia   Open	1333-86-4	\			>5600mg/L (24h,		
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine 100545-48-0   Dioctyltin oxide 870-08-6   Sludge, Respiration Inhibition Test)   Elso (72h) > 100 mg/L   Closo (96h)   Sludge, Respiration 152829-07-9   Elso (72h) > 100 mg/L   Closo (96h)   Elso (96h)   Sludge, Respiration 152829-07-9   Elso (72h) > 100 mg/L   Closo (96h)   Elso (9		subspicatus)	rerio) OCDE 203		Daphnia magna)		
12-hydroxy-, reaction products with ethylenediamine athylenediamine 100545-48-0		OECD 202					
products with ethylenediamine 100545-48-0  Dioctyltin oxide 870-08-6  Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9  Ethyl silicate 78-10-4  Ethyl silicate 100545-48-0  (Pseudokirchner iella subcapitata)  Ethyl silicate 100 mg/L (Pseudokirchner iella subcapitata)  (Pseudokirchner iella subcapitata)  Ethyl silicate iella subcapitata)	Octadecanoic acid,	EL50 (72h) >100	LL50 (96h)	-	EL50 (48h)		
Ethyl silicate	12-hydroxy-, reaction	mg/L Algae	>10mg/L		>10mg/L		
100545-48-0	products with	(Pseudokirchner	(Onchohynchus		Daphnia		
100545-48-0	ethylenediamine	iella subcapitata)	mykiss)		(Daphnia		
S70-08-6	100545-48-0				magna)		
S70-08-6	Dioctyltin oxide	EC50 (3hr)	LC50 (96hr)	-	EC50 (48Hr)		
(Activated Sludge, Respiration Inhibition Test)  Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9  Ethyl silicate 78-10-4  EC 50 (72h) > 100 mg/L (Pseudokirchner iella subcapitata)  (Activated Sludge, (Acute Toxicity Test)  (Acute Toxicity (Daphnia sp. Acute Immobilisation Test)  (Daphnia sp. Acute Immobilisation Test)  (Daphnia magna)  (Daphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Oaphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Oaphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Oaphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Coaphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Coaphnia sp. Acute Immobilisation Test)  (Coaphnia magna)	870-08-6		>0,09 mg/l		>0,21 mg/l		
(Activated Sludge, Respiration Inhibition Test)  Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9  Ethyl silicate 78-10-4  EC 50 (72h) > 100 mg/L (Pseudokirchner iella subcapitata)  (Activated Sludge, (Acute Toxicity Test)  (Acute Toxicity (Daphnia sp. Acute Immobilisation Test)  (Daphnia sp. Acute Immobilisation Test)  (Daphnia magna)  (Daphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Oaphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Oaphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Oaphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Coaphnia sp. Acute Immobilisation Test)  (Corycias latipes)  (Coaphnia sp. Acute Immobilisation Test)  (Coaphnia magna)		(bacteria)	(Brachydanio		(Daphnia magna		
Sludge, Respiration Inhibition Test)  Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate 52829-07-9  Ethyl silicate 78-10-4  Sludge, Respiration Inhibition Test)  (Acute Toxicity Test)  (Acute Toxicity Test)  (Acute Toxicity Test)  LC50 (96h) = 5.29 mg/l (Oryzias latipes) magna)  LC50 48Hr 8.58 mg/l (Daphnia magna)  (Oryzias latipes) magna)  Ethyl silicate (Pseudokirchner iella subcapitata)  Ethyl silicate (Pseudokirchner iella subcapitata)  Method C.1			rerio (zebra))		` (Dappnia		
Inhibition Test		Sludge,	(Acute Toxicity		magna))		
Inhibition Test		Respiration	` Test)		(Daphnia sp.		
Bis(2,2,6,6-tetramethyl-   4-piperidyl) sebacate   0.705 mg/l     5.29 mg/l     mg/l (Daphnia magna)   magna)     Ethyl silicate   EC 50 (72h) > 100 mg/L (Pseudokirchner iella subcapitata)   (Pseudokirchner iella subcapitata)   Ethyl silicate   EC 50 (72h) > 100 mg/L (Pseudokirchner iella subcapitata)   Method C.1   Method C.1		Inhibition Test)	•		Acute		
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate 5.29 mg/l (Pseudokirchner ella subcapitata) (Oryzias latipes) Ethyl silicate 78-10-4 (Pseudokirchner iella subcapitata) (Pseudokirchner iella su		<b>,</b>			Immobilisation		
4-piperidyl) sebacate					Test)		
4-piperidyl) sebacate	Bis(2,2,6,6-tetramethyl-	EC50 72Hr	LC50 (96h) =	-	LC50 48Hr 8.58		
52829-07-9 (Pseudokirchner ella subcapitata) (Oryzias latipes) magna)  Ethyl silicate EC 50 (72h) > LC50 (96h)> 245					mg/l (Daphnia		
ella subcapitata)  Ethyl silicate		(Pseudokirchner			• , ,		
Ethyl silicate							
78-10-4 100 mg/L mg/L (Danio (Pseudokirchner rerio) EU iella subcapitata) Method C.1	Ethyl silicate		LC50 (96h)> 245	-	-		
(Pseudokirchner rerio) EU iella subcapitata) Method C.1							
iella subcapitata) Method C.1							
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	,				
		OECD 201					

## 12.2. Persistence and degradability

Persistence and degradability No

No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			-

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric		-	%
Respirometry Test (TG 301 F)			

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Exposure time	Value	Results
OECD Test No. 303: Simulation Tes	28 days	Total organic carbon (TOC)	24 % Moderate
- Aerobic Sewage Treatment A:			
Activated Sludge Units; B: Biofilms			

## 12.3. Bioaccumulative potential

### Bioaccumulation

United Kingdom - BE Page 13 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

·

Revision date 09-Nov-2022

**Revision Number** 3

\_\_\_

**Component Information** 

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
Octadecanoic acid, 12-hydroxy-, reaction products with	5.86
ethylenediamine	
Dioctyltin oxide	6
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35
Ethyl silicate	3.18

#### 12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment	
Trimethoxyvinylsilane	The substance is not PBT / vPvB	
Carbon black	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Octadecanoic acid, 12-hydroxy-, reaction products with	The substance is not PBT / vPvB	
ethylenediamine		
Dioctyltin oxide	The substance is not PBT / vPvB	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB	
Ethyl silicate	The substance is not PBT / vPvB PBT assessment does	
	not apply	

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## SECTION 14: Transport information

#### Land transport (ADR/RID)

14.1	UN number or ID number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated

United Kingdom - BE Page 14/17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

Revision date 09-Nov-2022

**Revision Number** 3

14.5 Environmental hazards Not applicable

14.6 Special Provisions None

**IMDG** 

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP 14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards

14.6 Special Provisions None

### Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH
		Annex XVII
Dioctyltin oxide	870-08-6	20.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex
	Number
Dioctyltin oxide	l.1

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### **Persistent Organic Pollutants**

United Kingdom - BE Page 15/17

Revision date 09-Nov-2022

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021 Revision Number 3

Not applicable

#### National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 09-Nov-2022

Indication of changes

**Revision note** SDS sections updated, 3, 11, 12, 16.

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

United Kingdom - BE Page 16 / 17

**EVO-STIK THE DOG'S B\*LL\*CKS BLACK** 

Supercedes Date: 22-Jun-2021

Revision date 09-Nov-2022 Revision Number 3

\_\_\_\_\_

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 17 / 17