

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2021

Version number 137

Revision: 01.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: <u>MOTIP® MULTISPRAY 500 ML</u>
Article number: 090206 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Product category PC24 Lubricants, greases, release products Process category PROC7 Industrial spraying PROC11 Non industrial spraying Application of the substance / the mixture Lubricant
1.3 Details of the supplier of the safety data sheetManufacturer/Supplier: MOTIP DUPLI B.V.Wolfraamweg 2NL- 8471 XC WolvegaThe NetherlandsTel: +31 (0)561 694400Fax: +31 (0)561 694411 e-mail: msds@nl.motipdupli.com
• Further information obtainable from: Department Product Safety • 1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)
UK: NPIS National Poisons Information Centre Tel: +44 0344 892 0111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



2

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

(Contd. on page 2)

Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2021

Version number 137

Revision: 01.03.2021

(Contd. of page 1)

Trade name: MOTIP® MULTISPRAY 500 ML

- · Hazard statements
- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- · Precautionary statements
- *P101* If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- *P211* Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

- P260 Do not breathe spray.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- *P501 Dispose of contents / container in accordance with regional regulations.*
- Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Buildup of explosive mixtures possible without sufficient ventilation.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

· Dangerous components.		
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Asp. Tox. 1, H304	50-<75%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	12.5-<20%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	10-<12.5%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	5-<10%
Additional information, For	the wording of the listed bazard phrases refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

 $\cdot$  4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB

.

Page 3/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2021

Version number 137

Revision: 01.03.2021

#### Trade name: MOTIP® MULTISPRAY 500 ML

(Contd. of page 2)

#### **SECTION 5:** Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- Protective equipment: Mouth respiratory protective device.

#### **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### • 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

No special measures required. • Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material.

- Keep ignition sources away Do not smoke.
- Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

#### 106-97-8 butane

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

GB

Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2021

Version number 137

Revision: 01.03.2021

#### Trade name: MOTIP® MULTISPRAY 500 ML

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### Filter A2/P3

\*

- · **Protection of hands:** Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- Eye protection: Not required.

## **SECTION 9: Physical and chemical properties**

General Information		
Appearance:		
Form:	Aerosol	
Colour:	Brown	
Odour:	Solvent-like	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	e: Not applicable, as aerosol.	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	460 °C (860 °F)	
Decomposition temperature:	Not determined.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	0.6 Vol %	
Upper:	10.9 Vol %	
Vapour pressure at 20 $\bullet$ C (68 $\bullet$ F):	3500 hPa (2625.2 mm Hg)	
Density at 20 °C (68 °F):	0.7 g/cm <sup>3</sup> (5.8 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2021

Version number 137

Revision: 01.03.2021

#### Trade name: MOTIP® MULTISPRAY 500 ML

		(Contd. of page 4)
· Solvent content:		
Organic solvents:	86.9 %	
VOC (EC)		
	603.7 g/l	
· VOC-EU%	86.87 %	
· Solids content:	3.8 %	
· 9.2 Other information	No further relevant information available.	

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

Hydrocarb	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>3000 mg/kg (rab)	
Inhalative	LC50/4 h	>4951 mg/m3 (rat)	

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 6)

GB

Page 6/8

\*

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2021

Version number 137

Revision: 01.03.2021

#### Trade name: MOTIP® MULTISPRAY 500 ML

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations. Disposal must be made according to official regulations.

14.2 UN proper shipping name    1950 AEROSOLS      ADR    AEROSOLS, flammable      14.3 Transport hazard class(es)    AEROSOLS, flammable      ADR    Class      2 5F Gases.    Label      2.1    IMDG, IATA      Class    2.1      IADel    3.1      I4.5 Environmental hazards:    Not applicable.      I4.6 Special precautions for user    F-D,S-U      IMAZAN identification number (Kemler code):    -	14.1 UN-Number	
IMDG IATAAEROSOLS AEROSOLS, flammable14.3 Transport hazard class(es)ADRImposeImposeClassLabel2.1IMDG, IATAImposeImposeClassLabel2.1IMDG, IATAImposeClass2.1IMDG, IATAImposeClass2.1IMDG, IATAImposeClass2.114.4 Packing group ADR, IMDG, IATAADR, IMDG, IATAInterposeIAS pecial precautions for user Hazard identification number (Kemler code): EMS Number:F-D,S-U Stowage CodeSegregation CodeSegregation CodeSegregation CodeSegregation CodeADRADRADRADRImposeADRADRADRImposeADRADRImposeSegregation CodeADR </th <th>ADR, IMDG, IATA</th> <th>UN1950</th>	ADR, IMDG, IATA	UN1950
IMDG IATAAEROSOLS AEROSOLS, flammable14.3 Transport hazard class(es)ADRImposeImposeClassLabel2.1IMDG, IATAImposeImposeClassLabel2.1IMDG, IATAImposeClass2.1IMDG, IATAImposeClass2.1IMDG, IATAImposeClass2.1IADRImposeClass2.1IADRImposeClass2.1IADRImposeClass2.1IADRImposeIADR, IMDG, IATAImposeIADR, IMDG, IATAImpose <t< td=""><td>14.2 UN proper shipping name</td><td></td></t<>	14.2 UN proper shipping name	
IATA    AEROSOLS, flammable      14.3 Transport hazard class(es)      ADR      Image: Class    2 5F Gases.      Label    2.1      IMDG, IATA      Image: Class    2.1      Label    2.1      IMDG, IATA      Image: Class    2.1      Label    2.1      Label    2.1      Image: Class    2.1      Label    2.1      Section precautions for user    Not applicable.      Hazard identification number (Kemler code):    -      F-D,S-U    Sumber:      Stowage Code    SWI Protected from sources of heat.      SW2 For AEROSOLS with a maximum capacity of 1 litr    Category A. For AEROSOLS with a maximum capacity of 1 litr      Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.    Segregation Code		
14.3 Transport hazard class(es)      ADR      Image: Class    2 5F Gases.      Label    2.1      IMDG, IATA      Image: Class    2.1      Label    2.1      IMDG, IATA      Image: Class    2.1      Label    2.1      Stowage Code    Warning: Gases.      -    -      FD,S-U    SW1 Protected from sources of heat.      SW2 For AEROSOLS with a maximum capacity of 1 litr    Category A. For AEROSOLS with a maximum capacity of 1 litr      Category A. For AEROSOLS with a maximum capacity of 1 litr    Gases.      Segregation Code    SG69 For AEROSOLS with a maximum capacity of 1 litr		
ADR      Visition      Class      Label      1MDG, IATA      Visition      Visition      Class      Label      2.1      IMDG, IATA      Visition      Visition      Class      2.1      IMDG, IATA      Visition      Visition      Class      2.1      IAAP      Visition      Visition <t< td=""><td>ΙΑΤΑ</td><td>AEROSOLS, flammable</td></t<>	ΙΑΤΑ	AEROSOLS, flammable
Class    2 5F Gases.      Label    2.1      IMDG, IATA    2.1      IMDG, IATA    2.1      Impose    2.1      Impose    2.1      Class    2.1      Label    2.1      Impose    2	14.3 Transport hazard class(es)	
Label    2.1      IMDG, IATA    IMDG, IATA      Impose    2.1      Class    2.1      Label    2.1      14.4 Packing group    2.1      ADR, IMDG, IATA    not regulated      14.5 Environmental hazards:    Not applicable.      14.6 Special precautions for user    Warning: Gases.      Hazard identification number (Kemler code):    -      EMS Number:    F-D,S-U      Stowage Code    SW1 Protected from sources of heat.      SW22 For AEROSOLS with a maximum capacity of 1 litr    Category B. For AEROSOLS with a capacity above 1 litr      Category B. For AEROSOLS with a maximum capacity of 1 litrs    SG69 For AEROSOLS with a maximum capacity of 1 litr	ADR	
Label    2.1      IMDG, IATA    IMDG, IATA      Impose    2.1      Class    2.1      Label    2.1      14.4 Packing group    2.1      ADR, IMDG, IATA    not regulated      14.5 Environmental hazards:    Not applicable.      14.6 Special precautions for user    Warning: Gases.      Hazard identification number (Kemler code):    -      EMS Number:    F-D,S-U      Stowage Code    SW1 Protected from sources of heat.      SW22 For AEROSOLS with a maximum capacity of 1 litr    Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.      Segregation Code    SG69 For AEROSOLS with a maximum capacity of 1 litr		
Label    2.1      IMDG, IATA    IMDG, IATA      Impose    2.1      Class    2.1      Label    2.1      14.4 Packing group    2.1      ADR, IMDG, IATA    not regulated      14.5 Environmental hazards:    Not applicable.      14.6 Special precautions for user    Warning: Gases.      Hazard identification number (Kemler code):    -      EMS Number:    F-D,S-U      Stowage Code    SW1 Protected from sources of heat.      SW22 For AEROSOLS with a maximum capacity of 1 litr    Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.      Segregation Code    SG69 For AEROSOLS with a maximum capacity of 1 litr		
IMDG, IATA      Virtual State      Class    2.1      Label    2.1      14.4 Packing group      ADR, IMDG, IATA    not regulated      14.5 Environmental hazards:    Not applicable.      14.6 Special precautions for user    Warning: Gases.      Hazard identification number (Kemler code):    -      EMS Number:    F-D,S-U      Stowage Code    SW1 Protected from sources of heat.      Sw22 For AEROSOLS with a maximum capacity of 1 litr    Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.      Segregation Code    SG69 For AEROSOLS with a maximum capacity of 1 litr		
Class Label2.1 2.114.4 Packing group ADR, IMDG, IATAnot regulated14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Gases. - F-D,S-UStowage CodeSW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr	Label	2.1
Label2.114.4 Packing group ADR, IMDG, IATAnot regulated14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Gases. - F-D,S-UStowage CodeSW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr	IMDG, IATA	
Label2.114.4 Packing group ADR, IMDG, IATAnot regulated14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Gases. - F-D,S-UStowage CodeSW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr		
14.4 Packing group ADR, IMDG, IATAnot regulated14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Gases. - F-D,S-UStowage CodeF-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr	Class	2.1
ADR, IMDG, IATAnot regulated14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code):Warning: Gases. - - F-D,S-UStowage CodeF-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr	Label	2.1
14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code):Warning: Gases.EMS Number:F-D,S-UStowage CodeSW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr	14.4 Packing group	
14.6 Special precautions for user    Warning: Gases.      Hazard identification number (Kemler code):    -      EMS Number:    F-D,S-U      Stowage Code    SW1 Protected from sources of heat.      SW22 For AEROSOLS with a maximum capacity of 1 litr      Category A. For AEROSOLS with a capacity above 1 litr      Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.      Segregation Code    SG69 For AEROSOLS with a maximum capacity of 1 litr	ADR, IMDG, IATA	not regulated
Hazard identification number (Kemler code):    -      EMS Number:    F-D,S-U      Stowage Code    SW1 Protected from sources of heat.      SW22 For AEROSOLS with a maximum capacity of 1 litr      Category A. For AEROSOLS with a capacity above 1 litr      Category B. For WASTE AEROSOLS: Category C, Clean      of living quarters.      Segregation Code    SG69 For AEROSOLS with a maximum capacity of 1 litr	14.5 Environmental hazards:	Not applicable.
EMS Number:F-D,S-UStowage CodeSW1 Protected from sources of heat.SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr	14.6 Special precautions for user	Warning: Gases.
Stowage CodeSW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr		-
SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clean of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr		,
Category A. For AEROSOLS with a capacity above 1 litrCategory B. For WASTE AEROSOLS: Category C, Clearof living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litr	Stowage Code	
Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litra		
of living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litra		
Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litra		
	Segregation Code	
Degregation as for class 9 Now Senarated from class 1	Segregation Couc	Segregation as for class 9. Stow "separated from" class 1

(Contd. on page 7)

(Contd. of page 5)

<sup>-</sup> GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2021

Version number 137

Revision: 01.03.2021

#### Trade name: MOTIP® MULTISPRAY 500 ML

	(Contd. of pag
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2
14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E0
	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E0
	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H220 Extremely flammable gas.
- H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.
- · Department issuing SDS: R&D legislation and regulatory advisor
- · Contact: msds@nl.motipdupli.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)

GB

.

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2021

Version number 137

Revision: 01.03.2021

(Contd. of page 7)

#### Trade name: MOTIP® MULTISPRAY 500 ML

GB