

according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Date of issue: 22/06/2021 Revision date: 15/06/2021 Replaces version 8.0 Version:8.1

dated: 15/06/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form

Product name Resin Cleaner, Trend Cutter Clean Product code RESIN/100, RESIN/600, RESIN/2500

Type of product Cleaner Product group Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial tool cleaner For professional use only

Use of the substance/mixture : Removes wood resin from sawblades

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

Trend Tool Technology Ltd Unit 6 Odhams Trading Estate

St. Albans Road

Watford

Herts

United Kingdom

T 0044 1923 249911 F 0044 1923 236879

technical@trendm.co.uk

www.trend-uk.com

1.4. Emergency telephone number

Emergency number 0044 7973629367 Wessex Chemical Factors

Only available during office hours 9am to 5pm Monday to Friday UK time

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin Irrit 2 H315 Eye Irrit. 2 H319

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Warning Signal word (CLP)

Hazard statements (CLP) H315 - Causes skin irritation. H319 - Causes serious eye irritation.

Precautionary statements (CLP) P264 - Wash hands, forearms and face thoroughly after handling

P280 - Wear protective gloves, eye protection.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment see Section 4.1 of safety data sheet.
P332 + P313 - If skin irritation occurs: Get medical advice/treatment.
P337 + P313 - If eye irritation occurs: Get medical advice/treatment. P362 + P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents/container in a safe manner in accordance with

local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

EN (English) 1/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Replaces version 8.0 Version:8.1 dated: 15/06/2021 Revision date: 15/06/2021 Date of issue: 22/06/2021

SECTION 3: Composition/information on ingredients

3.1. Substances Not applicable

3.2. Mixture

J.Z. Mixture	[Dundret identifie	10/	IOIifii'
Name	Product identifier	 %	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve	(CAS No) 111-76-2	1 - 3	Acute Tox. 4 (Inhalation), H332
	(EC no) 203-905-0		Acute Tox. 4 (Dermal), H312
	(EC Index no) 603-014-00-0		Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
	1/OAO NI-> 00444 00 0		Skin Irrit. 2, H315
benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	(CAS No) 68411-30-3	1 - 3	Acute Tox. 4 (Oral), H302
	(EC no) 270-115-0		Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
sodium hydroxide, caustic soda	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC Index no) 011-002-00-6 (Reach No) 01-2119457892- 27	<1	Met.Corr. 1, H290 Skin Corr. 1A, H314
discodium metasilicate	CAS No) 6834-92-0 (EC-No) 229-912-9 (EC Index no) 014-010-00-8	0,1 - 1	Met.Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
C9-11alcohol ethoxylate with 6.5 mol EO	(CAS No) 68439-46-3	>=0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium xylene sulphonate	(CAS No) 1300-72-7 (EC No) 215-090-9 (REACH No) 01-2119513350- 56	0,1 - 1	Eye Irrit. 2, H319
tetrasodium ethylene diamine tetraacetate	(CAS No) 64-02-8 (EC No) 200-573-9 (EC Index No) 607-428-00-2	0,1 - 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation, dust, mist), H332
	(REACH No) 01-2119486762- 27		Eye Dam. 1, H318 STOT RE 2, H373
sodium nitrite	(CAS No) 7632-00-0 (EC no) 231-555-9	0,1 - 1	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301
	(EC Index no) 007-010-00-4 (REACH No) 01-2119471836- 27		Eye Irrit. 2, H319 Aquatic Acute 1, H400
tetrapotassium pyrophosphate	(CAS No) 7320-34-5 (EC No) 230-785-7 (REACH No) 01-2119489369- 18	0,1 - 1	Eye Irrit. 2, H319
ethanediol, ethylene glycol	(CAS No) 107-21-1 (EC No) 203-473-3 (EC Index No) 603-027-00-1 (REACH No) 01-2119456816-	<0.1	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
trisodium nitrilotriacetate	28 (CAS No) 5064-31-3	<0.1	Acute Tox. 4 (Oral), H302
	(EC No) 225-768-6		Eye Irrit. 2, H319

EN (English) 2/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Date of issue: 22/06/2021	Revision date: 15/06/2021	Replaces version 8.0 dated: 15/06/2021	Version:8.1
	(EC Index No) 607-620-00-6 (REACH No) 01-2119519239		Carc. 2, H351
	36		Oarc. 2, 11051

Name	Product identifier	Specific concentration limits
sodium hydroxide, caustic soda	(CAS No) 1310-73-2	(0,5 =< C < 2) Skin Irrit. 2, H315
	(EC no) 215-185-5	(0,5 =< C < 2) Eye Irrit. 2, H319
	(EC index no) 011-002-00-6 (REACH No) 01-2119457892-	(2 =< C < 5) Skin Corr. 1B, H314 (C >=5) Skin Corr. 1A, H314
trisodium nitrilotriacetate	(CAS No) 5064-31-3	(C >=5) Carc. 2, H351
	(EC No) 225-768-6	
	(EC Index No) 607-620-00-6	
	(REACH No) 01-2119519239-	

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell,

seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove the person t ofresh air and keep comfortable for breathing. Assure

fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Take off contaminated clothing. Wash with plenty of soap and water. Wash

contaminated clothing before reuse. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Use extinguishing

media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy water stream may spread

fire

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter

environment.

Protection during firefighting

Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete

protective clothing.

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

SECTION 6: Accidental release measures

Emergency procedures : Ventilate spillage areas. Evacuate unnecessar

: Ventilate spillage areas. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

EN (English) 3/11



according to Regulation (EC) No. 453/2010 LEAF/HS/RESIN

Date of issue: 22/06/2021 Revision date: 15/06/2021 Replaces version 8.0 Version:8.1

dated: 15/06/2021

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip

cleanup crew with proper protection. For further information refer to section

8. "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids,

such as clay or diatomaceous earth as soon as possible. Collect spillage.

Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventialtion of the work station. Do not handle until safety

precautions have been read and understood. Avoid contact with skin and

eyes. Wear personal and protective equipment.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated

eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after using the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from:

Heat sources. Keep container closed when not in use. Store in a well-

ventilated place. Keep cool. : Strong bases. Strong acids.

7.3. Specific end use(s)

Incompatible products

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-butoxyeathenol, ehtylene	glycol monobutyl ether.	butyl cellsolve (111-76-2)

ĮEU	Local name	2-Butoxyethanol
EU	IOELV TWA (mg/m3)	98 mg/m3
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m3)	246 mg/m3
EU	IOELV STEL (ppm)	50 ppm
EU	Notes	Skin
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom	Local name	2-Butoxyethanol
United Kingdom	WEL TWA (mg/m³)	123 mg/m3
United Kingdom	WEL TWA (ppm)	25 ppm
United Kingdom	WEL STEL (mg/m3)	246 mg/m3
United Kingdom	WEL STEL (ppm)	50 ppm
United Kingdom	Remark (WEL)	Can be absorbed through the skin
United Kingdom	Regulatory reference	EH40. HSE

ethanediol, ethylene glycol (107-21-1)

EU	Local name	Ethylene glycol
EU	IOELV TWA (mg/m3)	52 mg/m3
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m3)	104 mg/m3
EU	IOELV STEL (ppm)	40 ppm
EU	Notes	Skin
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom	Local name	Ethane-1,2-diol
United Kingdom	WEL TWA (mg/m³)	52 mg/m3 (8 hours) Vapour
United Kingdom	WEL TWA (ppm)	20 ppm (8 hours) Vapour
United Kingdom	WEL STEL (mg/m3)	104 mg/m3 (15 minutes) Vapour

EN (English) 4/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Date of issue: 22/06/2021	Revision date: 15/06/2021	Replaces version 8.0 Version:8.1 dated: 15/06/2021
United Kingdom United Kingdom United Kingdom	WEL STEL (ppm) Remark (WEL) Regulatory reference	40 ppm (15 minutes) Vapour Can be absorbed through the skin EH40. HSE
sodium hydroxide, caustic soda (1310-73-2)		
United Kingdom	Local name	Sodium hydroxide
United Kingdom	WEL STEL (mg/m3)	2 mg/m3
United Kingdom	Regulatory reference	EH40. HSE

8.2. Exposure controls

Ensure good ventilation of the work station. Appropriate enginerring controls

: Avoid all unnecessary exposure. Safety glasses. Gloves. Protective clothing. Personal protective equipment:

No data available

Materials for protective clothing. : Protective clothing. Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Skin and body protection : Wear suitable protective clothing. Respiratory protection : Wear appropriate mask.

Personalt protective equipment symbols(s):







Environmental exposure controls : Avoid release ot the environment : Do not eat, drink or smoke during use. Other information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear. Red liquid.

Colour red. Odour

characteristic. Odour threshold No data available

pН 11 Relative evaporation rate (butylacetate=1) No data available Melting point Not applicable Freezing point Boiling point No data available No data available Flash point No data available Self ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) Non flammable Vapour pressure No data available Relative vapour density at 20 °C No data available

Relative density No data available Density 1.04 g/cm3 Solubility Soluble in water Log Pow No data available Viscosity, kinematic No data available Viscosity, dynamic No data available Explosive properties No data available Oxidising properties No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive limits

This product is non-reactive under normal conditions of use, storage and transport

10.2. Chemical stability

Stable under normal conditions

EN (English) 5/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Date of issue: 22/06/2021 Revision date: 15/06/2021 Replaces version 8.0 Version:8.1

dated: 15/06/2021

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)		
LD50 oral rat	1080 mg/kg	
LD50 dermal rat	> 2000 mg/kg bodyweight	

sodium hydroxide, caustic soda (1310-73-2	2)
LD50 oral	500 mg/kg (rabbit)
sodium nitrite (7632-00-0)	
LD50 oral rat	85 mg/kg
LC50 inhalation rat	5.5 mg/l/4h

disodium metasilicate (6834-92-0)	
LD50 dermal rat	> 5000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2.06 mg/l/4h

tetrapotassium pyrophosphate (7320-34-5)	
LD50 oral rat	2440 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1.1 mg/l/4h
codium vylono cylphonato (1200-72-7)	

sodium xylene sulphonate (1300-72-7)	
LD50 oral rat	>= 7200 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

2-butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve (111-76-2)			
LD50 oral rat	1746 mg/kg		
LD50 oral	1414 mg/kg (guinea pig)		
LD50 dermal rat	> 2000 mg/kg		
LC50 inhalation rat (Vapours - mg/l/4h)	2.2 mg/l/4h		

ethanediol, ethylene glycol (107-21-1)	
LD50 oral rat	7712 mg/kg bodyweight
LD50 dermal rabbit	10600 mg/kg

tetrasodium ethylene diamine tetraacetate (64-02-8)	
LD50 oral rat	1780 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	4.14 mg/l/4h

trisodium nitrilotriacetate (5064-3	1-3)	
LD50 oral rat	1740 mg/kg	
C9-11 alcohol ethoxylate with 6.5	mol EO (68439-46-3)	

C9-11 alcohol ethoxy	rlate with 6.5 mol EO (68439-46-3)	
LD50 oral rat	< 2000 mg/kg	

Skin corrosion/irritation : Causes skin irritation
pH: 11

Additional information : "Irritant": non-corrosive substances and preparations which, through immediate, prolonged or repeated contact with the skin or mucous

membrane, can cause inflammation
Serious eye damage/irritation : Causes serious eye irritation

pH: 11

Respiratory or skin sensitisation : Not classified

Additional information Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

EN (English) 6/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

,	
Date of issue: 22/06/2021	Revision date: 15/06/2021 Replaces version 8.0 Version:8.1 dated: 15/06/2021
Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure) Additional information	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified
Additional information	Based on available data, the classification criteria are not met
disodium metasilicate (6834-92-0) NOAEL (oral, rat, 90 days)	> 227 - 237 mg/kg bodyweight/day
	ZET ZOT HIGNIG BOOD WOOD HOURS
tetrasodium ethylene diamine tetraacetate (64-02-8) NOAEL (oral, rat, 90 days)	>= 500 mg/kg bodyweight/day
Aspiration hazard	: Not classified
Additional information	Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology-general	: The product is not considered harmful to aquatic organisms nor to cause
Acute aquatic toxicity	long-term adverse effects in the environment : Not classified
Chronic aquatic toxicity	: Not classified
benzenesulfonic acid, C10-13-alkyl derivs., sodium s	salts (68411-30-3)
LC50 fish 1	1.67 mg/l bluegill (Lepomis macrochirus)
EC50 Daphnia 1 EC50 96h algae (1)	2.9 29 mg/l
NOEC chronic algae	0.58 mg/l
disodium metasilicate (6834-92-0)	
LC50 fish 1	2320 mg/l Western mosquitofish (Gambusia affinis)
LC50 fish 2 EC50 Daphnia 1	210 mg/l Zebra fish (Danio rerio) 1700 mg/l
EC50 72h algae (1)	207 mg/l
ErC50 (algae)	> 345.4 mg/l
tetrapotassium pyrophosphate (7320-34-5)	
LC50 fish 1 EC50 Daphnia 1	>100mg/l Rainbow trout (Oncorhynchus mykiss) >100 mg/l
EC50 72h algae (1)	>100 mg/l
NOEC chronic algae	>100 mg/l
sodium xylene sulphonate (1300-72-7)	
LC50 fish 1	>100mg/l Rainbow trout (Oncorhynchus mykiss)
EC50 Daphnia 1 ErC50 (algae)	>100 mg/l 310 mg/l
NOEC chronic algae	40 mg/l
2-butoxyethanol, ethylene glycol monobutyl ether, b	utyl cellosolve (111-76-2)
LC50 fish 1	1474 mg/l Rainbow trout (Oncorhynchus mykiss)
EC50 Daphnia 1 ErC50 (algae)	1550 mg/l 1840 mg/l
ethanediol, ethylene glycol (107-21-1)	1040 High
LC50 fish 1	72860 mg/l Fathead minnow (Pimephales promelas)
EC50 Daphnia 1	>100 mg/l
EC50 96h algae (1) NOEC chronic fish	6500 - 13000 mg/l 15380 mg/l
NOEC chronic algae	>100 mg/l
sodium nitrite (7632-00-0)	
LC50 fish 1	0.54 mg/l Rainbow trout (Onchorhynchus mykiss)
LC50 other aquatic organisms 1 EC50 Daphnia 1	4.93 mg/l aquatic crustacea 15.4 mg/l
EC50 Daprilla 1 EC50 72h algae (1)	15.4 flig/l > 100 mg/l
NOEC chronic fish	6.16 mg/l
NOEC chronic crustacea	9.86 mg/l Daphnia magna
tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 fish 1 LC50 fish 2	121 mg/l Tests performed in very soft water (10-13 mç 1592 mg/l Tests performed in very hard water (280-320 mg CaCO3)
EC50 1811 2 EC50 72h algae (1)	> 100 mg/l
	J

EN (English) 7/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Date of issue: 22/06/2021 Revision date: 15/06/2021 Replaces version 8.0 Version:8.1 dated: 15/06/2021

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)		
LC50 fish 1	1 - 10 mg/l	
sodium hydroxide, caustic soda (1310-73-2)		
LC50 fish 1	125 mg/l Western mosquitofish (Gambusia affinis)	
EC50 other aquatic organisms 1	40.4 mg/l species of water flea (Ceriodaphnia sp.)	
12.2 Persistence and degradability		

12.2. Persistence and degradability

Resin Cleaner		
Persistence and degradability	Not established.	

disodium metasilicate (6834-92-0)	
Persistence and degradability	Not established.

tetrapotassium pyrophosphate (7320-34-5)		
Persistence and degradability	Not established.	

sodium xylene sulphonate (1300-72-7)	
Persistence and degradability	Readily biodegradable

2-butoxyethanol, ethylene glycol monob	utyl ether, butyl cellosolve (111-76-2)	
Persistence and degradability	Readily biodegradable	

ethanediol, ethylene glycol (107-21-1)		
Persistence and degradability	Readily biodegradable	
Chemical oxygen demand (COD)	1.22 g O _x /g substance	

tetrasodium ethylene diamine tetraacetate (64	4-02-8)
Persistence and degradability	Not readily biodegradable
Chemical oxygen demand (COD)	260 g O /g substance

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
Persistence and degradability	Readily biodegradable

benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)		
Persistence and degradability	Readily biodegradable	

sodium hydroxide, caustic soda (1310-73-2)	
Persistence and degradability	Readily biodegradable.

Isodium nitrite (7632-00-0)		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential

Not established.
No bioaccumulation.

tetrapotassium pyrophosphate (7320-34-5) Bioaccumulative potential Bioaccumulation unlikely

sodium xylene sulphonate (1300-72	7)
Bioaccumulative potential	Not established.

2-butoxyetnanoi, etnylene glycol monobutyl etner, butyl cellosolve (111-76-2)		
Log Pow	0.81	
Bioaccumulative potential	Not established.	

ethanediol, ethylene glycol (107-21-1		
Log Pow	-1.36	
Bioaccumulative potential	Low	

tetrasodium ethylene diamine tetraacetate (64-02-8)	
BCF fish 1	1.8 Bluegill, (Lepomis macrochirus)
Log Pow	-13
Bioaccumulative potential	Low bioaccumulative potential

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
Bioaccumulative potential	Bioaccumulation unlikely

EN (English) 8/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Date of issue: 22/06/2021 Revision date: 15/06/2021 Replaces version 8.0 Version:8.1

dated: 15/06/2021

| sodium hydroxide, caustic soda (1310-73-2)
| Bioaccumulative potential | No bioaccumulation.

sodium nitrite (7632-00-0)

Bioaccumulative potential Not established.

12.4. Mobility in soil

2-butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve (111-76-2)

Ecology - soil Soluble material/quickly disperses in water.

sodium hydroxide, caustic soda (1310-73-2)

Ecology - soil Mobile. Soluble material/quickly disperses in water.

12.5. Results of PBT and vPvB assessment

Component sodium hydroxide, caustic soda (1310-73-2) PBT: not relevant - no registration required disodium metasilicate (6834-92-0) This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB) tetrapotassium pyrophosphate (7320-34-5) PBT: not relevant - no registration required PBT: not relevant – no registration required vPvB not relevant - no registration erequired sodium xylene sulphonate (1300-72-7) 2-butoxyethanol, ethylene glycol monobutyl PBT: not relevant - no registration required ether, butyl cellosolve (111-76-2) vPvB not relevant - no registration erequired tetrasodium ethylene diamine tetraacetate (64-PBT: not relevant - no registration required C9-11 alcohol ethoxylate with 6.5 mol EO PBT: not relevant - no registration required (68439-46-3) vPvB not relevant - no registration erequired

sodium nitrite (7632-00-0)

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting

PBT: not relevant - no registration required

instructions

Product/packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA/AND

14.1. UN number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable UN-No. (RID)

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

EN (English) 9/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Date of issue: 22/06/2021 Revision date: 15/06/2021 Replaces version 8.0 Version:8.1

dated: 15/06/2021

AND

Transport hazard class(es) (ADN) : Not applicable

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) Not applicable Packing group (IMDG) Not applicable Packing group (IATA) Not applicable Packing group (ADN) Not applicable : Not applicable Packing group (RID)

14.5. Environmental hazards

Dangerous for the environment No Marine pollutant No

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No data available

14.6.2. Transport by sea

No data available

14.6.3. Air transport No data available

14.6.4. Inland waterway transport

No data available 14.6.5. Rail transort

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Resin Cleaner is not on the REACH Candidate List. No REACH Annex XIV restrictions.

15.1.2. National regulations

No additional information available 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

User notes : Sections revised 1, 16

Revision due to change of Company name Data sources

REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67548/EEC and 1994/45/EC, and amending Regulation (EC) No

: Suppliers own data sheet (Wessex Chemical Factors) issued 13/04/2018, revision date 12/04/2021, Version 1.3 Other information

Trend SDS reference : LEAF/HS/RESIN

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1

EN (English) 10/11



according to Regulation (EC) No. 453/2010

LEAF/HS/RESIN

Date of issue: 22/06/2021 Revision date: 15/06/2021 Replaces version 8.0 Version:8.1 dated: 15/06/2021

Ox. Sol. 2	Ovidiaina Salida Catagony 2
	Oxidising Solids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity - Repeated exposure, Category 2
STOT SE 3	Specific target oran toxicity - Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H290	May be corrosive to metals.
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
H400	Very toxic to aquatic life

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 11/11