Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2021

Version number 7 (replaces version 6)

Revision: 10.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Glass cleaner concentrate RM 500

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Technical function Cleaning agent
- · Application of the substance / the mixture Glass Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden

D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

 \cdot Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)




Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2021

Version number 7 (replaces version 6)

Revision: 10.08.2021

Trade name: Glass cleaner concentrate RM 500



· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Cleaning agent

· Dangerous components:

· Dangerous components:						
	CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336	1-5%			
	CAS: 67254-71-1	alcohols, C10-12, ethoxylated (>2.5 EO)	≥1-<3%			
ΙL	EC number: 931-952-3	📀 Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302				
	CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2 Reg.nr.: 02-2119752451-43-0000	ammonia, aqueous solution ♦ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥0.1-<0.25%			
	· Regulation (EC) No 648/2004 on detergents / Labelling for contents					
	non-ionic surfactants <5%					
	perfumes					
			(Contd. on page 3)			

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2021

Version number 7 (replaces version 6)

Revision: 10.08.2021

(Contd. of page 2)

Trade name: Glass cleaner concentrate RM 500

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Rinse with warm water.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.08.2021

Version number 7 (replaces version 6)

Revision: 10.08.2021

(Contd. of page 3)

Trade name: Glass cleaner concentrate RM 500

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

· DNELs			
67-63-0 propan-2-ol			
Oral	DNEL	. 26 mg/kg*d (consumer)	
Dermal	DNEL	. 888 mg/kg*d (employee)	
		319 mg/kg*d (consumer)	
Inhalative	DNEL	500 mg/m3 (employee)	
		89 mg/m3 (consumer)	
PNECs			
67-63-0 pr	opan-2	2-ol	
PNEC		140.9 mg/l (freshwater)	
		140.9 mg/l (marine water)	
PNEC sediment		140.9 mg/l (STP)	
		2,251 mg/l (STP)	
		552 mg/kg (freshwater)	
		552 mg/kg (marine water)	
			(Contd. on pag



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2021

Version number 7 (replaces version 6)

Revision: 10.08.2021

(Contd. of page 4)

Trade name: Glass cleaner concentrate RM 500

28 mg/kg (soil)

PNEC soil

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
General Information		
· Physical state	Fluid	
· Colour:	Colourless	
· Odour:	Product specific	
 Odour threshold: 	Not determined.	
 Melting point/freezing point: 	0 °C	
· Boiling point or initial boiling point and bo	biling	
range	100 °C	
· Flammability	Not applicable.	
 Lower and upper explosion limit 		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable	
 Auto-ignition temperature: 	Product is not selfigniting.	
Decomposition temperature:	Not determined.	
· pH at 20 °C	10.3	
· pH-value 1 %:	7-9	
· Viscosity:		
· Kinematic viscosity	Not determined.	
		(Contd. on page 6)

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2021

Version number 7 (replaces version 6)

Revision: 10.08.2021

Trade name: Glass cleaner concentrate RM 500

	(Contd. of page)
dynamic at 20 °C:	3 mPas
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value	Je) Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.994 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of he	
and environment, and on safety.	
Ignition temperature:	not applicable
	not applicable Braduct dags not present on explosion bezard
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	1 5 0/
Organic solvents:	1.5 %
VOC (EC)	1.51 %
Solids content:	2.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazar	'd
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
- · · · · · · · · · · · · · · · · · · ·	aple
Substances and mixtures, which emit flamma	
Substances and mixtures, which emit flamma gases in contact with water	Void
Substances and mixtures, which emit flamma gases in contact with water Oxidising liquids	Void Void
Substances and mixtures, which emit flamma gases in contact with water Oxidising liquids Oxidising solids	Void Void Void
Substances and mixtures, which emit flamma gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Void Void
Substances and mixtures, which emit flamma gases in contact with water Oxidising liquids Oxidising solids	Void Void Void

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2021

Version number 7 (replaces version 6)

Revision: 10.08.2021

Trade name: Glass cleaner concentrate RM 500

(Contd. of page 6)

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Dermal LD50 12,800 mg/kg (Rabbit)

Inhalative LC50 5,280 mg/kg (Rat)

67254-71-1 alcohols, C10-12, ethoxylated (>2.5 EO)

Oral LD50 >300-2,000 mg/kg (Rat)

• Serious eye damage/irritation Causes serious eye irritation.

· 11.2 Information on other hazards

· Endocrine disrupting properties

80-54-6 p-t-Butyl-alpha-methylhydrocinnamic aldehyde

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
67-63-0 propan-2-ol		
LC50/96 h	9,640 mg/l (Pimephales promelas)	
EC50/48 h	13,299 mg/l (Daphnia magna)	
EC50/72 h	>1,000 mg/l (Desmodesmus subspicatus)	
EC10/18 h	>1,000 mg/l (Pseudomonas putida) (DIN 38412)	
67254-71-1 alcohols, C10-12, ethoxylated (>2.5 EO)		
LC50/96 h (dyn	amic) >1-10 mg/l (Cyprinus carpio) (OECD 203)	
		(Contd. on page 8)

(Contd. on page 8)

List II

⁻ GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2021

Version number 7 (replaces version 6)

Revision: 10.08.2021

Trade name: Glass cleaner concentrate RM 500

	(Contd. of page 7)
EC50/48 h (static)	>1-10 mg/l (Daphnia magna) (OECD 202)
EC50/72 h (static)	>1-10 mg/l (Desmodesmus subspicatus) (OECD 201)
1336-21-6 ammonia, aqueous solution	
LC50/96 h 0.89 mg/l (Oncorhynchus mykiss)	
LC50/48 h	101 mg/l (Daphnia magna)

• **12.2 Persistence and degradability** No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

- · COD-value: 108000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

· Uncleaned packaging:

· Recommendation: Non contaminated packagings may be recycled.

(Contd. on page 9)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2021

KARCHER

Version number 7 (replaces version 6)

Revision: 10.08.2021

(Contd. of page 8)

Trade name: Glass cleaner concentrate RM 500

• Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	Νο	
· 14.6 Special precautions for user	Not applicable.	-
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

(Contd. on page 10)

GB –



GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.08.2021

KÄRCHER

Version number 7 (replaces version 6)

Revision: 10.08.2021

Trade name: Glass cleaner concentrate RM 500

Department CSD-D			(Contd. of page 9)
H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes serious eye damage. H318 Causes serious eye diritation. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: CSD-D Contact: Department CSD-D Tel: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: NBR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Maritime Code for Dangerous Goods Code Code Inconcentration, Sto Porce	Relevant phrases		
H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause respiratory irritation. H336 May cause drowiness or dizziness. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: CSD-D Contact: Department CSD-D Tel.: +49-7195-14-0 Droductsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Zarriage of Dangerous Goods by Road) MDG: International Martime Code for Dangerous Goods ATA: International Air Transport Association SURS: European List of Notified Chemical Stubstances ELINCS: European List of Notified Chemical Stubstances ELINCS: European List of Notified Chemical Stubstances ELINCS: European List of Notified Chemical Stubstances SuRS: Globally Moteffect Level (REACH) MEL: Predicted Not-Effect Coreentration, 50 percent PTF: Persistent, Bioaccumulative and Toxic Pr08: vary Persistent and very Bioaccumulative PTF: Persistent, Bioaccumulative and Toxic Pr08: vary Persistent and very Bioaccumulative PTF: Persistent, Bioaccumulative and Toxic Pr08: Toxi 4: Acute toxicity - Category 1 Struct Tox 4: Acute toxicity - Category 2 STOT SE 3: Specific target organ toxi		le liquid and vapour.	
H318 Causes serious eye irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause etargenatory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H411 Toxic to aquatic life. Department issuing SDS: CSD-D Contact: Department CSD-D Tel.: +49-7195-14-0 oroductsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Arriange of Dangerous Goods by Road) MDG: International MarTansport Association H515 Cibalaly Harmonised System of Classification and Labelling of Chemicals ENRCS: European list of Notfied Chemical Substances ELINCS: European list of Notfied Chemical (REACH) H512: Presistent do.effect Level (REACH) H512: Presistent do.effect Lev	. .		
H318 Causes serious eye irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause etargenatory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H411 Toxic to aquatic life. Department issuing SDS: CSD-D Contact: Department CSD-D Tel.: +49-7195-14-0 oroductsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Arriange of Dangerous Goods by Road) MDG: International MarTansport Association H515 Cibalaly Harmonised System of Classification and Labelling of Chemicals ENRCS: European list of Notfied Chemical Substances ELINCS: European list of Notfied Chemical (REACH) H512: Presistent do.effect Level (REACH) H512: Presistent do.effect Lev	H314 Causes severe	skin burns and eye dama	age.
H319 Causes serious e/ve irritation. H335 May cause respiratory irritation. H336 May cause dressiness or dizziness. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: CSD-D Contact: Department CSD-D Tel:: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: ABR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Air Transport Association HSI: Globally Harmonised System of Classification and Labelling of Chemicals ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Society) VOC: Volatile Organic Compounds (USA, EU) MEL: Derived No-Effect Level (REACH) PNEL: Derived (REACH) PNEL:			0
H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: CSD-D Contact: Department CSD-D Tel.: +49-7195-14-0 oroductsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Maritime Code for Dangerous Goods Code for Dangerous Goods Bystem of Classification and Labelling of Chemicals EINECS: European List of Notified Chemical Substances EINES: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VIC: Volatile Organic Compounds (USA, EU) NEL: Derived No-Effect Level (REACH) - NEC: Predicted No-Effect Concentration (REACH) - Los0: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic - MrW: very Persistent and very Bioaccumulative Tam. Liq. 2: Flammable liquids – Category 2 Autor Tox: 4: Acute toxicity - Category 4 Sin Corr. 1C: Skin corrosion/irritation – Category 1 Sys Persions eye damage/eye irritation – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 * Data compared to the previous version altered.			
H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: CSD-D Contact: Department CSD-D Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Contact: Department CSD-D Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Contact System of Classification and Labelling of Chemicals EnrECS: European List of Notified Chemical Substances ELNCS: European Inventory of Existing Commercial Chemical Substances ELNCS: European Inventory of Existing Commercial Chemical Society) VOC: Volatile Organic Compounds of the American Chemical Society) VOC: Volatile Organic Compounds of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) 250: Lethal dose, 50 percent 250: Lethal dose, 50 percent 251: Presistent, Bioaccumulative and Toxic PMS: ery Presistent, Bioaccumulative and Toxic PMS: ery Presistent, Bioaccumulative and Toxic PMS: ery Presistent and very Bioaccumulative Fam. Lig. 2: Flammable liquids – Category 1 Sep Dam. 1: Serious eye damage/eye irritation – Category 1 Sep Dam. 1: Serious eye damage/eye irritation – Category 3 Aquatic Accut I: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 *Data compared to the previous version altered.			
H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: CSD-D Contact: Department CSD-D Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Maritime Code for Dangerous Goods ATA: International Air Transport Association SHS: Globally Harmonised System of Classification and Labelling of Chemicals EINICS: European List of Notified Chemical Substances EINICS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) //OC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) ACS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) //OC: Volatile Corganic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) ADS: Lethal dose, 50 percent BT: Persistent and very Bioaccumulative Flam. Liq, 2: Flammable liquids – Category 2 Acute Tox: 4: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1 System J: 2: Serious eye damage/eye irritation – Category 1 System J: Serious eye damage/eye irritation – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.	, i i i i i i i i i i i i i i i i i i i		
H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: CSD-D Contact: Department CSD-D Tel.: +49-7195-14-0 oroductsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International arriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Maritime Code for Compounds (USA, EU) NDC: Volatile Organic Compounds (USA, EU) NDC: Evideal Abstrats Service (Internation (REACH)	5		
Contact: Department CSD-D Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Maritime Code for Dangerous Goods ATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) //OC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) NEC: Predicted No-Effect Concentration (REACH) C50: Lethal concentration, 50 percent 1951: Persistent, Bioaccumulative and Toxic /P/B: very Persistent and very Bioaccumulative Tam. Liq, 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Sye Dam. 1: Serious eye damage/eye irritation – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			ects.
Contact: Department CSD-D Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Maritime Code for Dangerous Goods ATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) //OC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) NEC: Predicted No-Effect Concentration (REACH) C50: Lethal concentration, 50 percent 1951: Persistent, Bioaccumulative and Toxic /P/B: very Persistent and very Bioaccumulative Tam. Liq, 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Sye Dam. 1: Serious eye damage/eye irritation – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.	Department issuin	a SDS: CSD-D	
Teİ.: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Air Transport Association BHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELINCS: European Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent D50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent P31: Persistent, Bioaccumulative and Toxic Avuet Tox: 4: Acute toxicity – Category 2 Avuet Tox: 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Eye Int: 2: Serious eye damage/eye irritation – Category 1 System Start Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.	Contact:	y = = = = = = = = =	
 Droductsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) L50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic <i>PWS</i>: very Persistent and very Bioaccumulative Flammable liquids – Category 1 Acute Tox. 4: Acute toxicity – Category 1 Syn Cor. 1: Skin corrosio/Irritation – Category 1 Syn Cor. 1: Serious eye damage/eye irritation – Category 1 Syn Cor. 1: Serious eye damage/eye irritation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered. 	Department CSD-D		
Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) C.50: Lethal concentration, 50 percent D-50: Lethal dose, 50 per	Tel.: +49-7195-14-0		
Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) C.50: Lethal concentration, 50 percent D-50: Lethal dose, 50 per	productsafety.manage	ement@de.kaercher.com	1
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Maritime Code for Dangerous Goods ATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELNECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) C50: Lethal concentration, 50 percent D50: Lethal concentration, 60 percent D50: Lethal concentration, 60 percent D50: Lethal concentration, 61 percent D50: Lethal concentration, 60 percent D50: Lethal concentration of category 1 Apuatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 * Data compared to the previous version alte	Abbreviations and	acronyms:	
MDG: International Maritime Code for Dangerous Goods ATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) //OC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) CO: Lethal concentration, 50 percent D50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D51: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			ises dangereuses par route (European Agreement Concerning the International
ATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LOS0: Lethal concentration, 50 percent DS1: Lethal dose, 50 percent DS2: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 * Data compared to the previous version altered.			
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative Plam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent P3T: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative P1E.: 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 10: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			alling of Chamicala
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) /OC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2			
CAS: Chemical Abstracts Service (division of the American Chemical Society) /OC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) .C50: Lethal concentration, 50 percent .D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			Chemical Society)
PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic /PVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
PBT: Persistent, Bioaccumulative and Toxic (PvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
Eve Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered.			- Category 3
* Data compared to the previous version altered.			
	•	•	
0·011-373·0 RM 500/7·2 1·894	* Data compared to	o the previous versio	n altered.
	0.011-373.0	RM 500/7·2	1.894