

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Nilfisk Car Combi Cleaner_125300390

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name Nilfisk Car Combi Cleaner_125300390 Product no. 125300390 Unique formula identifier (UFI) MC80-H06K-W00H-08E6 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture **Cleaning product** Uses advised against No special 1.3. Details of the supplier of the safety data sheet Company and address Nilfisk A/S Kornmarksvej 1 2605 Brøndby Denmark +45 43 23 40 50 www.nilfisk.dk Contact person E-mail sds.com@nilfisk.com Revision 29/06/2022 SDS Version 3.0 Date of previous version 04/02/2022 (2.0) 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures". SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Eye Irrit. 2; H319, Causes serious eye irritation. 2.2. Label elements Hazard pictogram(s) Signal word Warning Hazard statement(s) Causes serious eye irritation. (H319) Safety statement(s)

General

```
If medical advice is needed, have product container or label at hand. (P101)
Keep out of reach of children. (P102)
```

Prevention

Wear face shield/protective gloves. (P280)

▼Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

```
-
```

Disposal

Hazardous substances

```
No special
```

2.3. Other hazards

▼ 3.2 Mixtures

Additional labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

Product/substance	Identifiers	% w/w	Classification	Note
butoxydiglycol	CAS No.: 112-34-5 EC No.: 203-961-6	5-10%	Eye Irrit. 2, H319	[1], [3]
	UK-REACH:			
	Index No.: 603-096-00-8			
Fatty alcohol ethoxylate	CAS No.: 69011-36-5	5-10%	Acute Tox. 4, H302	
	EC No.: 500-241-6		Acute Tox. 4, H312 Eye Dam. 1, H318 (SCL: 10.00	
	UK-REACH:		%) Acute Tox. 4, H332	
	Index No.:			
Esterquat	CAS No.: 95009-13-5	1-3%	Skin Irrit. 2, H315	
	EC No.: 305-741-6		Eye Irrit. 2, H319	
	UK-REACH:			
	Index No.:			
Alanine, N,N-bis(carboxymethyl)-,	CAS No.: 164462-16-2	<1%	Met. Corr. 1, H290	
trisodium salt	EC No.:			
	UK-REACH:			
	Index No.:			
UNDECYLENAMIDOPROPYLTRIMONIUM	CAS No.: 94313-91-4	<1%	Skin Irrit. 2, H315	

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

METHOSULFATE	EC No.: 304-990-8 UK-REACH: Index No.:		Eye Irrit. 2, H319	
Pine,oil	CAS No.: 94266-48-5 EC No.: 304-455-9 UK-REACH: Index No.:	<1%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
acetic acid %	CAS No.: 64-19-7 EC No.: 200-580-7 UK-REACH: Index No.: 607-002-00-6	<1%	Flam. Liq. 3, H226 Skin Corr. 1B, H314 (SCL: 25.00 %) Skin Corr. 1A, H314 (SCL: 90.00 %)	[1]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

[1] European occupational exposure limit

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

Labelling of contents according to Detergents Regulation (EC) No 648/2004

- 5% 15%
- · Non-ionic surfactants
- < 5%
- \cdot Cationic surfactants
- · Perfumes

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

ØNilfisk

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

> 5 °C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

butoxydiglycol

Long term exposure limit (8 hours) (ppm): 10 Long term exposure limit (8 hours) (mg/m³): 67,5 Short term exposure limit (15 minutes) (ppm): 15 Short term exposure limit (15 minutes) (mg/m³): 101,2

acetic acid ... %

Long term exposure limit (8 hours) (ppm): 10 Long term exposure limit (8 hours) (mg/m³): 25 Short term exposure limit (15 minutes) (ppm): 20 Short term exposure limit (15 minutes) (mg/m³): 50

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

No data available

PNEC

No data available

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

▼ Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

|--|

No specific requirements

Skin protection

Recommended	Type/Category	Standards
No special when used as intended	-	-

Hand protection

ØNilfisk

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	Nitrile	0,3	>120	EN374-2	
Eye	e protection				
	Туре	Standards			
	In the likelihood of direct or incidental exposure, use face protection.	EN166			E
SECTIO	ON 9: Physical and chemic	cal properties			
For Col Od PH Dev Vis Phase Me Boi Vap Eva Data o Fla: Ign Aut	Liquid lour Yellowish our Pleasant our threshold (ppm) Testing not relevant or no 8 nsity (g/cm ³) 1.01 cosity Testing not relevant or no changes lting point (°C) Testing not relevant or no cling point (°C) 1 pour pressure Testing not relevant or no composition temperature Testing not relevant or no composition rate (n-butylace on fire and explosion haza sh point (°C) Testing not relevant or no confict on temperature to flammability (°C) Testing not relevant or no confict on temperature to flammability (°C)	ot possible due to nature ot possible due to nature ot possible due to nature ot possible due to nature ot possible due to nature $c(^{\circ}C)$ ot possible due to nature tate = 100) and ot possible due to nature tate ot possible due to nature ot possible due to nature	e of the product. e of the product.		
Exp	Testing not relevant or no plosive properties Testing not relevant or no idizing properties Testing not relevant or no	ot possible due to nature	e of the product.		

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Solubility
▼ Solubility in water
Completely soluble
n-octanol/water coefficient
Testing not relevant or not possible due to nature of the product.
Solubility in fat (g/L)
Testing not relevant or not possible due to nature of the product.
9.2. Other information
SECTION 10: Stability and reactivity
10.1. Reactivity
No data available
10.2. Chemical stability
The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions
No special
10.4. Conditions to avoid
No special
10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
10.6. Hazardous decomposition products
The product is not degraded when used as specified in section 1.
SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Product/substance Test method Species Route of exposure Test Result Other information	butoxydiglycol Rat Inhalation LD50 5,56 g/kg ·
Product/substance Test method	Fatty alcohol ethoxylate
Species	Rat
Route of exposure	Oral
Test	LD50
Result	> 500 - 2000 mg/kg ·
Other information	
Product/substance Test method	Fatty alcohol ethoxylate
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	> 4000 mg/kg ·
Other information	
Product/substance	Esterquat

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Test method	
Spocios	Mouse
Species Route of exposure	Oral
Test	LD50
Result	> 2000 mg/kg ·
Other information	2000 mg/kg
Product/substance	acetic acid %
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	16000 ppm/4 h ·
Other information	
Product/substance	acetic acid %
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	1060 mg/kg ·
Other information	
Product/substance	acetic acid %
Test method	
	Rat
Species Bouto of exposure	Oral
Route of exposure Test	LD50
Test	
Result	3310 mg/kg ·
Result	3310 mg/kg ·
Result Other information Skin corrosion/irritation	3310 mg/kg ·
Result Other information Skin corrosion/irritation	3310 mg/kg · I lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d	3310 mg/kg · lata, the classification criteria are not met. itation
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr	3310 mg/kg · lata, the classification criteria are not met. itation rritation.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio	3310 mg/kg · lata, the classification criteria are not met. itation rritation.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio	3310 mg/kg · n lata, the classification criteria are not met. itation rritation. n
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation	3310 mg/kg · n lata, the classification criteria are not met. itation rritation. n
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity	3310 mg/kg · lata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity	3310 mg/kg · lata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity	3310 mg/kg · lata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d	3310 mg/kg · lata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity	3310 mg/kg · lata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity	3310 mg/kg · lata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity	3310 mg/kg · ata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met. lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity Based on available d STOT-single exposure	3310 mg/kg · ata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met. lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity Based on available d STOT-single exposure	3310 mg/kg · ata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity Based on available d STOT-single exposure Based on available d	3310 mg/kg · ata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity Based on available d STOT-single exposure Based on available d	3310 mg/kg · ata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity Based on available d STOT-single exposure Based on available d STOT-repeated exposure Based on available d STOT-repeated exposure Based on available d	3310 mg/kg · ata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity Based on available d STOT-single exposure Based on available d STOT-repeated exposur Based on available d STOT-repeated exposur Based on available d Stot-repeated exposur Based on available d Stot-repeated exposur Based on available d Long term effects	3310 mg/kg · ata, the classification criteria are not met. itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.
Result Other information Skin corrosion/irritation Based on available d Serious eye damage/irr Causes serious eye i Respiratory sensitisatio Based on available d Skin sensitisation Based on available d Germ cell mutagenicity Based on available d Carcinogenicity Based on available d Reproductive toxicity Based on available d STOT-single exposure Based on available d STOT-repeated exposur Based on available d STOT-repeated exposur Based on available d STOT-repeated exposur Based on available d Stor repeated exposur Based on available d Long term effects Irritation effects: Thi	3310 mg/kg · I lata, the classification criteria are not met. Itation rritation. n lata, the classification criteria are not met. lata, the classification criteria are not met.

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

exposure. Other information No special

SECTION 12: Ecological information

12.1. Toxicity

Product/substance Test method Species Compartment Duration Test	butoxydiglycol Fish 96 hours LC50
Result Other information	2500 mg/L ·
Product/substance Test method	butoxydiglycol
Species Compartment	Daphnia
Duration	48 hours
Test	EC50
Result Other information	> 1000 mg/L ·
Product/substance Test method	Fatty alcohol ethoxylate
Species	Fish
Compartment	
Duration	96 hours
Test Result	LC50 10 - 100 mg/L ·
Other information	
Product/substance Test method	Fatty alcohol ethoxylate
Species Compartment	Daphnia
Duration	48 hours
Test	EC50
Result	10 - 100 mg/L ·
Other information	
Product/substance Test method	Fatty alcohol ethoxylate
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result Other information	10 - 100 mg/L ·
Product/substance	acetic acid %

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

Test method		
Species	Fish	
Compartment		
Duration	24 hours	
Test	LC50	
Result	251 mg/L ·	
Other information		
Product/substance	acetic acid %	
Test method		
Species	Danhnia	

species	Dapinna
Compartment	
Duration	96 hours
Test	IC50
Result	47 mg/L ·
Other information	

12.2. Persistence and degradability

Product/substance	Fatty alcohol ethoxylate
Biodegradable	Yes
Test method	
Result	

12.3. Bioaccumulative potential

Fatty alcohol ethoxylate
No
No data available
No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects

No special

SECTION 13: Disposal considerations

▼ 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 29* Detergents containing dangerous substances

20 03 99 Municipal wastes not otherwise specified

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

According to EC-Regulation 1907/2006 (REACH), annex II, as implemented by EC-Regulation 2015/830

SECTION 14: Transport information

▼

		442101	44211	444064	4455 44	
	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

▼ Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

▼ Sources

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

▼ SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

- H226, Flammable liquid and vapour.
- H290, May be corrosive to metals.
- H302, Harmful if swallowed.
- H312, Harmful in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.



H332, Harmful if inhaled. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. ▼ The safety data sheet is validated by MH Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en