



According to regulation (EU) 2015/830

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF COMPAGNY/UNDERTAKING

1.1. Product identifier

Product name: RED MARKING CHALK POWDER

1.2. Using of substance/mixture

Marking chalk powder.

1.3. Details of the supplier of the safety data sheet

Company address: DEFI – HOUILLERES DE CRUEJOULS

215 ZI La Gloriette 38160 CHATTE FRANCE

Phone number : + 33 (0)4 76 64 85 64 **Mail:** defi.h2c@colorfrance.fr

1.4. Emergency phone number :

ORFILA +0033 (0)1 45 42 59 59

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

. Classification according to (EC) N° 1272/2008 [CLP] :

Product is not classified according to CLP regulation.

. Classification according to 67/548/EEC or 1999/45/EC:

Not classified.

2.2. Labelling elements

- . Labelling according to (EC) N° 1272/2008 [CLP] : None
- . Hazard identification: None.
- . Signal word: None.
- . Hazardous components critical to labelling:
- . **Hazard Statement**: None.
- . Labelling according to 67/548/EEC or 1999/45/EC

2.3. Other hazards

No special hazards.

Date of establishment : 2011/11/03 Révision date : 2022/12/01 Version number : 08

establishment: 2011/11/03 Page 1 sur 11





According to regulation (EU) 2015/830

3. COMPOSITION/INFORMATIONS ON INGREDIENTS

3.1. Substances

Not applicable.

3.2. Mixture

Calcium carbonate CAS Number : 471-34-1, EC n° 207-439-9 > 50 %Red iron oxide: CAS number: 1309-37-1; EINECS number: 215-168-2.

No REACH registration 01-2119457614-35-0043 < 50 %

4. FIRST AIDS MEASURES

4.1. Description of first aids measures

Following inhalation:

Move patient from contaminated area to fresh air. If symptoms persist, call a physician.

Following skin contact:

Remove contaminated clothing. Wash off with plenty of water. Get medical attention if symptoms appear.

Following eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

Following ingestion:

Immediately give large quantities of water to drink. If symptoms persist, call a physician.

Self-protection of the first aider:

No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed.

No specific symptoms or effects have been reported.

4.3. Indications of any immediate medical attention and special treatment needed

Not applicable.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

This product is not flammable. Use extinguishing media appropriate to the surrounding fire conditions.

5.2 Special hazards arising from the substance or mixture

Asphyxiating gases/ vapors/ fumes of carbon dioxide at temperature> 600 °C.

5.3. Advice for firefighters

Protection against fire: Do not enter area without proper protective equipment, including respiratory protection. Special procedures: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

Date of establishment: 2011/11/03 Révision date : 2022/12/01

Version number: 08





According to regulation (EU) 2015/830

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedure

Use personal protective equipment:

Respiratory protection: In case of dust, dust mask type P1 or P3 (European Norm 143)

Hand protection: Wear protective gloves (PVC, Neoprene, Natural Rubber)

Eye protection: Chemical resistant goggles must be worn.

Skin and body protection: Protective suit Avoid dust formation. Do not breathe dust.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3 Methods and material for containment and cleaning up

- Pick up and arrange disposal without creating dust.
- Dam and absorb spillage with sand, sawdust or other absorbent material
- Keep in properly labelled containers.
- Keep container closed.
- Treat recovered material as described in the section "Disposal considerations".
- Flush with plenty of water.
- Keep away from acids.

6.4. Refer to other sections

Refer to section 8 and 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures:

Do not breathe dust. Avoid dust formation. Avoid contact with skin, eyes and clothing. Use only in well-ventilated areas. Keep away from incompatible products.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice.

Do not eat, drink and smoke in work areas

Wash hands after use.

Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Condition for safe storage, including any incompatibilities

Storage: Keep only in the original container in a cool, dry well-ventilated place. Keep container closed when closed when not use. Storage temperature: 0-50°c.

Storage-away from: strong acids. Strong bases

Date of establishment: 2011/11/03





According to regulation (EU) 2015/830

7.3. Specific end use(s)

No data available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- Calcium carbonate

Air limit values:

Respect regulatory provisions for dust (inhalable and respirable). Please refer to the Annex 1 of this SDS for the appropriate national exposure limit values.

Biological limit values:

None.

DNELs:

		Workers			
Route exposure	Acute effect local Acute effects Chronic effects Chronic effect				
		systemic	local	systemic	
Oral	Not required	Not required			
Inhalation	No hazard	No hazard	No hazard	10mg/m ³	
	identified	identified	identified		
Dermal		No hazard identified			

	Consumers				
Route exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	
Oral	No hazard identified	6.1mg/kg bw/day	No hazard identified	6.1mg/kg bw/day	
Inhalation	No hazard identified	No hazard identified	No hazard identified	10mg/m^3	
Dermal	No hazard identified				

PNECs

Environment protection target PNEC		Remarks		
Water No hazar		Not acutely toxic to fish, invertebrates, algae and		
	identified	microorganisms at the concentrations tested in the		
		studies. Acute toxicity to fish, invertebrates, algae and		
		microorganisms is greater than the highest		
		concentration tested and therefore exceeds the		
		maximum solubility of calcium carbonate in water.		
Sediments	No hazard	Calcium carbonate and calcium and carbonate ions		
	identified	are ubiquitous in the environment and are found		
		naturally in soil, water and sediment. Sediments		
		naturally contain a high concentration of calcium and		
		carbonate due to the physical and/or chemical		

Date of establishment: 2011/11/03





According to regulation (EU) 2015/830

Micro organisms in sewage	10mg/L	weathering of calcium-rich rocks that takes place in the environment. Calcium will be assimilated by species residing in the sediment and is necessary to maintain a good chemical balance in soils, water and sediment. The carbonate will become part of the carbon cycle and is then cycled throughout the biosphere. Due to the natural occurrence of calcium carbonate in the environment, it is expected that calcium carbonate would not be toxic to sediment organisms. NOEC; AF=10
treatment		,
Soil (agricultural)	No hazard identified	Not acutely toxic to earthworms, plants (soya, tomato and oat) and soil microorganisms at the concentrations tested in the studies. Acute toxicity to earthworms, plants and soil microorganisms is greater than highest concentrations tested and therefore exceeds the maximum solubility of calcium carbonate in water.
Air	No hazard identified	

- Iron oxyde red

Iron oxide red (iron oxide, fume (as Fe)): WEL 8hr limit mg/m³: 5

WEL 15 min limit mg/m³: 10

Iron oxide red (rouge respirable): WEL 8hr limit mg/m³: 4

Iron oxide red (rouge total inhalable 8130): WEL 8hr limit mg/m³: 10

8.2. Exposure controls

8.2.1. Exposure control

Appropriate engineering controls:

Minimize airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organizational measures e.g. by isolating personnel from dusty areas. To remove and to wash soiled clothing.

8.2.2 Personal protective equipment



Respiratory protection: In case of dust, dust mask type P1 or P3 (European Norm 143)

Hand protection: solvent-resistant gloves (butyl-rubber) tested to EN 374; Thickness of the glove material: 0.7mm.

Breakthrough time (maximum wear duration 480min). **Eve protection:** Chemical resistant goggles must be worn.

Skin and body protection: Protective suit

Date of establishment : 2011/11/03 Révision date : 2022/12/01 Version number : 08





According to regulation (EU) 2015/830

8.2.3 Environmental exposure controls

Dispose of rinse water in accordance with local and national regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on physical and chemical properties

State: Powder Color: Red Odor: Odorless

Melting point/range: decompose at temperature than 450°c without melting.

Flammability (auto-ignition temperature): Not flammable.

Water solubility (20°c in g/L): insoluble.

Explosive properties: No explosive properties predicted from the structure.

9.2. Other information

None.

10. STABILITY ET REACTIVITY

10.1. Réactivity

Stable under recommended storage conditions.

10.2. Chimical stability

Contact with acids or strong heating liberates carbon dioxide, sometimes violently.

10.3. Possibility of hazardous reactions

Contact with acids liberates carbon dioxide, sometimes violently. Strong oxidysing agents.

10.4. Conditions to avoid

Will produce carbon dioxide on strong heating or on contact with acids.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6 Hazardous decomposition products

Reacts with acids to form dioxide which displaces the oxygen in the air in closes spaces.

Date of establishment : 2011/11/03 Révision date : 2022/12/01

Version number : 08





According to regulation (EU) 2015/830

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicologic effects

- Calcium carbonate

Relevant hazard class	Effect dose	Species	Method	remark
Acute oral toxicity	LD 50 >2000 mg/kg bw.	Rat	OECD 420	
Acute dermal toxicity	LD 50>2000 mg/kg bw.	Rat	OECD 402	
Acute inhalative toxicity	LC 50(4h) >3 mg/L air bw.	Rat	OECD 403	
Skin corrosion/irritation	Not applicable	Rabbit	OECD 404	Not irritating
Serious eye damage/irritation	Not applicable	Rabbit	OECD 405	Not irritating
Respiratory or skin sensitisazion	Not applicable	Mouse	OECD 429	Not a skin sensitizer
Germ cell mutagenicity	Not applicable	In vitro tests	OECD 471 OECD 476 OECD 473	Not mutagenic
Carcinogenicity	Not applicable			No indication of carcinogenicity
Reproductive toxicity	NOEL (parental) 1000mg/kg bw/day.	Rat	OECD 422	No signs of reproductive or devlopmental toxicity observed
STOT single exposure	Not applicable			No organ toxicity observed in acute tests
STOT repeat exposure				No organ toxicity observed in repeated dose toxicity tests
Aspiration Hazard				No aspiration hazard envisaged

- Iron oxide red

Acute toxicity: No cumulative effects reported.

Skin corrosion/Irritation: May cause irritation to skin, eyes and mucous membranes.

Respiratory or skin sensitization: May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity: No mutagenic effects reported.

Carcinogenicity: No carcinogenic effects reported.

Reproductive toxicity: No tetratogenic effects reported.

11.1.4 Toxicological information

May cause irritation to respiratory system. May cause irritation to eyes.

Date of establishment: 2011/11/03





According to regulation (EU) 2015/830

12. ECOLOGICAL INFORMATION

12.1 Toxicity

- Calcium carbonate

Aquatic	Effect dose	Exposure	Species	Method	Evaluation	Remark
toxicity		time				
Acute fish toxicity	LC50> 100% v/v satured solution	96h	Oncrhychus mykiss	OECD 203	Exceeds maximum	Limit test
toxicity	of test material		тукізз		solubility	
	or test material				substance	
Acute daphnia	LC50> 100% v/v	48h	Daphnia	OECD 202	Exceeds	Limit test
toxicity	satured solution	4011	тадта тадта	OECD 202	maximum	Limit test
toxicity	of test material		magma		solubility	
	or test material				substance	
Acute algae	EC50>14mg/L	72h	Desmodesmus	OECD 201	Exceeds	Limit test
toxicity	NOEC 14 mg/L	/ 211	subspicatus	OLCD 201	maximum	Limit test
toxicity	NOLC 14 mg/L		suospicaius		solubility	
					substance	
Toxicity to STP	EC50>1000mg/L	3h	Activated	OECD 209	Not toxic	
microorganisms	NOEC 1000 mg/L	311	sewage sludge	0200 20)	T (or tome	
Acute	LC50>1000mg/kg	14d	Eisenia fetida	OECD 207	Not acutely	Limit test
earthworm	dry soil NOEC		J		toxic	
toxicity	1000mg/kg dry					
Ĭ	soil					
Toxicity to	EC50>1000mg/L	21d	Glicine max	OECD 208	Not acutely	Results
plants	dry soil		(soybean)		toxic	based on
	NOEC 1000 mg/L		Lycopersicon			seedling
	dry soil		esculentum			emergence
			(tomato)			& growth
			Avena sativa			
			(oats)			
Toxicity to soil	EC50>1000mg/kg	28d	Soil	OECD 216	Not toxic	Limit test
microorganisms	dry soil NOEC		microorganisms			
	1000 mg/L dry					
	soil					

12.2. Persistence and biodégradability

Not applicable.

12.3. Bioaccumulative potentiel

Not applicable.

12.4 Mobility in soil

Not applicable.

12.5. Other adverse effects

This substance does not meet the criteria for classification as PBT or vPvB.

Date of establishment: 2011/11/03





According to regulation (EU) 2015/830

12.6. Further information

According to the criteria of the European classification and labelling system, substance does not require classification as hazardous for environment.

13. DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Waste codes / waste designations according to EWC:

Waste codes should be assigned by the user based on the application for which the substance was used.

- Wastes should be handled in accordance with local and national regulations.
- Wastes can be landfilled when in compliance with local regulations.
- Dispose of waste in accordance with the European Directives.

Packaging treatment:

- Empty containers.
- Dispose of as unused product.

14. TRANSPORT INFORMATIONS

14.1. Land transport (ADR-RID)

General information: not regulated.

14.2. Sea transport (IMDG)

 $\label{lem:continuous} \textbf{General information: } not \ regulated.$

14.3. Air transport (IACO-IATA)

General information: not regulated.

15. REGULATORY INFORMATIONS

15.1. Safety, health and environmental regulation/legislation specific for the substance or mixture.

Labelling (Regulation (EC) No 1272/2008 and Directive 67/548/EEC):

The substance is not labelled according to EU legislation.

15.2 Evaluation of chemical security

Not studies have been found.

Date of establishment : 2011/11/03 Révision date : 2022/12/01 Version number : 08





According to regulation (EU) 2015/830

16. OTHER INFORMATION

Abbreviation and acronyms:

AF	Assessment factor	
BCF	Bioconcentration factor	
DMEL	Derived maximum effect level	
DNEL	Derived no effect level	
EC50	Median effect concentration	
LC50	Median lethal concentration	
NOAEL	No observed adverse effect level	
NOEC	No observed effect concentration	
NOEL	No observed effect level	
OEM	Operator exposure level	
PBT	Persistent bioaccumulative toxic	
PEC	Predicted effect level	
PNEC	Predicted no effect level	
SDS	Safety data sheet	
STOT	Specific target organ toxicity	
STP	Sewage treatement plant	
vPvB	Very persistent very bioaccumulative	

Objects revisions: Written in accordance with Regulation (EC) No 1907/2006, Article 31.

The information supplied in this Safety data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or any other process.





According to regulation (EU) 2015/830

- Calcium carbonate

ANNEX 1

Occumnation	Occuppational exposure limits in mg/m ³ 8 hours TWA dust					
Member state	Non specified (inert dust) INHALABLE	Non specified (inert dust) RESPIRABLE				
Austria	15	6				
Belgium	10	3				
Bulgaria		4				
Denmark	10	5				
Finland	10	/				
France	10	5				
Germany	10	3				
Greece	10	5				
Ireland	10	4				
Italy	10	3				
Lithuania		10				
Luxembourg	10	6				
Netherlands	10	5				
Norway	10	5				
Portugal	10	5				
Romania		10				
Slovakia	10					
Spain	10	3				
Sweden		5				
Switzerland		6				
UK	10	4				