

Revision date 06-Oct-2022

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE** 

TERRACOTTA

Supercedes Date: 10-Dec-2021 Revision Number 3.01

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name OB1 MULTI-SURFACE SEALANT AND ADHESIVE TERRACOTTA

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use**Adhesives and/or sealants

Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Europe 112

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine &

United Kingdom - BE Page 1 / 15

# OB1 MULTI-SURFACE SEALANT AND ADHESIVE TERRACOTTA

Supercedes Date: 10-Dec-2021

Revision date 06-Oct-2022

Revision Number 3.01

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine & Dioctyltinbis(acetylacetonate). May produce an allergic reaction

### Precautionary Statements - EU (§28, 1272/2008)

EUH210 - Safety data sheet available on request

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Diisononyl phthalate	249-079-5	28553-12-0	10 - <20	[1]	-	01-2119430798- 28-XXXX
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1- <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	01-2119970215- 39-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1- <1	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-0000020199- 67-XXXX
N-[3-(Dimethoxymethylsi lyl)propyl]-ethylenediami ne	221-336-6	3069-29-2	0.1- <1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	01-2119963926- 21-xxxx

United Kingdom - BE Page 2 / 15

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE** 

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021

Full text of H- and EUH-phrases: see section 16

Note: ^indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

water.

Ingestion Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

Revision date 06-Oct-2022

Revision Number 3.01

hydrolysis.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. **Suitable Extinguishing Media** 

Unsuitable extinguishing media Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide. Hazardous combustion products

5.3. Advice for firefighters

**Special protective equipment and** Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

United Kingdom - BE Page 3 / 15

Revision date 06-Oct-2022

Revision Number 3.01

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE** 

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021

Use personal protective equipment as required. Ensure adequate ventilation. Do not get Personal precautions

in eyes, on skin, or on clothing.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions** 

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not scatter spilled material with high pressure water streams. **Methods for containment** 

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Protect from moisture. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

#### 7.3. Specific end use(s)

#### Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon **Exposure Limits** curing

Chemical name	European Union	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m <sup>3</sup>
28553-12-0		STEL: 15 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*
Dioctyltinbis(acetylacetonate)	-	TWA: 0.1 mg/m <sup>3</sup>

United Kingdom - BE 4 / 15 Page

# **OB1 MULTI-SURFACE SEALANT AND ADHESIVE**

TERRACOTTA

Supercedes Date: 10-Dec-2021

Revision date 06-Oct-2022

**Revision Number** 3.01

54068-28-9	STEL: 0.2 mg/m <sup>3</sup>
	Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNE	EL)		
Diisononyl phthalate (28553-	12-0)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	51.72 mg/m <sup>3</sup>	
worker Long term Systemic health effects	Dermal	366 mg/kg bw/d	

Trimethoxyvinylsilane (2768	3-02-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Inhalation	27,6 mg/m³	
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d	

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	1	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	35.5 mg/m <sup>3</sup>		
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d		

Dioctyltinbis(acetylacetonat	Dioctyltinbis(acetylacetonate) (54068-28-9)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d			
Long term Systemic health effects worker	Inhalation	84 mg/m³			
Short term Systemic health effects worker	Inhalation	84 mg/m³			
Long term Short term Local health effects worker	Inhalation	0.091 mg/m³			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)						
Туре	Exposure route	Derived No Effect Level	Safety factor			
		(DNEL)				

United Kingdom - BE Page 5/15

Revision date 06-Oct-2022

# OB1 MULTI-SURFACE SEALANT AND ADHESIVE TERRACOTTA

Supercedes Date: 10-Dec-2021 Revision Number 3.01

worker	Inhalation	12 mg/m³	
Long term			
Systemic health effects			
worker	Dermal	1.7 mg/kg bw/d	
Long term			
Systemic health effects			

<b>Derived No Effect Level (DNEL</b>	Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-0	2-7)				
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³			
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d			
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d		
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m <sup>3</sup>		
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d		

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³				
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d				
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d				

# $\begin{tabular}{ll} \textbf{Predicted No Effect Concentration} & \textbf{No information available.} \\ \textbf{(PNEC)} \end{tabular}$

Predicted No Effect Concentration (PNEC)				
Trimethoxyvinylsilane (2768-02-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.34 mg/l			
Marine water	0.034 mg/l			
Microorganisms in sewage treatment	110 mg/l			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)	
Environmental compartment	Predicted No Effect Concentration (PNEC)

United Kingdom - BE Page 6 / 15

# **OB1 MULTI-SURFACE SEALANT AND ADHESIVE**

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021

•

Freshwater	0.062 mg/l
Marine water	0.0062 mg/l
Sewage treatment plant	25 mg/l

Dioctyltinbis(acetylacetonate) (54068-28-9)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	26 μg/l			
Marine water	2.6 μg/l			
Freshwater - intermittent	260 μg/l			
Sewage treatment plant	1 mg/l			
Freshwater sediment	0.155 mg/kg dry weight			
Marine sediment	0.0155 mg/kg dry weight			
Soil	0.0158 mg/kg dry weight			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.062 mg/l			
Marine water	0.006 mg/l			
Sewage treatment plant	25 mg/l			
Freshwater sediment	0.24 mg/kg dry weight			
Marine sediment	0.024 mg/kg dry weight			
Soil	0.01 mg/kg dry weight			

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

**Hand protection** Wear suitable gloves. Ensure that the breakthrough time of the glove material is not

exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness

Revision date 06-Oct-2022

Revision Number 3.01

as well as the temperature. Gloves must conform to standard EN 374

**Skin and body protection** None under normal use conditions.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical stateSolidAppearancePasteColourdark orangeOdourCharacteristic.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point No data available None known Initial boiling point and boiling No data available None known

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 60 °C

United Kingdom - BE Page 7 / 15

Revision date 06-Oct-2022

Revision Number 3.01

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE** 

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021

No data available **Autoignition temperature** None known

**Decomposition temperature** None known

No data available None known.

None known pH (as aqueous solution) No data available Kinematic viscosity > 21 mm<sup>2</sup>/s None known

Dynamic viscosity No data available

Water solubility No data available. Product cures withNone known

moisture

No data available Solubility(ies) None known Partition coefficient No data available None known No data available Vapour pressure None known Relative density No data available None known

**Bulk Density** No data available 1.58 g/cm<sup>3</sup> Density

Relative vapour density No data available None known

**Particle characteristics** 

**Particle Size** No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

#### SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stable under normal conditions. Stability

**Explosion data** 

None. Sensitivity to mechanical

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

None known based on information supplied. Incompatible materials

10.6. Hazardous decomposition products

United Kingdom - BE Page 8 / 15

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE** 

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021

Hazardous decomposition

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

Revision date 06-Oct-2022

Revision Number 3.01

products

formed by hydrolysis and released upon curing.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

Based on available data, the classification criteria are not met. Inhalation

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Based on available data, the classification criteria are not met. Ingestion

#### Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms** 

Acute toxicity

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 862.4128 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Diisononyl phthalate	>9750 mg/kg (Rattus)	>3160 mg/Kg (Oryctolagus	>4.4 mg/L (Rattus) 4 h	
		cuniculus)		
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)	
	(Rattus) OECD 401	cuniculus)	OECD TG 403	
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44	
ylenediamine			mg/L air	
Dioctyltinbis(acetylacetonate)	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat) 4 h	
N-[3-(Dimethoxymethylsilyl)pro =200 - 2000 mg/Kg (Rattus)		>5000 mg/Kg (Oryctolagus	> 5.2 mg/L (Rat) 4 h	
pyl]-ethylenediamine	(OECD 401)	cuniculus)		
		(OECD 402)		

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 404:	Rabbit	Dermal			irritant	
Acute Dermal						
Irritation/Corrosion						

United Kingdom - BE Page 9/15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE

**TERRACOTTA** 

\_\_\_\_\_

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Supercedes Date: 10-Dec-2021

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit				Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Revision date 06-Oct-2022

Revision Number 3.01

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation, Buehler test			-

Dioctyltinbis(acetylacetonate) (54068-28-9)

Method	Species	Exposure route	Results
OECD Test No. 429: Skin		Dermal	> 5 % sensitising
Sensitisation: Local Lymph Node			-
Assay			

N-[3-(Dimethoxymethylsilyl)propyll-ethylenediamine (3069-29-2)

<u> </u>	<i>y</i> :		
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig		Sensitizing
Sensitisation			

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		_

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable

United Kingdom - BE Page 10 / 15

Revision date 06-Oct-2022

# **OB1 MULTI-SURFACE SEALANT AND ADHESIVE**

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021 Revision Number 3.01

Toxicity Study with the	
Reproduction/Developmental Toxicity Screening	
Test	

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation				-	
Toxicity: 90-day Study					

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** 

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Diisononyl phthalate	EC50 72 h > 500	LC50 96 h > 100	-	EC50:		
28553-12-0	mg/L	mg/L		>0.06mg/L (48h,		
	(Desmodesmus	(Brachydanio		Daphnia magna)		
	subspicatus)	rerio semi-static)		EC50: >500mg/L		
				(48h, Daphnia		
				magna)		
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus) EU Method C.3	mykiss)		magna)		
N-(3-(trimethoxysilyl)pr	-	LC50 (96H)	-	EC50 (48h)		
opyl)ethylenediamine		=597 mg/L		=81mg/L		
1760-24-3		(Danio		Daphnia magna		
		rerio)Semi-static		Static		
Dioctyltinbis(acetylacet	-	LC50 (96h) =86	-	EC50 (48h)		
onate)		mg/L (Static)		=58.6 mg/L		
54068-28-9				(Daphnia		
				magna)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

United Kingdom - BE Page 11 / 15

Revision date 06-Oct-2022

Revision Number 3.01

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE** 

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

#### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
Diisononyl phthalate	9.7
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3

#### 12.4. Mobility in soil

Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
Diisononyl phthalate	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Trimethoxyvinylsilane	The substance is not PBT / vPvB	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB	
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB	
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	The substance is not PBT / vPvB	

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Handle contaminated packages in the same way as the product itself.

**European Waste Catalogue** 

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information

Waste codes should be assigned by the user based on the application for which the product was used.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated

United Kingdom - BE Page 12/15

Revision date 06-Oct-2022

#### **OB1 MULTI-SURFACE SEALANT AND ADHESIVE**

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021 Revision Number 3.01

14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP 14.6 Special Provisions None

14.7 Maritime transport in bulk

Not applicable

according to IMO instruments

#### Air transport (ICAO-TI / IATA-DGR)

Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable None

14.6 Special Provisions

#### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltinbis(acetylacetonate)	54068-28-9	20.

**52** . Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament

United Kingdom - BE Page 13/15

Revision date 06-Oct-2022

Revision Number 3.01

# **OB1 MULTI-SURFACE SEALANT AND ADHESIVE**

**TERRACOTTA** 

Supercedes Date: 10-Dec-2021

and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dioctyltinbis(acetylacetonate)	l.1

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eve damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation H371 - May cause damage to organs

Legend

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) **STEL** 

Ceiling Limit Value Ceiling Skin designation

**SVHC** Substance(s) of Very High Concern

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT Very Persistent and very Bioaccumulative (vPvB) Chemicals vPvB

STOT RE Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure STOT SE

**EWC** European Waste Catalogue

**ADR** European Agreement concerning the International Carriage of Dangerous Goods by

Road

**IMDG** International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data

No information available

#### **Prepared By Product Safety & Regulatory Affairs**

United Kingdom - BE Page 14/15

**OB1 MULTI-SURFACE SEALANT AND ADHESIVE TERRACOTTA** 

Supercedes Date: 10-Dec-2021

Revision date 06-Oct-2022

Revision Number 3.01

06-Oct-2022

**Revision date** 

Indication of changes

**Revision note** SDS sections updated, 2, 3.

**Training Advice** No information available

**Further information** No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 15/15