

according to Regulation (EC) No 1907/2006

## **2WORK HAND SANITISER**

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Revision date: 05.06.2020

Hand Sanitiser - 2W03481

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Disinfectants

# Uses advised against

Any non-intended use.

## 1.3. Details of the supplier of the safety data sheet

Company name: VOW EUROPE LTD

MAGNA PARK HARRIER PARKWAY LUTTERWORTH LE17 4XT

#### 1.4. Emergency telephone

number:

NHS 111

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008 Hazard Statements:

Highly flammable liquid and vapour. Causes serious eye irritation.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

Signal word:

**Pictograms:** 



#### Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Danger

### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

2WORK HAND SANITISER

Page 2 of 12

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## Hazardous components

Revision date: 05.06.2020

CAS No	Chemical name					
	EC No Index No REACH No					
	GHS Classification					
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol				
	200-578-6	603-002-00-5	01-2119457610-43			
	Flam. Liq. 2, Eye Irrit. 2; H225 H319					

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. If unconscious place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Seek medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

Acute effects: Mucous membrane irritation after eye contact or inhalation. Delayed effects: Impairment of inhibitory functions of the central nervous system, skin redness, nausea after ingestion of large amounts.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### Treat symptomatically.

Percutaneously absorbed and inhaled substance causes next to irritation of affected mucous membranes only an indicated impairment of the inhibitory functions of the central nervous system, clinically recognizable as the beginning of a euphoric stage. At the same time face and skin redness is caused by dilation of peripheral blood vessels in the body.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

according to Regulation (EC) No 1907/2006

## **2WORK HAND SANITISER**

Revision date: 05.06.2020

Page 3 of 12

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

In use, may form flammable/explosive vapour-air mixture. Vapours are heavier than air and will spread at floor level. Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate affected area. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Special danger of slipping by leaking/spilling product. Wear personal protection equipment. (refer to chapter 8)

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate affected area.

Treat the recovered material as prescribed in the section on waste disposal.

Clear contaminated areas thoroughly.

#### 6.4. Reference to other sections

See protective measures under point 7 and 8.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment. (See section 8.)

### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Flammable vapours can accumulate in head space of closed systems. In use, may form flammable/explosive vapour-air mixture. Heating causes rise in pressure with risk of bursting.

### Further information on handling

General protection and hygiene measures: refer to chapter 8

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.

Ensure adequate ventilation of the storage area. Concentrated vapours are heavier than air.

Suitable material for Container: Stainless steel. (1.4301 (V2), 1.4401 (V4)); iron. solvent resistant plastics. Unsuitable materials for Container: Aluminium. Rubber. various plastics.

according to Regulation (EC) No 1907/2006

# **2WORK HAND SANITISER**

Revision date: 05.06.2020

Page 4 of 12

### Hints on joint storage

Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

#### Further information on storage conditions

Recommended storage temperature: 5-25°C Protect against: UV-radiation/sunlight. heat. Cold.

## 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

## **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol					
Worker DNEI	_, acute	inhalation	local	1900 mg/m <sup>3</sup>			
Worker DNEI	_, long-term	dermal	systemic	343 mg/kg bw/day			
Worker DNEL, long-term		inhalation	systemic	950 mg/m³			
Consumer DI	NEL, acute	inhalation	local	950 mg/m³			
Consumer DI	NEL, long-term	dermal	systemic	206 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	114 mg/m <sup>3</sup>			
Consumer D	NEL, long-term	oral	systemic	87 mg/kg bw/day			

**PNEC** values

CAS No	Substance			
Environmenta	al compartment	Value		
64-17-5	ethanol, ethyl alcohol			
Freshwater		0,96 mg/l		
Freshwater (i	intermittent releases)	2,75 mg/l		
Marine water		0,79 mg/l		
Marine water	· (intermittent releases)	2,75 mg/l		
Freshwater s	ediment	3,6 mg/kg		
Marine sedim	nent	2,9 mg/kg		
Secondary po	oisoning	0,72 mg/kg		
Micro-organis	sms in sewage treatment plants (STP)	580 mg/l		
Soil		0,63 mg/kg		

## 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

# 2WORK HAND SANITISER

Revision date: 05.06.2020



## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work. Take off contaminated clothing. Protect skin by using skin protective cream.

## Eye/face protection

Tightly sealed safety glasses. BS/EN 166

## Hand protection

In case of prolonged or frequently repeated skin contact:

Tested protective gloves are to be worn:

Suitable material:

Butyl rubber. (0,7 mm, Breakthrough time >=480 min, penetration time (maximum wearing period): 160 min): NBR (Nitrile rubber). (0,4 mm, Breakthrough time >=120 min, penetration time (maximum wearing period): 40 min)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Protective clothing. (fire retardant.)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

## **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at:

Insufficient ventilation.

Exceeding exposure limit values

Generation/formation of aerosols

Suitable respiratory protective equipment:

gas filtering equipment (EN 141). Type : A

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

## Environmental exposure controls

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	characteristic





according to Regulation (EC) No 1907/2006

# **2WORK HAND SANITISER**

Page 6 of 12

pH-Value:	ca. 7
Changes in the physical state	
Melting point:	not determined
Initial boiling point and boiling range:	> 70 °C
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	22 °C
Explosive properties In case of insufficient ventilation and/or through use, ex Vapours can travel considerable distances to a source	xplosive/highly flammable mixtures may develop. of ignition where they can ignite , flash back, or explode
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	not determined
Auto-ignition temperature Gas:	not determined
Oxidizing properties none	
Vapour pressure:	not determined
Density:	0,87 g/cm <sup>3</sup>
Water solubility:	miscible.
Solubility in other solvents not determined	
Viscosity / dynamic:	5500-11000 mPa⋅s
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Other information	
	not determined

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

# 10.2. Chemical stability

Revision date: 05.06.2020

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Explosion risk in contact with: Oxidizing agents, strong. nitric acid. Hydrogenium peroxide. Exothermic reactions with: Alkali metals. Alkaline earth metals. Reducing agents, strong.

# 10.4. Conditions to avoid

Keep away from heat. Protect against direct sunlight. Protect from moisture. In use may form flammable/explosive vapour-air mixture.

according to Regulation (EC) No 1907/2006

## **2WORK HAND SANITISER**

Revision date: 05.06.2020

Page 7 of 12

Heating causes rise in pressure with risk of bursting. Recommended storage temperature: < 40 °C

## 10.5. Incompatible materials

Strong acid. Oxidizing agents. Alkali metals. Alkaline earth metals. Peroxides. phosphorus oxides. Nitrogen oxides (NOx). Hydrogenium peroxide. Nitric acid. hydrochloric acid. Sulfuric acid. Perchlorates. Chromium oxides. Acid chlorides.

## 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2).

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

## Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
64-17-5	ethanol, ethyl alcohol							
		LD50 >5000 mg/kg	Rat	ECHA Dossier				
	( )	LC50 124,7 mg/l	Rat	ECHA Dossier				

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Irritant effect on the skin: slightly irritant but not relevant for classification.

Ethanol.: Specific concentration limit (SCL): Eye Irrit. 2 > 50%

#### Sensitising effects

Based on available data, the classification criteria are not met.

The product is: not sensitising. The statement is derived form the properties of the components.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Ethanol. (CAS-No.: 64-17-5):

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist.

Reproductive toxicity: Exposure time: 18 weeks; Species: CD-1 Mouse. Method: OECD Guideline 416; Result:

NOAEL = 20700 mg/kg/day. Developmental toxicity/teratogenicity: Exposure time: 19d; Species:

Sprague-Dawley Rat. Method: OECD Guideline 414; Result: NOAEL = 16000 ppm (maternal toxicity), Result: NOAEL >= 20000 ppm (teratogenicity); Literature information: ECHA Dossier

## STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Ethanol. (CAS-No.: 64-17-5):

Subchronic oral toxicity: Exposure time: 90d; Species: Sprague-Dawley Rat. Method: OECD Guideline 408; Result: NOAEL = 1280 mg/kg; Literature information: ECHA Dossier

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available

# Practical experience

according to Regulation (EC) No 1907/2006

## **2WORK HAND SANITISER**

Page 8 of 12

Revision date: 05.06.2020

## Other observations

Depending on the ingested quantity the following symptoms can be induced: a reduction of inhibitions, euphoria but also dysphoria, aggressiveness, impaired motoric skills, impaired responsiveness, blurred vision and fatigue.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose	Dose		Species	Source	Method
64-17-5	ethanol, ethyl alcohol						
	Acute fish toxicity	LC50 mg/l	14200	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia dubia	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	(9,6)	9 d	Daphnia magna	ECHA Dossier	

## 12.2. Persistence and degradability

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation		-				
64-17-5	ethanol, ethyl alcohol						
64-17-5	ethanol, ethyl alcohol other guideline	84%	20	ECHA Dossier			

## 12.3. Bioaccumulative potential

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31

## 12.4. Mobility in soil

Ethanol. (CAS-No.: 64-17-5):

Volatility Henry constant: 3,3\*10-6 atm. m3/mol;dimension less 1,28\*10-4 (Calculation method.) Distribution: Calculation according to: Mackay, EPIWIN: Air. 45,0%; Water. 33,1%; soil: 13,7%; sediment: 0,1%

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

No data available

# Further information

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

according to Regulation (EC) No 1907/2006

## **2WORK HAND SANITISER**

Revision date: 05.06.2020

Page 9 of 12

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

## List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

## List of Wastes Code - used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

## List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Marino transport (IMDG)	

according to Regulation (EC) No 1907/2006

2WORK HAND SANITISER Page 10 of 12		
<u>14.1. UN number:</u>	UN 1170	
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Marine pollutant:	NO	
Special Provisions:	144	
Limited quantity:	1L	
Excepted quantity: EmS:	E2 F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)	Г- <u>с</u> , 0-D	
14.1. UN number:	UN 1170	
14.2. UN proper shipping name:	ETHANOL SOLUTION	
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
Hazard label:	3	
Special Provisions:	A3 A58 A180	
Limited quantity Passenger:	1 L	
Passenger LQ: Excepted quantity:	Y341 E2	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	364	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user Refer to section 6-8		
14.7. Transport in bulk according to Annex not relevant	Il of Marpol and the IBC Code	
SECTION 15: Regulatory information		
15.1 Safety health and environmental requ	lations/legislation specific for the substance or mixture	
	nationanegistation specific for the substance of mixture	
EU regulatory information Restrictions on use (REACH, annex XVII) Entry 40: ethanol, ethyl alcohol	:	
2010/75/EU (VOC):	not determined	
2004/42/EC (VOC):	not determined	
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS	

according to Regulation (EC) No 1907/2006

## **2WORK HAND SANITISER**

Revision date: 05.06.2020

Page 11 of 12

## Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2019/957) The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII, No (mixture): 3, 40

### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

Water hazard class (D):

# 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: ethanol, ethyl alcohol

## **SECTION 16: Other information**

### Changes

Rev. 1.00; Neuerstellung 05.06.2020

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures DNEL: Derived No Effect Level d: day(s) EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European LIst of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NLP: No-Longer Polymers N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) REACH: Registration, Evaluation, Authorisation of Chemicals SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

according to Regulation (EC) No 1907/2006

## **2WORK HAND SANITISER**

Page 12 of 12

## Revision date: 05.06.2020

**UN: United Nations** 

VOC: Volatile Organic Compounds

Relevant H and EUH statements (number and full text)H225Highly flammable liquid and vapour.H319Causes serious eye irritation.

## **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)