



SAFETY DATA SHEET

Astonish Power Cleaner Toilet Bowl Tabs

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Astonish Power Cleaner Toilet Bowl Tabs
Product number	C2184
Internal identification	C2184F2V2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning toilet bowls and removing limescale.
Uses advised against	For use in the toilet bowl only.

1.3. Details of the supplier of the safety data sheet

Supplier	The London Oil Refining Company Ltd Astonish House Unit 1 Premier Point Staithgate Lane Bradford BD6 1DW + 44 1274 767440 + 44 1274 726285 www.astonishcleaners.com
Contact person	info@astonish.co.uk
Manufacturer	As supplier.

1.4. Emergency telephone number

Emergency telephone	UK - Emergency Telephone (01274) 767440 (8am-4pm Mon-Fri). ROI - Poisons Information Centre of Ireland: 01 809 2166 8am-10pm 7 days a week
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
Environmental hazards	Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word	Warning
-------------	---------

Astonish Power Cleaner Toilet Bowl Tabs

Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	Store in a dry place at the temperature of 5.0-25.0°C. Protect from freezing and direct sun exposure. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P264 Wash hands thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves and eye protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention.
Supplemental label information	Do not mix with other cleaning products. Do not allow the product to come into contact with chlorine bleach.
Additional Labelling	None
Detergent labelling	< 5% anionic surfactants, < 5% oxygen-based bleaching agents, < 5% perfumes

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

sulphamic acid 30-60% CAS number: 5329-14-6 EC number: 226-218-8
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412
Sodium Carbonate 10-30% CAS number: 497-19-8 EC number: 207-838-8 REACH registration number: 01-2119485498-19-0000
Classification Eye Irrit. 2 - H319
Sodium carbonate peroxyhydrate 1-5% CAS number: 15630-89-4 EC number: 239-707-6 REACH registration number: 01-2119457268-30-0000
Classification Ox. Sol. 3 - H272 Acute Tox. 4 - H302 Eye Dam. 1 - H318

Astonish Power Cleaner Toilet Bowl Tabs

Sodium Laureth Sulfate		1-5%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-2119488639-16-XXXX
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Chronic 3 - H412		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice if recovery not rapid.
Ingestion	Drink water. If symptoms persist seek medical advice.
Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Possible mild irritation of breathing passage and possible mouth irritation.
Ingestion	Possible mild stomach upset and mild soreness of mouth.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No data available
Specific treatments	No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguisher suitable to cause of fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of carbon may be produced.

5.3. Advice for firefighters

Protective actions during firefighting Use protection suitable to cause of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

Astonish Power Cleaner Toilet Bowl Tabs

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Use as instructed on label. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Cleaning toilet bowls and removing limescale.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Sodium Carbonate

Long-term exposure limit (8-hour TWA): 10 mg/m³

Sodium carbonate peroxyhydrate

Long-term exposure limit (8-hour TWA): 5 mg/m³

Sodium carbonate peroxyhydrate (CAS: 15630-89-4)

PNEC - Fresh water; 35 µg/l

8.2. Exposure controls

Eye/face protection Wear eye protection.

Hand protection Wear protective gloves.

Environmental exposure controls This product does not pose a hazard in normal use when following the usage instructions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance White/Blue layered tablet

Colour White/Blue Layers

Odour Eucalyptus

Odour threshold Not known.

pH pH (diluted solution): 1 - 3 (1% aqueous)

Melting point Not known.

Astonish Power Cleaner Toilet Bowl Tabs

Initial boiling point and range	No information available.
Flash point	Not applicable.
Evaporation rate	Not known.
Evaporation factor	Not known.
Flammability (solid, gas)	Not flammable
Upper/lower flammability or explosive limits	Does not ignite.
Other flammability	Not relevant.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Not determined.
Bulk density	Not relevant.
Solubility(ies)	Soluble in water
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not applicable.
Explosive properties	None
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Will react with chlorine bleach to produce chlorine gas

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will produce chlorine when reacted with chlorine bleach. Retail pack will produce such low volumes the risk to health is considered negligible. None under normal conditions.

10.4. Conditions to avoid

Conditions to avoid None known.

10.5. Incompatible materials

Materials to avoid Do not mix with Chlorine Bleach

Astonish Power Cleaner Toilet Bowl Tabs

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Acute toxicity - oral

ATE oral (mg/kg) 20,721.44

Toxicological information on ingredients.

sulphamic acid

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 3,160.0

Species Rat

ATE oral (mg/kg) 3,160.0

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

12.2. Persistence and degradability

Persistence and degradability Does not contain any components considered to be persistent. Contains detergents that satisfy the biodegradation requirements of directive 648/2004/EC.

12.3. Bioaccumulative potential

Bioaccumulative potential No bio-accumulative potential noted for any component.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Dispose of contaminated packaging in the same way as the product itself. Non-contaminated packages may be recycled.

Astonish Power Cleaner Toilet Bowl Tabs

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by 453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).
Dangerous Preparations Directive 1999/45/EC.
Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
CAS: Chemical Abstracts Service.
ECHA: European Chemicals Agency
GHS: Globally Harmonized System.
PBT: Persistent, Bioaccumulative and Toxic substance.
PNEC: Predicted No Effect Concentration.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
vPvB: Very Persistent and Very Bioaccumulative.

Astonish Power Cleaner Toilet Bowl Tabs

General information	<p>Note: The hazard statements below are explanations of phrases used in the SDS as abbreviations and DO NOT apply to the product. The statements applicable to the product are those identified in Section 2 only.</p> <p>Any animal testing information or data listed in this safety data sheet is historic published data within the public domain. There is a requirement to declare this information if it is known and this does not impact our cruelty free status. The London Oil Refining Company Ltd does not commission animal testing.</p>
Revision comments	Revised Internal Identification. Updated Emergency Telephone Numbers in Section 1.4
Issued by	The London Oil Refining Company Ltd
Revision date	22/07/2020
Revision	2.2
Supersedes date	16/08/2019
SDS number	4996
Hazard statements in full	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.