



Professional A4 colour inkjet wireless all-in-one printer

with A3 print capability

MFC-J5955DW



www.brother.eu

Professional A4 colour inkjet wireless all-in-one printer with A3 print capability

This all-in-one combines business functionality with cost efficiency into one professional device. Printing up to A3 and using the 50 sheet A4 Automatic Document Feeder (ADF)² makes copying and scanning quicker and more efficient. With the latest print head technology, you can be confident that this printer keeps on delivering when you need it.

MFC-J5955DW



Key features:

- Up to 30ipm print speed⁹
- Automatic 2-sided A4 print, scan, copy and fax
- 8.8cm colour touchscreen
- Wired and wireless connectivity
- 2 x 250 sheet paper trays²
- 100 sheet multi-purpose tray²
- 50 sheet 2-sided A4 Automatic Document Feeder (ADF)²
- NFC (Near-Field Communication) for secure authentication, mobile print and scan
- Optional high-yield inks: BK 6000 pages and C/M/Y 5000 pages¹

Greener business printing

The MFC-J5955DW starts printing immediately without the need to preheat any internal components, therefore not only do you benefit from using less energy, but also exceptionally fast First Page Print Out Time of under 5 seconds¹⁰ and print speeds up to 30ipm⁹, all without compromising on premium print quality.

Keep printing for longer²

With a large paper input capacity of up to 500 sheets as standard, you don't need to spend as much time refilling the paper tray and can concentrate on your daily office tasks. The 100 sheet multi-purpose tray allows you to use versatile media options up to 220gsm, together with the 50 sheet Automatic Document Feeder supporting quick and cost effective A4/A3 printing and A4 scanning.



Ultra-fast, durable, precision printing

Through years of meticulous engineering design, our patented MAXIDRIVE print chip redefines printing technology. Ink droplets are ejected into 40 micrometer thick film generating pressure that travels through 1680 individual chambers across a single print chip, delivering ultra-fast, durable, precision printing.

Built to perform

With a host of business features and functions, the MFC-J5955DW offers quick and secure printing directly from your mobile using Near-Field Communication (NFC). Set up fast scan options with the intuitive user interface allowing you to scan directly to your favourite office applications. The 8.8cm colour touchscreen features an intelligent page gauge function allowing you to keep track of your ink level usage.

Cost efficient. Printing that looks after itself

Reliable and built to last. The MFC-J5955DW provides excellent value with a low total cost of ownership (TCO) and competitive cost per page (CPP). Let us take care of your printing needs with a number of Managed Print Service (MPS) options offering automated supplies replenishment and break-fix services, reducing downtime and maximising productivity - for total peace of mind.





General

Technology Inkjet

Memory 512MB

Control panel 8.8cm Colour Touchscreen LCD Local Interface Hi-Speed USB 2.0

Wired Network Fast Ethernet Wireless Network 2.4GHz and 5GHz Support

Mobile Print

Print from your mobile devices to your Brother printer

Print

Print Speed (A4)⁹

1-Sided: 30ipm Mono and Colour 2-Sided: 21ipm Mono and Colour

FPOT (First Print Out Time)¹⁰ 4.6 Seconds Colour and 4.4 Seconds Mono

Quiet Mode A mode to reduce the printing noise **Resolution** Up to 1200 x 4800dpi (Horizontal and Vertical)

Print Languages PCL6, BR-Script3, PDF Version 1.7, XPS Version 1.0

Embedded Fonts (PCL) 73 scalable fonts, 12 bitmap fonts

Embedded Barcodes (PCL)

16 bar codes* *Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI

Embedded Fonts (Postscript) 66 scalable fonts

Printer Functions

N-up Printing³ Reduce up to 2, 4, 9 or 16 pages into just one page

Poster Printing⁴ Enlarge a single page into a poster using 4 or 9 pages

Watermark Printing⁴

Watermark your documents with predefined text or with your own user-defined messages

ID Printing⁴

Add identification to your printed documents (date and time, short custom message or PC username)

Booklet Printing⁴

Print documents in A5 booklet format using automatic or manual 2-sided print

Print Profiles³

Store your favourite driver settings as profiles to easily recall them

Printer Driver

Windows

Windows 10 (32 and 64 bit editions) Windows 8 (32 and 64 bit editions) Windows 7 (32 and 64 bit editions) Windows Server 2019, 2016, 2012, 2012R2 and 2008R2 Windows Server 2008 (32 and 64 bit editions) macOS 10.14.6/10.15.x/11

Linux CUPS, LPD/LPRng (i686 and x86_64)

PCL Driver Generic PCL XL driver

ChromeOS Supports native ChromeOS printing

PostScript Universal Printer Driver

Driver for Windows that enables you to print to any network or locally connected Brother ink printer

Paper Handling

Paper Input² Standard Tray -250 Sheets Lower Trays -250 Sheets Multi Purpose Tray -100 Sheets Automatic Document Feeder (ADF) 50 Sheets

Paper Output² 100 Sheets A4 | 50 Sheets A3

Envelope Printing Yes from multi purpose tray and standard tray Media Sizes Standard Tray

A4, LTR, EXE, A3, LGR, LGL, Folio, A5, A6, Photo (10 x 15cm), Indexcard (13 x 20cm), Photo-L (9 x 13cm), Photo-2L (13 x 18cm), Com-10, DL Envelope, Monarch, C5, Mexico Legal, India Legal

Multi Purpose Tray

A4, LTR, EXE, A3, LGR, LGL, Folio, A5, A6, Photo (10 x 15cm), Indexcard (13 x 20cm), Photo-L (9 x 13cm), Photo-2L (13 x 18cm), Com-10, DL Envelope, Monarch, C5, Mexico Legal, India Legal, Long paper (max length: 1200mm)

Lower Trays

A4, LTR, A3, LGR, LGL, Folio, Mexico Legal, India Legal

ADF

Width: 105 to 215.9 mm, Length: 148 to 355.6 mm

Scanner Glass

Width: up to 215.9 mm Length: up to 297 mm

Auto 2-Sided

A4, LTR, EXE, A5

Media Type and Weights Standard Tray

Plain, Inkjet, Glossy, Recycled 64-220g/m²

Lower Trays

Plain, Recycled 64-120g/m²

Multi Purpose Tray

Plain, Inkjet, Glossy, Recycled 64-220g/m² (260g/m² with Brother BP71 glossy paper only)

ADF

Plain and Recycled paper 64-120g/m²

Auto 2-Sided

Plain, Recycled 64-120g/m²

Mobile and Web Connectivity

Brother Mobile Connect⁵ (Android)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device

Brother Mobile Connect⁵ (iPad / iPhone)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone

Apple AirPrint

Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin⁵

Print from an Android devices without a dedicated App.

Mopria^{™ 5}

Print most common file types from Mopria™ supported Android devices

Brother Apps⁸

Print creative center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy scan to E-mail

Web Connect⁸

Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive™ OneNote

Copy Speed (A4)¹¹

1-Sided: 25ipm Mono and 16ipm Colour 2-Sided: 18ipm Mono and 13ipm Colour

FCOT

(First Copy Out Time)¹¹ 9.5 seconds Mono and 10.0 seconds Colour

Resolution Up to 600 x 600dpi

Multi-Copying/Stack/Sort

Makes up to 999 copies of each page / Stacks or Sorts

Enlargement/Reduction Ratio

Reduce or Increase document sizes from 25% to 400% in 1% increments

N in 1 Copying

Allows the user to compress 2 or 4 pages on to a single A4 sheet

2 in 1 ID Copying

Allows the user to copy both sides of an ID card to a single A4 sheet

Grey Scale

256 shades of grey (8 bit for each colour)

Receipt Copying

Produces clearer copies of receipts

Enlarge Text Copy⁸

Makes reading copied documents easier if the size of the text on the original document is small

Scan

Scanner Type Dual CIS (Contact Image Sensor)

Colour and Mono Scanning Yes

Scan Speed (A4)¹² 1-Sided: 25ipm Mono and Colour 2-Sided: 30ipm Mono and Colour

Scan Resolution from ADF 600 x 600dpi (mono) 600 x 600dpi (colour)

Scan Resolution from Scanner Glass 1200 x 2400dpi (mono) 1200 x 1200dpi (colour)

Interpolated Scan Resolution Up to 19200 x 19200dpi

Colour Depth

48 bit colour Processing (Input)24 bit colour Processing (Output)

Grey Scale 16 bit colour Processing (Input) 8 bit colour Processing (Output)

Scanner Functions

Scan to E-mail Scan and share documents via e-mail server

Scan to OCR Scan documents directly into your word processing application for instant editing

Scan to Image Scan into your preffered image editing software

Scan to File Scan to a file on your computer

Scan to Network Folder⁴ Scan documents to a nominated folder on your network without

Scan to SFTP Scan documents directly to a FTP server

Scan Profile³

using a Windows PC

Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings

Scan To Microsoft Office

Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx) for Microsoft Office

Scan to SharePoint⁴ Scan documents directly into SharePoint (On-premise)

Scan to Searchable PDF⁷ Scan documents to searchable PDF files

Auto Deskew³ Yes

Base Colour Removal³ Yes Windows TWAIN and WIA Windows 10 (32 and 64 bit editions) Windows 8.1 (32 and 64 bit editions) Windows 7 (32 and 64 bit editions) Windows Server 2008 R2/2012/2012 R2/2016/2019 (64 bit editions)

Linux⁵ SANE (32 and 64 bit editions)

Fax

Fax Modem

33600bps (Super G3)

PC-Fax Send^{3&8} and Receive^{4&8}

Send and Receive faxes directly from your PC

Memory Transmission

Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)

Out of Paper Reception

Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)

Distinctive Ring Detection (UK and Denmark only)

An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones

Error Correction Mode (ECM)

Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)

Auto Reduction

When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet

Broadcasting

Send the same fax message up to 250 locations

Grey Scale

256 shades (8 bit) of grey are available for faxing

Fleet Management Tools

Unattended Installer⁴ Ability to centrally deploy and customise our drivers and software

MSI Installer⁴

Modular installers that can be distributed through On-premise Active Directory®

BRAdmin^{4&5}

LAN/WAN management software

Embedded Web Server

Web based print management software embedded onto the device

Driver Deployment Wizard^{4&5}

Easily create print drivers for hassle free deployment over your network

Software

Brother iPrint&Scan Desktop^{3&5}

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC

Security and Network

Wired Network

10Base-T/100Base-TX

Wired Network Security

APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec

Wireless Network

2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct)

5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)

Wireless Network Security

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/ AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec

Wi-Fi Direct[™]

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

Wireless Setup Support

Wi-Fi Protected Setup (WPS)

Wireless Applications Vertical Pairing

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server

IPv6

NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/ Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

Setting Lock

Secures access to the devices control panel by locking it

Secure Function Lock 3.0

Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users

Secure Print

Protect print jobs with a 4 digit release code required at the device in order for them to be printed

Near-Field Communications (NFC) / Card Reader Support

Integrated NFC Reader

Supported NFC standards include: (ISO14443 Type A) MIFARE Standard/Plus/ Ultralight/Ultralight C/DESfire my-d move, Tag-it (ISO15693 Type B)

External NFC Card Reader Support

RFIDeas pcProx Enroll • RDR-6081AKU

- RDR-6281AKU
- RDR-6381AKU
- RDR-6E81AKU
- RDR-6H81AKU
- RFIDeas AIR ID Enroll
- RDR-7081AKU
- RDR-7581AKU
- RDR-7F81AKU Elatec
- TWN3 MIFARE
- TWN3 MIFARE NFC
- TWN3 Multi ISO
- TWN4 MIFARE NFC

(3rd party card readers require additional purchase. Other card readers supported if registered via the embedded web server)

| Supplies and |
|--------------|
| Accessories |

Standard Yield Cartridges¹ LC427BK - 3000 page LC427C - 1500 pages LC427M - 1500 pages LC427Y - 1500 pages

High Yield Cartridges¹ LC427XLBK - 6000 pages LC427XLC - 5000 pages LC427XLM - 5000 pages LC427XLY - 5000 pages

Note: Product is shipped with LC427 cartridges¹³

Address Book

LDAP The ability to connect to an

external LDAP enabled address book, like Microsoft Exchange

Developers

Brother Solutions Interface (BSI)

Create powerful cloud and on premise solutions directly integrating the advanced print, scan and security capabilities of Brother devices. For more information visit: www.brother.eu/developers

Dimensions and Weights

With Carton (WxDxH) 651 x 518 x 489mm - 23.6kg **Without Carton (WxDxH)** 545 x 436 x 375mm - 20.9kg

Duty Cycle

Recommended Monthly⁶ 250 to 3500 pages monthly print volume

Environment

Power Consumption Copying: Approx. 36W Ready: Approx. 6W Sleep: Approx. 0.9W Power Off: Approx 0.03W

Sound Pressure PC Printing (Colour/Mono): Approx. 51.5dB(A) Sound Power Mono: 6.79B(A) Colour: 6.81B(A)

TEC Value 0.17 kWh/week

Ink Save Mode This reduces the ink usage and helps to reduce the total cost of printer ownership **Blue Angel** Yes

Nordic Swan Yes

GS Mark

Yes

- Approx. declared yield value in accordance with ISO/IEC 24711 1
- 2 Capacity calculated with 80g/m² paper Windows and macOS only
- 3 4
- Windows only
- 5 Optional download
- 6 Duty Cycles can be used to compare designed durability between like Brother products
- For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements 7 Requires Brother Software
- 8 Must be web connected
- 9 Print Speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- 10 FPOT (First Print Out Time) based on ISO/IEC 17629
- Copy Speeds ESAT based on ISO/IEC 24735 11
- 12 Scan Speeds based on ISO/IEC 17991 13
- The first time you install a set of ink cartridges the machine will use an amount of ink to fill the delivery tubes for high quality printouts. This process will only happen once. The amount of ink remaining¹ will be a minimum of 2250 pages BK and 975 pages CMY











Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



www.brotherearth.com