





Models may vary from the image shown

The STREAM DESKTOP is the logical next step in the evolution of the STREAM family: It combines all the features of the popular STREAM KEYBOARD with wireless 2.4 GHz freedom and a perfectly matched six-button mouse.

The in-house SX scissor technology means that the STREAM DESKTOP is precise and quiet when you type, properties we kept in mind when designing the mouse. Just like the super silent strokes of the keyboard, the mouse will inspire you with its almost inaudibly quiet buttons. That is why the newest member of the STREAM family is the perfect addition to your quiet workspace.

Visually, the popular STREAM KEYBOARD and the new wireless version are cut from the same cloth. Why change something that is already perfect? The simple, yet elegant design means that there is something for everyone - both in the office and at home. And the mouse is the ideal companion. Its shape and size are designed for optimal comfort in both medium and large hands.

If you value ease of use, STREAM DESKTOP is right for you. The mouse and keyboard are ideally matched. The forward and back buttons on the side of the mouse prove to be indispensable in any number of daily tasks. And this dynamic duo can be perfectly adapted to your needs: The mouse resolution has three settings up to 2,400 dpi, and the keyboard has ten office and multimedia keys.

The only way you can have more flexibility is by using the free CHERRY KEYS software. You can download them from www.cherry.de. With CHERRY KEYS, in just a few clicks you can configure your keyboard and mouse to perfectly suit your individual needs.

And nothing beats the convenience of the LEDs built into various keys. They let you know when the Caps Lock, Scroll Lock or Num Lock keys on the keyboard have been activated. In addition, the LEDs flash when you need to change batteries. However, this is a rare occurrence with the STREAM DESKTOP. With up to 36 months of battery life, this set is particularly tenacious.

We took great care to ensure maximum stability in the wireless set. The keyboard has eight rubber pads on the back, rubberized feet and an integrated metal plate. And the mouse feels sturdy and secure in your hand. Thanks to its optimized sliding characteristics, even the most demanding users will get their money's worth.

In working environments in particular, it is of the utmost importance to comply with guidelines, quality standards and environmental goals. The desktop set bears the GS seal "Tested Safety," which means it complies with all relevant European directives and regulations on safety and ergonomics. With the "Blue Angel" award, the STREAM DESKTOP makes a positive contribution and offers a responsible approach to our environment.

The STREAM DESKTOP is a versatile addition to your workspace – it is solid, resilient, adaptable, durable and stylish. It unites all the beloved features of the STREAM in a 2.4 GHz wireless desktop and is the perfect choice for both professional and home use.

FUNCTION AND PERFORMANCE

- \rightarrow Maximum productivity:
- \rightarrow Super silent keystroke
- ightarrow CHERRY SX scissor mechanism



- ightarrow Quiet, clickless mouse buttons
- → 3-level adjustable mouse sensor with up to 2400 dpi
- \rightarrow Highest quality:
- ightarrow Rubberized feet for perfect slip resistance
- → Integrated metal plate for maximum torsional rigidity
- ightarrow Blue Angel ecolabel
- ightarrow Durable key labels
- ightarrow Keyboard with AES-128 encryption
- ightarrow Optimum operating comfort:
- → Battery life up to 36 months (keyboard: 36 months, mouse: 12 months)
- → Status LEDs show low battery charge and mouse resolution
- → Keyboard with integrated status LEDs for the CAPS LOCK, NUM and SCROLL keys
- ightarrow Keyboard with 10 office & multimedia keys
- ightarrow 6 mouse buttons and scroll wheel
- ightarrow Very latest design:
- ightarrow Low profile
- \rightarrow GS certificate (full size layout)
- ightarrow Perfectly coordinated design

TECHNICAL DATA

Weight main product:	925 g
Dimensions product	462,2 mm x 162,2 mm x
without packaging:	23,1 mm
Storage temperature:	-20 °C - 65 °C
Working temperature:	0 °C - 50 °C
Produktzulassungen:	• CE
	• FCC
	• cURus
	• GS
	 Windows Hardware
	Compatibility
	China RoHS
	 Blauer Engel
	• UKCA
	• VDE

Hardware:USB-AOperating system:Windows 7 or higherScope of delivery:• Manual • Mouse • Keyboard • 3 x AA battery • Nano-USB-ReceiverReliability:MTBF > 10 Mio. h calculated to SN 29500 (electronic module only)Software support:CHERRY KEYSUSB dongle:yes2.4 Ghz wireless connection:yesSoftware support:JomConnection:yesWireless range (m):10 mConnection via Bluetooth:0Satterie Art:AlkalineBatterie Bauform:AABattery replaceable:yesSwitching characteristics:20 mio. actuationsSwitching characteristics:20 mio. actuationsSwitching characteristics:20 mio. actuationsSwitching characteristics:20 mio. actuationsKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedAnti-ghosting: <th>System Requirements-</th> <th></th>	System Requirements-	
Scope of delivery:• Manual • Mouse • Keyboard • 3 x AA battery • Nano-USB-ReceiverReliability:MTBF > 10 Mio. h calculated to SN 29500 (electronic module only)Software support:CHERRY KEYSUSB dongle:yes2.4 Ghz wireless connection:yesEncryption in wireless mode:yesWireless range (m):10 mConnection via Bluetooth:10 mNumber of batteries:2Batterie Art:AlkalineBattery rechargeable:noBattery replaceable:yesSwitching characteristics:20 mio. actuationsSwitching characteristics:20 mio. actuationsSwitching characteristics:20 mAKeyboard:20 mAKeyboard:20 mAKeyboard:94 bN-key rollover:not specifiedAnti-ghosting:not specifiedKeyboard:49 dbN-key rollover:not specifiedKey corryption:AES-128Internal memory:noActuating force tol.:10 cN	Hardware:	
 Mouse Keyboard 3 x AA battery Nano-USB-Receiver Reliability: MTBF > 10 Mio. h calculated to SN 29500 (electronic module only) Software support: CHERRY KEYS USB dongle: yes 2.4 Ghz wireless connection: yes Encryption in wireless mode: yes Wireless range (m): 10 m Connection via Bluetooth: no Number of batteries: 2 Batterie Art: Alkaline Battery rechargeable: yes Service life per key (in million strokes): 20 mio. actuations Service life per key (in million strokes): 20 mio. actuations Switching characteristics: standard Max. current yes Quima (100%) Keyboard: 20 mA Keyboard: Yes Volume (dB) of keyboard: ves Volume (dB) of keyboard: Af ye db N-key rollover: not specified Atta-ing hore tol.: 10 cN 		Windows 7 or higher
 Keyboard	Scope of delivery:	
• 3 x AA battery • Nano-USB-ReceiverReliability:MTBF > 10 Mio. h calculated to SN 29500 (electronic module only)Software support:CHERRY KEYSUSB dongle:yes2.4 Ghz wireless connection:yesconnection:yesEncryption in wireless mode:yesWireless range (m):10 mConnection via Bluetooth:10 mNumber of batteries:2Batterie Art:AlkalineBattery rechargeable:noBattery replaceable:yesSwitching characteristics:20 mio. actuationsSwitching characteristics:20 mio. actuationsSwitching characteristics:yesKeyboard:20 mAKeyboard:20 mAKeyboard:20 mAKeyboard:yesVolume (dB) of keyboard:yesN-key rollover:not specifiedAnti-ghosting:not specifiedAnti-ghosting:not specifiedAnti-ghosting:not specifiedAnti-ghosting:not specifiedAttuating force tol.:10 cN		
Nano-USB-ReceiverReliability:MTBF > 10 Mio. h calculated to SN 29500 (electronic module only)Software support:CHERRY KEYSUSB dongle:yes2.4 Ghz wirelessyesconnection:yesEncryption in wireless mode:yesWireless range (m):10 mConnection via Bluetooth:noNumber of batteries:2Batterie Art:AlkalineBattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedAnti-ghosting:not specifiedAnti-ghosting:not specifiedAnti-ghosting:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		•
Reliability:MTBF > 10 Mio. h calculated to SN 29500 (electronic module only)Software support:CHERRY KEYSUSB dongle:yes2.4 Ghz wirelessyesconnection:yesEncryption in wirelessyesmode:yesWireless range (m):10 mConnection via10 mBluetooth:noNumber of batteries:2Batterie Art:AlkalineBattery rechargeable:yesService life per key (in million strokes):20 mio. actuationsSwitching20 mio. actuationsSwitching20 mAKeyboard:20 mAKeyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKeyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		-
calculated to SN 29500 (electronic module only)Software support:CHERRY KEYSUSB dongle:yes2.4 Ghz wireless connection:yesEncryption in wireless mode:yesEncryption in wireless mode:yesWireless range (m):10 mConnection via Bluetooth:noNumber of batteries:2Batterie Art:AlkalineBattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:yesVolume (dB) of keyboard:yesVolume (dB) of keyboard:yesN-key rollover:not specifiedAnti-ghosting:not specifiedN-key rollover:not specifiedAnti-ghosting:not specifiedN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN	Reliability:	
Software support:CHERRY KEYSUSB dongle:yes2.4 Ghz wirelessyesconnection:yesEncryption in wirelessyesmode:yesWireless range (m):10 mConnection via10 mBluetooth:noNumber of batteries:2Batterie Art:AlkalineBattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKeyboard:AES-128Internal memory:noActuating force tol.:10 cN	j	
USB dongle: yes 2.4 Ghz wireless connection: yes Encryption in wireless mode: yes Wireless range (m): 10 m Connection via Bluetooth: no Number of batteries: 2 Batterie Art: Alkaline Battery rechargeable: ves Battery rechargeable: no Battery replaceable: yes Service life per key (in million strokes): 20 mio. actuations Switching characteristics: standard Max. current consumption (mA) of keyboard: 20 mA Keyboard: Sult-size (100%) Integrated metal plate: yes Volume (dB) of keyboard: 49 db N-key rollover: not specified Anti-ghosting: not specified Key encryption: AES-128 Internal memory: no		(electronic module only)
2.4 Ghz wireless connection: yes Encryption in wireless mode: yes Wireless range (m): 10 m Connection via Bluetooth: no Number of batteries: 2 Batterie Art: Alkaline Batterie Bauform: AA Battery rechargeable: no Battery replaceable: yes Service life per key (in million strokes): 20 mio. actuations Switching characteristics: standard Max. current consumption (mA) of keyboard: 20 mA Keyboard format: Full-size (100%) Integrated metal plate: yes Volume (dB) of keyboard: 49 db N-key rollover: not specified Anti-ghosting: not specified Key encryption: AES-128 Internal memory: no Actuating force tol.: 10 cN	Software support:	CHERRY KEYS
connection: yes Encryption in wireless mode: yes Wireless range (m): 10 m Connection via Bluetooth: no Number of batteries: 2 Batterie Art: Alkaline Batterie Bauform: AA Battery rechargeable: no Battery replaceable: yes Service life per key (in million strokes): 20 mio. actuations Switching characteristics: standard Max. current consumption (mA) of keyboard format: Full-size (100%) Integrated metal plate: yes Volume (dB) of keyboard: 49 db N-key rollover: not specified Anti-ghosting: not specified Key encryption: AES-128 Internal memory: no Actuating force tol.: 10 cN	USB dongle:	yes
Encryption in wireless mode:yesWireless range (m):10 mConnection via Bluetooth:noNumber of batteries:2Batterie Art:AlkalineBatterie Bauform:AABattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN	2.4 Ghz wireless	
mode:yesWireless range (m):10 mConnection vianoBluetooth:noNumber of batteries:2Batterie Art:AlkalineBatterie Bauform:AABattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN	connection:	yes
Wireless range (m):10 mConnection vianoBluetooth:noNumber of batteries:2Batterie Art:AlkalineBatterie Bauform:AABattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		
Connection via Bluetooth:noNumber of batteries:2Batterie Art:AlkalineBatterie Bauform:AABattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		•
Bluetooth:noNumber of batteries:2Batterie Art:AlkalineBatterie Bauform:AABattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN	•	10 m
Number of batteries:2Batterie Art:AlkalineBatterie Bauform:AABattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN		
Batterie Art:AlkalineBatterie Bauform:AABattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedInternal memory:noActuating force tol.:10 cN		
Batterie Bauform:AABattery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:20 mio. actuationsMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN		-
Battery rechargeable:noBattery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching20 mio. actuationsSwitchingstandardCharacteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard:20 mAIntegrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		
Battery replaceable:yesService life per key (in million strokes):20 mio. actuationsSwitching characteristics:20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN		
Service life per key (in million strokes):20 mio. actuationsmillion strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		
million strokes):20 mio. actuationsSwitching characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN		yes
characteristics:standardMax. current consumption (mA) of keyboard:20 mAKeyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN		20 mio. actuations
Max. current consumption (mA) of keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN	Switching	
consumption (mA) ofkeyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN	characteristics:	standard
keyboard:20 mAKeyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of49 dbkeyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:10 cN		
Keyboard format:Full-size (100%)Integrated metal plate:yesVolume (dB) of49 dbkeyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		
Integrated metal plate:yesVolume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		
Volume (dB) of keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN	•	
keyboard:49 dbN-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN	•	yes
N-key rollover:not specifiedAnti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		(0 db
Anti-ghosting:not specifiedKey encryption:AES-128Internal memory:noActuating force tol.:10 cN		
Key encryption:AES-128Internal memory:noActuating force tol.:10 cN		•
Internal memory: no Actuating force tol.: 10 cN		•
Actuating force tol.: 10 cN	,	
-		
	•	
Beschriftung: • Laser etching		о 0
Palm rest: Palm rest not available		Ŭ
USB hub: no	USB hub:	no



Special key functions:	• PC lock	dpi levels:	3
	• Browser	Housing material:	ABS
	e-mail programCalculatorVolume down	Max. Current consumption (mA)	10
	Unmute/Mute	Mouse:	10 mA
	·	Switch type:	silent
 Volume up Play/Pause Next track Last track Illumination: 		2.4 Ghz wireless	
	Next track	connection:	yes
		Wireless range (m):	10 m
	no	Encryption in wireless	
		mode: no	no
Adjustable feet:	integrated	Connection via	
Status LEDs:	in keys	Bluetooth:	no
Key technology:	Scissor	Number of batteries in	
Keycap material:	ABS	mouse:	1
		Batterie Art·	Alkaline

TECHNICAL DATA (MOUSE)

Color:	black/grey
Dimensions mouse without packaging:	116 mm x 64,7 mm x 37,7 mm
Weight of product:	115 g
Number of keys:	6
Thumb buttons:	
	yes
Sensor:	yes PixArt PAW3212, invisible light
	PixArt PAW3212, invisible

upi levels:	3
Housing material:	ABS
Max. Current consumption (mA)	
Mouse:	10 mA
Switch type:	silent
2.4 Ghz wireless	
connection:	yes
Wireless range (m):	10 m
Encryption in wireless	
mode:	no
Connection via	
Bluetooth:	no
Number of batteries in	
mouse:	1
Batterie Art:	Alkaline
Batterie Bauform:	AA
Battery rechargeable:	no
Battery replaceable:	yes
Battery charging	
socket:	no
Battery life (h):	12 months

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.



Designation

CHERRY STREAM DESKTOP

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.