Canon

Safety Data Sheet

SDS #: TCW 1892 N - 01 EU EN Issuing date: 12-Feb-2019

Revision date: -Version: 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Canon Toner Cartridge 059 H Cyan for Laser Beam Printer **Product name**

Product Code(s) 3626C001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use Toner for electrophotographic machines

1.3. Details of the supplier of the safety data sheet

Supplier

Importer

Canon Europa N.V.

Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands

+31 20 5458545, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

1.4. Emergency Telephone Number

Austria	+43 (0) 1 406 43 43	Belgium	+32 (0) 70 245 245
Bulgaria	112	Croatia	+385 (0)1-23-48-342
Cyprus	1401	Czech Republic	+420 224919293
Denmark	+45 82 12 12 12 [*1]	Estonia	16662
Finland	+358 (0)9 471977	France	+33 (0)1 45 42 59 59
Greece	+30 210 7793777	Hungary	+36 80 20 11 99
Italy	+39 (0)55 7947819	Latvia	+371 67042473
Lithuania	+370 687 53378	Luxembourg	112
Malta	112	Netherlands	+31 (0)30-2748888 [*2]
Poland	112	Portugal	+351 808 250 143
Romania	+40 21 318 36 06	Slovakia	+421 2 5477 4166
Slovenia	112	Spain	112
Sweden	112 ^[*3]	United Kingdom	111 (UK only)
Iceland	112	Liechtenstein	145
Norway	+47 22 59 13 00	Switzerland	145

^{*1} Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No 1272/2008

EU EN Page 1/8

^{*2} Only for the purpose of informing medical personnel in cases of acute intoxications.

^{*3} Ask for Poison Information

Revision date : - Canon Toner Cartridge 059 H Cyan for Laser Beam Printer

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other Information

None

2.3. Other Hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Styrene acrylate copolymer	CBI	CBI	None	75 - 85	None	
Wax	CBI	CBI	None	5 - 10	None	
Pigment	CBI	CBI	None	1 - 5	None	
Amorphous silica	7631-86-9	231-545-4	01-2119379499-16-xxxx	1 - 3	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

InhalationNone under normal use. Exposure to excessive amounts of dust may cause physical

irritation to respiratory tract.

Ingestion None under normal use.

EU EN Page 2/8

Revision date : - Canon Toner Cartridge 059 H Cyan for Laser Beam
Printer

Skin Contact None under normal use.

Eye Contact None under normal use. May cause slight irritation.

Chronic Effects None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung

damage.

4.3. Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

5.2. Special hazards arising from the substance or mixture

Special Hazard

May form explosive mixtures with air.

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

6.2. Environmental Precautions

Keep out of waterways.

6.3. Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

6.4. Reference to other sections

None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

EU EN Page 3/8

Revision date: -Canon Toner Cartridge 059 H Cyan for Laser Beam **Printer**

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

7.3. Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	EU OEL	Austria	Belgium	Bulgaria	Cyprus
Amorphous silica 7631-86-9	None	TWA: 4 mg/m ³ inhalable fraction	None	None	None
Chemical name	Czech Republic	Denmark	Finland	France	Germany
Amorphous silica 7631-86-9	TWA: 4.0 mg/m³ amorphous SiO2	None	TWA: 5 mg/m ³	None	TRGS TWA: 4 mg/m³ inhalable fraction DFG TWA: 4 mg/m³ inhalable fraction
Chemical name	Greece	Hungary	Ireland	Italy	Netherlands
Amorphous silica 7631-86-9	None	None	TWA: 6 mg/m³ total inhalable dust TWA: 2.4 mg/m³ respirable dust STEL: 18 mg/m³ total inhalable dust STEL: 7.2 mg/m³ respirable dust	None	None
Chemical name	Poland	Portugal	Romania	Slovakia	Spain
Amorphous silica 7631-86-9	None	None	None	TWA: 4.0 mg/m³ total aerosol	None
Chemical name	Sweden	United Kingdom	Norway	Switzerland	Turkey
Amorphous silica 7631-86-9	None	TWA: 6 mg/m³ inhalable dust TWA: 2.4 mg/m³ respirable dust	TWA: 1.5 mg/m³ respirable dust STEL: 1.5 mg/m³ respirable dust	TWA: 4 mg/m³ inhalable dust, also manufactured in wet processing	None

8.2. Exposure controls

None under normal use conditions. Appropriate engineering controls

Individual protection measures, such as personal protective equipment

Eye/face Protection Not required under normal use. **Skin Protection** Not required under normal use. **Respiratory Protection** Not required under normal use.

Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Cyan; powder Slight odor Odor **Odor threshold** No data available Not Applicable pН

Melting/Freezing point (°C) 80 - 130 (Softening point)

Page 4/8

EU EN

Printer

Boiling Point/Range (°C)Not ApplicableFlash Point (°C)Not ApplicableEvaporation RateNot Applicable

Flammability (solid, gas)

Not flammable; estimated

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density

Not Applicable
Not Applicable
Not Applicable
Not Applicable
1.0 - 1.2

Solubility(ies) Organic solvent; partly soluble

Partition coefficient: n-octanol/water
Autoignition Temperature (°C)

Not Applicable
No data available

Decomposition Temperature (°C) > 200

Viscosity (mPa s) Not Applicable

Explosive propertiesMay form explosive mixtures with air

Oxidizing properties No data available

9.2. Other Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

Stable

10.3. Possibility of Hazardous Reactions

None

10.4. Conditions to Avoid

None

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

10.6. Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Estimate: LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Estimate: Non-irritant

Sensitization Estimate: Non-sensitizing

EU EN Page 5/8

Printer

Germ cell mutagenicity Ames Test (S. typhimurium, E. coli): Negative

Carcinogenicity No data available

Reproductive Toxicity No data available

STOT - single exposure No data available

STOT - repeated exposure Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a

toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³.

These findings are attributed to "lung overloading", a generic response to excessive

amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

Other Information No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

Fish, 96h LC50 > 100 mg/l Crustaceans, 48h EC50 > 100 mg/l Algae, ErC50(0-72h) > 100 mg/l

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

EU EN Page 6/8

Printer

SECTION 14: Transport information

None 14.1. UN number

14.2. UN Proper Shipping Name None

14.3. Transport Hazard Class None

None 14.4. Packing Group

Not classified as environmentally hazardous under UN Model Regulations and 14.5. Environmental Hazards

marine pollutant under IMDG Code.

14.6. Special Precautions for users IATA: Not regulated

14.7. Transport in bulk according to Annex II of Not Applicable

MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not regulated (EC) No 1907/2006 Authorisation Not regulated (EC) No 1907/2006 Restriction (EC) No 1005/2009 Not regulated Not regulated (EC) No 850/2004 (EU) No 649/2012 Not regulated None

Other Information

15.2. Chemical safety assessment

None

SECTION 16: Other information

Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 12-Feb-2019

Revision date:

Revision Note None

This safety data sheet (SDS) is supplied voluntarily.

EU EN Page 7/8

Printer

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

EU EN Page 8/8

Canon

Safety Data Sheet

SDS #: TCW 1893 N - 01 EU EN Issuing date: 12-Feb-2019

Revision date: -Version: 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Canon Toner Cartridge 059 H Black for Laser Beam Printer **Product name**

Product Code(s) 3627C001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use Toner for electrophotographic machines

1.3. Details of the supplier of the safety data sheet

Supplier

Importer

Canon Europa N.V.

Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands

+31 20 5458545, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

1.4. Emergency Telephone Number

Austria	+43 (0) 1 406 43 43	Belgium	+32 (0) 70 245 245
Bulgaria	112	Croatia	+385 (0)1-23-48-342
Cyprus	1401	Czech Republic	+420 224919293
Denmark	+45 82 12 12 12 [*1]	Estonia	16662
Finland	+358 (0)9 471977	France	+33 (0)1 45 42 59 59
Greece	+30 210 7793777	Hungary	+36 80 20 11 99
Italy	+39 (0)55 7947819	Latvia	+371 67042473
Lithuania	+370 687 53378	Luxembourg	112
Malta	112	Netherlands	+31 (0)30-2748888 [*2]
Poland	112	Portugal	+351 808 250 143
Romania	+40 21 318 36 06	Slovakia	+421 2 5477 4166
Slovenia	112	Spain	112
Sweden	112 ^[*3]	United Kingdom	111 (UK only)
Iceland	112	Liechtenstein	145
Norway	+47 22 59 13 00	Switzerland	145

^{*1} Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No 1272/2008

EU EN Page 1/8

^{*2} Only for the purpose of informing medical personnel in cases of acute intoxications.

^{*3} Ask for Poison Information

Revision date : - Canon Toner Cartridge 059 H Black for Laser Beam Printer

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other Information

None

2.3. Other Hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Styrene acrylate copolymer	CBI	CBI	None	75 - 85	None	
Wax	CBI	CBI	None	5 - 10	None	
Carbon black	1333-86-4	215-609-9	CBI	5 - 10	None	
Amorphous silica	7631-86-9	231-545-4	01-2119379499-16-xxxx	1 - 3	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

InhalationNone under normal use. Exposure to excessive amounts of dust may cause physical

irritation to respiratory tract.

Ingestion None under normal use.

EU EN Page 2/8

Pri Pri

Skin Contact None under normal use.

Eye Contact None under normal use. May cause slight irritation.

Chronic Effects None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung

damage.

4.3. Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

5.2. Special hazards arising from the substance or mixture

Special Hazard

May form explosive mixtures with air.

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

6.2. Environmental Precautions

Keep out of waterways.

6.3. Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

6.4. Reference to other sections

None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

EU EN Page 3/8

Printer

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

7.3. Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	EU OEL	Austria	Belgium	Bulgaria	Cyprus
Carbon black 1333-86-4	None	None	TWA: 3.5 mg/m ³	None	None
Amorphous silica 7631-86-9	None	TWA: 4 mg/m ³ inhalable fraction	None	None	None
Chemical name	Czech Republic	Denmark	Finland	France	Germany
Carbon black 1333-86-4	TWA: 2.0 mg/m³ dust	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³	None
Amorphous silica 7631-86-9	TWA: 4.0 mg/m³ amorphous SiO2	None	TWA: 5 mg/m ³	None	TRGS TWA: 4 mg/m³ inhalable fraction DFG TWA: 4 mg/m³ inhalable fraction
Chemical name	Greece	Hungary	Ireland	Italy	Netherlands
Carbon black 1333-86-4	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	None	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	None	None
Amorphous silica 7631-86-9	None	None	TWA: 6 mg/m³ total inhalable dust TWA: 2.4 mg/m³ respirable dust STEL: 18 mg/m³ total inhalable dust STEL: 7.2 mg/m³ respirable dust	None	None
Chemical name	Poland	Portugal	Romania	Slovakia	Spain
Carbon black 1333-86-4	TWA: 4.0 mg/m³ total inhalable dust	TWA: 3.5 mg/m ³	None	TWA: 2 mg/m³ respirable fraction, 5% or less fibrogenic component TWA: 10 mg/m³ respirable fraction, greater than 5% fibrogenic component TWA: 10 mg/m³ total aerosol	TWA: 3.5 mg/m³
Amorphous silica 7631-86-9	None	None	None	TWA: 4.0 mg/m³ total aerosol	None
Chemical name	Sweden	United Kingdom	Norway	Switzerland	Turkey
Carbon black 1333-86-4	TLV: 3 mg/m³ total dust	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³ STEL: 3.5 mg/m ³	None	None
Amorphous silica 7631-86-9	None	TWA: 6 mg/m³ inhalable dust TWA: 2.4 mg/m³ respirable dust	TWA: 1.5 mg/m³ respirable dust STEL: 1.5 mg/m³ respirable dust	TWA: 4 mg/m³ inhalable dust, also manufactured in wet processing	None

8.2. Exposure controls

Appropriate engineering controls None under normal use conditions.

EU EN Page 4/8

Revision date : - Canon Toner Cartridge 059 H Black for Laser Beam Printer

Individual protection measures, such as personal protective equipment

Eye/face Protection
Skin Protection
Not required under normal use.

Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance
Odor
Odor threshold
pH
Black ; powder
Slight odor
No data available
Not Applicable

Melting/Freezing point (°C) 80 - 130 (Softening point)

Boiling Point/Range (°C)

Flash Point (°C)

Evaporation Rate

Not Applicable

Not Applicable

Not Applicable

Flammability (solid, gas)

Not flammable; estimated

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density

Not Applicable
Not Applicable
Not Applicable
1.0 - 1.2

Solubility(ies) Organic solvent; partly soluble

Partition coefficient: n-octanol/water

Autoignition Temperature (°C)

Not Applicable
No data available

Decomposition Temperature (°C) > 200

Viscosity (mPa s) Not Applicable

Explosive propertiesMay form explosive mixtures with air

Oxidizing properties No data available

9.2. Other Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

Stable

10.3. Possibility of Hazardous Reactions

None

10.4. Conditions to Avoid

None

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Printer

10.6. Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Estimate: LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Estimate: Non-irritant

Serious eye damage/eye irritation Estimate: Transient slight conjunctival irritation only.

Sensitization Estimate: Non-sensitizing

Germ cell mutagenicity Ames Test (S. typhimurium, E. coli): Negative

Carcinogenicity The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate

human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at

levels that induce particle overload of the lung.

However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.

Reproductive Toxicity No data available

STOT - single exposure No data available

STOT - repeated exposure Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a

toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive

amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

Other Information No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

Fish, 96h LC50 > 100 mg/l Crustaceans, 48h EC50 > 100 mg/l Algae, ErC50(0-72h) > 100 mg/l

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

EU EN Page 6/8

Revision date : - Canon Toner Cartridge 059 H Black for Laser Beam Printer

No data available

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1. UN number None

14.2. UN Proper Shipping Name None

14.3. Transport Hazard Class None

14.4. Packing Group None

14.5. Environmental Hazards

Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

14.6. Special Precautions for usersIATA: Not regulated

14.7. Transport in bulk according to Annex II of Not Applicable

MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 Authorisation
(EC) No 1907/2006 Restriction
(EC) No 1005/2009
(EC) No 850/2004
(EU) No 649/2012
Other Information

Not regulated
Not regulated
Not regulated
Not regulated
None

15.2. Chemical safety assessment

None

SECTION 16: Other information

Printer

Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 12-Feb-2019

Revision date : -

Revision Note None

This safety data sheet (SDS) is supplied voluntarily.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

EU EN Page 8/8

Canon

Safety Data Sheet

SDS #: TCW 1890 N - 01 EU EN Issuing date: 12-Feb-2019

Revision date: -Version: 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Canon Toner Cartridge 059 H Yellow for Laser Beam Printer **Product name**

Product Code(s) 3624C001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use Toner for electrophotographic machines

1.3. Details of the supplier of the safety data sheet

Supplier

Importer

Canon Europa N.V.

Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands

+31 20 5458545, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

1.4. Emergency Telephone Number

Austria	+43 (0) 1 406 43 43	Belgium	+32 (0) 70 245 245
Bulgaria	112	Croatia	+385 (0)1-23-48-342
Cyprus	1401	Czech Republic	+420 224919293
Denmark	+45 82 12 12 12 [*1]	Estonia	16662
Finland	+358 (0)9 471977	France	+33 (0)1 45 42 59 59
Greece	+30 210 7793777	Hungary	+36 80 20 11 99
Italy	+39 (0)55 7947819	Latvia	+371 67042473
Lithuania	+370 687 53378	Luxembourg	112
Malta	112	Netherlands	+31 (0)30-2748888 [*2]
Poland	112	Portugal	+351 808 250 143
Romania	+40 21 318 36 06	Slovakia	+421 2 5477 4166
Slovenia	112	Spain	112
Sweden	112 ^[*3]	United Kingdom	111 (UK only)
Iceland	112	Liechtenstein	145
Norway	+47 22 59 13 00	Switzerland	145

^{*1} Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No 1272/2008

EU EN Page 1/7

^{*2} Only for the purpose of informing medical personnel in cases of acute intoxications.

^{*3} Ask for Poison Information

Revision date : - Canon Toner Cartridge 059 H Yellow for Laser Beam Printer

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other Information

None

2.3. Other Hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Styrene acrylate copolymer	CBI	CBI	None	80 - 90	None	
Wax	CBI	CBI	None	5 - 10	None	
Pigment	CBI	CBI	None	1 - 5	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation None under normal use. Exposure to excessive amounts of dust may cause physical

irritation to respiratory tract.

Ingestion None under normal use.

Skin Contact None under normal use.

EU EN Page 2/7

Revision date : - Canon Toner Cartridge 059 H Yellow for Laser Beam

Eye Contact None under normal use. May cause slight irritation.

Chronic Effects None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung

damage.

4.3. Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

5.2. Special hazards arising from the substance or mixture

Special Hazard

May form explosive mixtures with air.

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

6.2. Environmental Precautions

Keep out of waterways.

6.3. Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

6.4. Reference to other sections

None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

EU EN Page 3/7

Revision date : - Canon Toner Cartridge 059 H Yellow for Laser Beam Printer

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

7.3. Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits None

8.2. Exposure controls

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face ProtectionNot required under normal use.Skin ProtectionNot required under normal use.Respiratory ProtectionNot required under normal use.

Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Yellow; powder
Odor Slight odor
Odor threshold No data available
pH Not Applicable

Melting/Freezing point (°C) 80 - 130 (Softening point)

Boiling Point/Range (°C)

Flash Point (°C)

Evaporation Rate

Not Applicable
Not Applicable
Not Applicable

Flammability (solid, gas)

Not flammable; estimated

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Not Applicable
Not Applicable
Vapor pressure
Not Applicable
Vapor density
Not Applicable
Relative density
1.0 - 1.2

Solubility(ies) Organic solvent; partly soluble

Partition coefficient: n-octanol/water

Not Applicable

Autoignition Temperature (°C)

No data available

Decomposition Temperature (°C) > 200

Viscosity (mPa s) Not Applicable

Explosive propertiesMay form explosive mixtures with air

Oxidizing properties No data available

9.2. Other Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

EU EN Page 4/7

Revision date : - Canon Toner Cartridge 059 H Yellow for Laser Beam Printer

None

10.2. Chemical stability

Stable

10.3. Possibility of Hazardous Reactions

None

10.4. Conditions to Avoid

None

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

10.6. Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Estimate: LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Estimate: Non-irritant

Sensitization Estimate: Non-sensitizing

Germ cell mutagenicity Ames Test (S. typhimurium, E. coli): Negative

CarcinogenicityNo data availableReproductive ToxicityNo data availableSTOT - single exposureNo data available

STOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a

toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³.

These findings are attributed to "lung overloading", a generic response to excessive

amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

Other Information No data available

SECTION 12: Ecological information

12.1. Toxicity

Revision date : - Canon Toner Cartridge 059 H Yellow for Laser Beam Printer

Ecotoxicity effects

Fish, 96h LC50 > 100 mg/l Crustaceans, 48h EC50 > 100 mg/l Algae, ErC50(0-72h) > 100 mg/l

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1. UN number None

14.2. UN Proper Shipping Name None

14.3. Transport Hazard Class None

14.4. Packing Group None

14.5. Environmental Hazards Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

14.6. Special Precautions for usersIATA: Not regulated

14.7. Transport in bulk according to Annex II of Not Applicable

MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 Authorisation (EC) No 1907/2006 Restriction Not regulated Not regulated Not regulated

EU EN Page 6/7

Revision date : - Canon Toner Cartridge 059 H Yellow for Laser Beam
Printer

(EC) No 850/2004Not regulated(EU) No 649/2012Not regulatedOther InformationNone

15.2. Chemical safety assessment

None

SECTION 16: Other information

Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 12-Feb-2019

Revision date : -

Revision Note None

This safety data sheet (SDS) is supplied voluntarily.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

EU EN Page 7/7

Canon

Safety Data Sheet

Revision date: - Version: 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product name Canon Toner Cartridge 059 H Magenta for Laser Beam Printer

Product Code(s) 3625C001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use Toner for electrophotographic machines

1.3. Details of the supplier of the safety data sheet

Supplier

Importer

Canon Europa N.V.

Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands

+31 20 5458545, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

1.4. Emergency Telephone Number

Austria	+43 (0) 1 406 43 43	Belgium	+32 (0) 70 245 245
Bulgaria	112 `	Croatia	+385 (0)1-23-48-342
Cyprus	1401	Czech Republic	+420 224919293
Denmark	+45 82 12 12 12 [*1]	Estonia ·	16662
Finland	+358 (0)9 471977	France	+33 (0)1 45 42 59 59
Greece	+30 210 7793777	Hungary	+36 80 20 11 99
Italy	+39 (0)55 7947819	Latvia	+371 67042473
Lithuania	+370 687 53378	Luxembourg	112
Malta	112	Netherlands	+31 (0)30-2748888 [*2]
Poland	112	Portugal	+351 808 250 143
Romania	+40 21 318 36 06	Slovakia	+421 2 5477 4166
Slovenia	112	Spain	112
Sweden	112 ^[*3]	United Kingdom	111 (UK only)
Iceland	112	Liechtenstein	145
Norway	+47 22 59 13 00	Switzerland	145

^{*1} Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No 1272/2008

EU EN Page 1/8

^{*2} Only for the purpose of informing medical personnel in cases of acute intoxications.

^{*3} Ask for Poison Information

Revision date : - Canon Toner Cartridge 059 H Magenta for Laser Beam Printer

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other Information

None

2.3. Other Hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Styrene acrylate copolymer	CBI	CBI	None	75 - 85	None	
Wax	CBI	CBI	None	5 - 10	None	
Pigment	CBI	CBI	None	5 - 10	None	
Amorphous silica	7631-86-9	231-545-4	01-2119379499-16-xxxx	1 - 3	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

InhalationNone under normal use. Exposure to excessive amounts of dust may cause physical

irritation to respiratory tract.

Ingestion None under normal use.

EU EN Page 2/8

Revision date : - Canon Toner Cartridge 059 H Magenta for Laser Beam
Printer

Skin Contact None under normal use.

Eye Contact None under normal use. May cause slight irritation.

Chronic Effects None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung

damage.

4.3. Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

5.2. Special hazards arising from the substance or mixture

Special Hazard

May form explosive mixtures with air.

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

6.2. Environmental Precautions

Keep out of waterways.

6.3. Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

6.4. Reference to other sections

None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

EU EN Page 3/8

Revision date : - Canon Toner Cartridge 059 H Magenta for Laser Beam Printer

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

7.3. Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	EU OEL	Austria	Belgium	Bulgaria	Cyprus
Amorphous silica 7631-86-9	None	TWA: 4 mg/m ³ inhalable fraction	None	None	None
Chemical name	Czech Republic	Denmark	Finland	France	Germany
Amorphous silica 7631-86-9	TWA: 4.0 mg/m³ amorphous SiO2	None	TWA: 5 mg/m ³	None	TRGS TWA: 4 mg/m³ inhalable fraction DFG TWA: 4 mg/m³ inhalable fraction
Chemical name	Greece	Hungary	Ireland	Italy	Netherlands
Amorphous silica 7631-86-9	None	None	TWA: 6 mg/m³ total inhalable dust TWA: 2.4 mg/m³ respirable dust STEL: 18 mg/m³ total inhalable dust STEL: 7.2 mg/m³ respirable dust	None	None
Chemical name	Poland	Portugal	Romania	Slovakia	Spain
Amorphous silica 7631-86-9	None	None	None	TWA: 4.0 mg/m³ total aerosol	None
Chemical name	Sweden	United Kingdom	Norway	Switzerland	Turkey
Amorphous silica 7631-86-9	None	TWA: 6 mg/m³ inhalable dust TWA: 2.4 mg/m³ respirable dust	TWA: 1.5 mg/m³ respirable dust STEL: 1.5 mg/m³ respirable dust	TWA: 4 mg/m³ inhalable dust, also manufactured in wet processing	None

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face ProtectionNot required under normal use.Skin ProtectionNot required under normal use.Respiratory ProtectionNot required under normal use.

Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceMagenta ; powderOdorSlight odorOdor thresholdNo data availablepHNot Applicable

Melting/Freezing point (°C) 80 - 130 (Softening point)

EU EN Page 4/8

Issuing date: 12-Feb-2019

Septiminal date: 12-Feb-2019

Company Tenen Contribute 050 II Monanto for Local Boom

Revision date : - Canon Toner Cartridge 059 H Magenta for Laser Beam Printer

Boiling Point/Range (°C)

Flash Point (°C)

Evaporation Rate

Not Applicable

Not Applicable

Flammability (solid, gas)

Not flammable; estimated

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density

Not Applicable
Not Applicable
Not Applicable
1.0 - 1.2

Solubility(ies) Organic solvent; partly soluble

Partition coefficient: n-octanol/water

Autoignition Temperature (°C)

Not Applicable
No data available

Decomposition Temperature (°C) > 200

Viscosity (mPa s) Not Applicable

Explosive properties May form explosive mixtures with air

Oxidizing properties No data available

9.2. Other Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

Stable

10.3. Possibility of Hazardous Reactions

None

10.4. Conditions to Avoid

None

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

10.6. Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Estimate: LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Estimate: Non-irritant

Sensitization Estimate: Non-sensitizing

Printer

Germ cell mutagenicity Ames Test (S. typhimurium, E. coli): Negative

Carcinogenicity No data available

Reproductive Toxicity No data available

STOT - single exposure No data available

STOT - repeated exposure Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a

toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³.

These findings are attributed to "lung overloading", a generic response to excessive

amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

Other Information No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

Fish, 96h LC50 > 100 mg/l Crustaceans, 48h EC50 > 100 mg/l Algae, ErC50(0-72h) > 100 mg/l

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

EU EN Page 6/8

Printer

SECTION 14: Transport information

14.1. UN number None

14.2. UN Proper Shipping Name None

14.3. Transport Hazard Class None

14.4. Packing Group None

14.5. Environmental Hazards Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

14.6. Special Precautions for users IATA: Not regulated

14.7. Transport in bulk according to Annex II of Not Applicable

MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 Authorisation
(EC) No 1907/2006 Restriction
(EC) No 1005/2009
(EC) No 850/2004
(EU) No 649/2012
Other Information

Not regulated
Not regulated
Not regulated
Not regulated
None

15.2. Chemical safety assessment

None

SECTION 16: Other information

Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 12-Feb-2019

Revision date : -

Revision Note None

This safety data sheet (SDS) is supplied voluntarily.

EU EN Page 7/8

.....

Printer

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

EU EN Page 8/8