

# PIXMA TS6350 series

## A REFINED MULTITASKER

A stylish design, 5 single inks and intuitive LED status bar make PIXMA TS6350 Series a hard-working tool. Achieve flawless photos with FINE technology and ChromaLife100 ink, or print sharp document text with a dedicated pigment black ink.



- Designed to make life easy**  
 Smart design foregrounds flexibility thanks to an intuitive LED status bar, 5 individual inks, 2-way paper feed and auto expandable output tray
- Quality documents and photos**  
 The PIXMA TS6350 Series's high-quality photos will last and last thanks to ChromaLife100 inks, while the dedicated pigment black ink delivers crisp documents with sharp text
- Creative options**  
 Unleash your creativity with the Easy-PhotoPrint Editor and the craft projects of Creative Park, teamed up with double-sided matte, iron-on transfers, restickable, square and magnetic media
- Smart connectivity**  
 Wirelessly print, copy, scan and access the cloud\* with the Canon PRINT app or print via AirPrint (iOS) and Mopria (Android)
- You're in control**  
 Enjoy fast set-up in with intuitive controls via a 1.44" OLED display and get connected at the push of a button with Wireless Connect

\* Scan to cloud and email only available for genuine Canon ink users



5 Single Inks



Wireless Printing



Status Bar



Automatic Output Tray



2-way



Borderless Photo Printing

### PRODUCT RANGE



PIXMA TS6350 series

**PIXMA TS6350 series**

PIXMA TS8350 series

PIXMA TS5350 series

PIXMA TS3350 series



PIXMA TS8350 series



PIXMA TS5350 series

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS6350 series

## GENERAL SPECIFICATIONS

**Model Numbers**  
PIXMA TS6350 (BLACK)  
PIXMA TS6351 (WHITE)<sup>[8]</sup>

**Functions**  
Wireless, Print, Copy, Scan, Cloud Link

## PRINTER SPECIFICATIONS

**Print Resolution**  
Up to 4800<sup>[1]</sup> x 1200 dpi

**Print Technology**  
5 Individual Ink Tanks (PGBK, BK, C, M, Y)  
Chromalife100 inks

**Mono Print Speed**  
Approx. 15.0 ipm<sup>[2]</sup>

**Colour Print Speed**  
Approx. 10.0 ipm<sup>[2]</sup>

**Photo Print Speed**  
Borderless 10x15cm : Approx. 21 seconds<sup>[2]</sup>

**Borderless Printing**  
Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm)

**Two Sided Printing**  
Auto Duplex Print (A4, A5, B5, Letter - plain paper)

## CARTRIDGES AND YIELDS

**Standard Ink Cartridges**  
5 individual ink tanks  
PGI-580PGBK (Pigment Black)  
CLI-581BK (Black)  
CLI-581C (Cyan)  
CLI-581M (Magenta)  
CLI-581Y (Yellow)

**Optional XL Ink Cartridges**  
High yield XL ink tanks  
PGI-580PGBK XL (Pigment Black)  
CLI-581BK XL (Black)  
CLI-581C XL (Cyan)  
CLI-581M XL (Magenta)  
CLI-581Y XL (Yellow)

**Optional XXL Ink Cartridges**  
High yield XXL ink tanks  
PGI-580PGBK XXL (Pigment Black)  
CLI-581BK XXL (Black)  
CLI-581C XXL (Cyan)  
CLI-581M XXL (Magenta)  
CLI-581Y XXL (Yellow)

**Cartridge Yield (Plain paper)**  
A4 Colour Document<sup>[3]</sup>  
Pigment Black: 200 pages  
Pigment Black XL: 400 pages  
Pigment Black XXL: 600 pages  
Black: 1505\* pages  
Black XL: 3120\* pages  
Black XXL: 6360\* pages  
Cyan: 256 pages  
Cyan XL: 515 pages  
Cyan XXL: 820 pages  
Magenta: 237 pages  
Magenta XL: 474 pages  
Magenta XXL: 760 pages  
Yellow: 257 pages  
Yellow XL: 514 pages  
Yellow XXL: 824 pages  
\* Estimated supplemental yield

**Cartridge Yield (Photo print)**  
10x15cm photo<sup>[3]</sup>  
Pigment Black: 1448\* photos  
Pigment Black XL: 3373\* photos  
Pigment Black XXL: 5500\* photos  
Black: 231\* photos  
Black XL: 520\* photos  
Black XXL: 858\* photos  
Cyan: 83 photos  
Cyan XL: 170 photos  
Cyan XXL: 282 photos  
Magenta: 108 photos  
Magenta XL: 225 photos  
Magenta XXL: 367 photos  
Yellow: 99 photos  
Yellow XL: 199 photos  
Yellow XXL: 322 photos  
\* Estimated supplemental yield

## PAPER SUPPORT

**Paper Types**  
Plain Paper  
Canon High Resolution Paper (HR-101N)  
Canon Pro Platinum (PT-101)  
Canon Plus Glossy II (PP-201)  
Canon Pro Luster (LU-101)  
Canon Plus Semi-gloss (SG-201)  
Canon "Everyday Use" (GP-501)  
Canon Matte (MP-101)  
Envelopes  
Removable Photo Stickers (RP-101)  
Magnetic Photo Paper (MG-101)  
Double sided Matte (MP-101D)  
Light Fabric Iron-on transfers (LF-101)  
Dark Fabric Iron-on transfers (DF-101)

**Maximum Paper Input**  
Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)  
Front Cassette: Max. 100 sheets (plain paper)

**Paper Sizes**  
Rear Tray:  
A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13cm/8.9x8.9cm, Envelopes(DL,COM10)  
[Custom size] width 55mm - 215.9 mm, length 89mm - 676mm

Front Cassette: A4, A5, B5, LTR  
[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

**Paper Weight**  
Rear Tray: Plain paper 64 - 105 g/m<sup>2</sup>, Canon photo paper up to 300 g/m<sup>2</sup>  
Front Cassette: Plain Paper: 64-105 g/m<sup>2</sup>

## SCANNER SPECIFICATIONS

**Scanner Type**  
CIS flatbed photo and document scanner

**Scanner Resolution (Optical)**  
1200 x 2400 dpi<sup>[4]</sup>

**Scanning Depth (Input / Output)**  
Colour: RGB each 16bit/8bit  
Greyscale: 16 bit / 8 bit

**Maximum Document Size**  
216 x 297 mm

## COPIER SPECIFICATIONS

**Copy Speed**  
sFCOT: Approx. 19 sec<sup>[5]</sup>  
sESAT: Approx. 6.5ipm<sup>[5]</sup>  
max. 99 pages

**Multiple Copy**  
Document Copying, Photo Copying, 2-sided copy, 2-on-1

**Copy Functions**  
25 - 400% (in 1% increments)  
Fit to page

## INTERFACE

**Display Type & Size**  
OLED (1.44 inch)

**Display Languages**  
33 Languages Selectable: Japanese/English (mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese

**Interface Type - PC / Mac**  
Hi-Speed USB (B Port)  
Wi-Fi: IEEE802.11 b/g/n  
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password  
Wireless LAN Frequency Band: 2.4GHz

**Interface Type - Other**  
Canon PRINT Inkjet/SELPHY app  
Easy-PhotoPrint Editor  
Bluetooth  
Message In Print app  
PIXMA Cloud Link  
Canon Print Service Plugin (Android)  
Google Cloud Print  
Apple AirPrint  
Wireless Direct  
Access Point Mode  
WLAN PictBridge  
Mopria (Android)



# TECHNICAL SPECIFICATIONS

# PIXMA TS6350 series

## SOFTWARE

### Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1  
Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.  
OS X 10.11.6, macOS 10.12~macOS 10.14

### Supported Mobile Systems

iOS, Android, Windows 10 Mobile

### Minimum System Requirements

Windows: 2.0GB or more  
Mac: 1.0GB or more  
Note: for bundled software installation. The necessary amount of hard disk space required.  
Display: 1024 x 768 XGA

### Software Included

MP Driver including Scanning Utility  
Easy-PhotoPrint Editor (download)

## PHYSICAL FEATURES

### Weight

approx. 6.3 kg

### Dimensions (W x D x H)

approx. 376 x 359 x 141 mm

### Acoustic Noise Levels

approx. 44.5dB(A)<sup>[6]</sup>

### Recommended Operating Environment

Temperature: 15-30°C  
Humidity: 10-80%RH (no dew condensation)

### Power Source

AC 100-240V, 50/60Hz

### Power Consumption

Off: Approx. 0.3W  
Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off)  
Standby (all ports connected): Approx. 1.6W (scanning lamp is off)  
Time to enter Standby mode: 10min 56sec  
Copying: Approx. 14W<sup>[7]</sup>

## Footnotes

- <sup>[1]</sup> Ink droplets can be placed with a minimum pitch of 1/4800 inch  
<sup>[2]</sup> Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.  
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.  
<sup>[3]</sup> Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.  
<sup>[4]</sup> Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.  
<sup>[5]</sup> Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.  
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.  
<sup>[6]</sup> Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.  
<sup>[7]</sup> When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.  
<sup>[8]</sup> Some colours may not be available in your region.

## Standard disclaimers

All specifications subject to change without notice.  
Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.  
Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)  
Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.  
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.  
All brand and product names are trademarks of their respective companies.  
Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Live for the story\_

Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2019

## A REFINED MULTITASKER

# PIXMA TS6350 series

A stylish design, 5 single inks and intuitive LED status bar make PIXMA TS6350 Series a hard-working tool. Achieve flawless photos with FINE technology and ChromaLife100 ink, or print sharp document text with a dedicated pigment black ink.

Sales Start Date: Sep 2019



#### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS6350 EUR BLACK	3774C006AA	4549292144291	<Please fill in RRP>
PIXMA TS6351 EUR WHITE	3774C026AA	4549292144345	<Please fill in RRP>

#### CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-580 PGBK	2078C001AA	4549292087062	<Please fill in RRP>
CLI-581 BK	2106C001AA	4549292087079	<Please fill in RRP>
CLI-581 C	2103C001AA	4549292087086	<Please fill in RRP>
CLI-581 M	2104C001AA	4549292087093	<Please fill in RRP>
CLI-581 Y	2105C001AA	4549292087116	<Please fill in RRP>
PGI-580XL PGBK	2024C004AA	8714574652115	<Please fill in RRP>
CLI-581XL BK	2052C005AA	8714574652139	<Please fill in RRP>
CLI-581XL C	2049C004AA	8714574652146	<Please fill in RRP>
CLI-581XL M	2050C004AA	8714574652153	<Please fill in RRP>
CLI-581XL Y	2051C004AA	8714574652238	<Please fill in RRP>
PGI-580XXL PGBK	1970C004AA	8714574652245	<Please fill in RRP>
CLI-581XXL BK	1998C001AA	4549292086874	<Please fill in RRP>
CLI-581XXL C	1995C001AA	4549292086898	<Please fill in RRP>
CLI-581XXL M	1996C001AA	4549292086928	<Please fill in RRP>
CLI-581XXL Y	1997C001AA	4549292086959	<Please fill in RRP>

The Canon logo, consisting of the word "Canon" in a bold, red, sans-serif font.

Live for the story\_

## A REFINED MULTITASKER

# PIXMA TS6350 series

A stylish design, 5 single inks and intuitive LED status bar make PIXMA TS6350 Series a hard-working tool. Achieve flawless photos with FINE technology and ChromaLife100 ink, or print sharp document text with a dedicated pigment black ink.



### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS6350 EUR BLACK	3774C006AA	EA	Individual	1	450	216	486.5	8.46	TBC
PIXMA TS6351 EUR WHITE	3774C026AA		Pallet (Upper)	20	910.5	1090.5	977.5	170.34	TBC
			Pallet (Bottom)	30	910.5	1090.5	1467	255.26	TBC

### What's in the box?

- All-in-one printer – PIXMA TS6350 Series
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

**Canon**

Live for the story\_