

PIXMA TS8350 series

A PREMIUM LOOK FOR HIGH-CLASS RESULTS

Sleek with a creative streak, the PIXMA TS8350 Series delivers lab-quality photos using FINE technology and 6 individual inks, including Photo Blue. Print on a range of media, upload photos from your SD card and enjoy smart device control for a creative and uninhibited printing experience.



- **Sharp and sophisticated**
Pair style with substance in this multifunctional model, which boasts 6 individual inks (including Photo Blue), a 2-way paper feed and SD card compatibility
- **Impressive imagery**
Print lab-quality images using Canon's FINE technology and enjoy longer-lasting photos with up to 100 years of album life thanks to ChromaLife100 ink
- **Craft and create**
Turn designer with Easy-PhotoPrint Editor, Creative Park and the Nail Sticker Creator app, and experiment with double-sided matte, iron-on, magnetic, restickable and square media
- **Swift and smart connections**
Capitalise on Wi-Fi links (with 5Ghz band support) and take control from a smart device. Print, copy, scan and link to the cloud* with the Canon PRINT app or print with AirPrint (iOS) and Mopria (Android)
- **Clear control**
Enjoy easy operability with an auto-filling 10.8cm colour touchscreen, complete with simple user interface, and connect smart devices at a touch of a button with Wireless Connect



6 Single Inks



Wireless Printing



Memory Card



Printable Nail Stickers Print



2-way



Auto 2-sided Print

PRODUCT RANGE



PIXMA TS6350 series

PIXMA TS6350 series
PIXMA TS8350 series
PIXMA TS5350 series
PIXMA TS3350 series



PIXMA TS8350 series



PIXMA TS5350 series

*Scan to cloud and scan to email only available for genuine Canon ink users



Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS8350 series

GENERAL SPECIFICATIONS

Model Numbers

PIXMA TS8350 (BLACK)
PIXMA TS8351 (WHITE)
PIXMA TS8352 (RED)^[1]

Functions

Wireless, Print, Copy, Scan, Cloud Link

PRINTER SPECIFICATIONS

Print Resolution

Up to 4800^[1] x 1200 dpi

Print Technology

6 Individual Ink Tanks (PGBK, BK, C, M, Y, PB)
ChromaLife100 inks

Mono Print Speed

Approx. 15.0 ipm^[2]

Colour Print Speed

Approx. 10.0 ipm^[2]

Photo Print Speed

Borderless 10x15cm : Approx. 17 seconds^[2]

Borderless Printing

Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm)

Two Sided Printing

Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

Direct Disc Printing

Yes

CARTRIDGES AND YIELDS

Standard Ink Cartridges

6 individual ink tanks
PGI-580PGBK (Pigment Black)
CLI-581BK (Black)
CLI-581C (Cyan)
CLI-581M (Magenta)
CLI-581Y (Yellow)
CLI-581PB (Photo Blue)

Optional XL Ink Cartridges

High yield XL ink tanks
PGI-580PGBK XL (Pigment Black)
CLI-581BK XL (Black)
CLI-581C XL (Cyan)
CLI-581M XL (Magenta)
CLI-581Y XL (Yellow)
CLI-581PB XL (Photo Blue)

Optional XXL Ink Cartridges

High yield XXL ink tanks
PGI-580PGBK XXL (Pigment Black)
CLI-581BK XXL (Black)
CLI-581C XXL (Cyan)
CLI-581M XXL (Magenta)
CLI-581Y XXL (Yellow)
CLI-581PB XXL (Photo Blue)

Ink Tanks Yield (Plain paper)

A4 Colour Document^[3]
Pigment Black: 200 pages
Pigment Black XL: 400 pages
Pigment Black XXL: 600 pages
Black: 750* pages
Black XL: 2280* pages
Black XXL: 4590* pages
Cyan: 259 pages
Cyan XL: 519 pages
Cyan XXL: 830 pages
Magenta: 233 pages
Magenta XL: 466 pages
Magenta XXL: 747 pages
Yellow: 259 pages
Yellow XL: 519 pages
Yellow XXL: 830 pages
Photo Blue: 1660 pages*
Photo Blue XL: 4710 pages*
Photo Blue XXL: 9140 pages*
* Estimated supplemental yield

Ink Tanks Yield (Photo print)

10x15cm photo^[3]
Pigment Black: 1444* photos
Pigment Black XL: 3883* photos
Pigment Black XXL: 7337* photos
Black: 213* photos
Black XL: 505* photos
Black XXL: 802* photos
Cyan: 80 photos
Cyan XL: 178 photos
Cyan XXL: 304 photos
Magenta: 107 photos
Magenta XL: 247 photos
Magenta XXL: 406 photos
Yellow: 80 photos
Yellow XL: 178 photos
Yellow XXL: 304 photos
Photo Blue: 240 photos
Photo Blue XL: 505* photos
Photo Blue XXL: 802* photos
* Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
Canon High Resolution Paper (HR-101N)
Canon Pro Platinum (PT-101)
Canon Plus Glossy II (PP-201)
Canon Pro Luster (LU-101)
Canon Plus Semi-gloss (SG-201)
Canon "Everyday Use" (GP-501)
Canon Matte (MP-101)
Envelopes
Other Fine Art Papers
Printable Discs
Removable Photo Stickers (RP-101)
Magnetic Photo Paper (MG-101)
Double sided Matte (MP-101D)
Light Fabric Iron-on transfers (LF-101)
Dark Fabric Iron-on transfers (DF-101)

Maximum Paper Input

Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)
Front Cassette: Max. 100 sheets (plain paper)
Multi-purpose Tray: Printable Nail Stickers (NL-101)/1 printable CD, DVD or Blu-Ray Disc

Paper Sizes

Rear Tray: A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13cm/8.9x8.9cm, Envelopes (DL, COM10)
[Custom size] width 55mm - 215.9 mm, length 89mm - 676mm
Front Cassette: A4, A5, B5, LTR
[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

Paper Weight

Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m²
Front Cassette: Plain Paper: 64-105 g/m²

SCANNER SPECIFICATIONS

Scanner Type

CIS flatbed photo and document scanner

Scanner Resolution (Optical)

2400 x 4800 dpi^[4]

Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit

Maximum Document Size

Greyscale: 16 bit / 8 bit
216 x 297 mm

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. 19 sec.^[5]
sESAT: Approx. 6.5ipm^[5]
max. 99 pages

Multiple Copy

Copy Functions

Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy

Copy Zoom

25 - 400% (in 1% increments)
Fit to page
A5 to A4, B5 to A4, A4 to A5 and A4 to B5

INTERFACE

Display Type & Size

10.8cm LCD (TFT colour/Touch)

Display Languages

33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese

Interface Type - PC / Mac

Hi-Speed USB (B Port)
Wi-Fi: IEEE802.11 b/g/n
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
Wireless LAN Frequency Band: 2.4GHz/5GHz

Interface Type - Other

Canon PRINT Inkjet/SELPHY app
Easy-PhotoPrint Editor
Bluetooth
Message In Print app
Nail Sticker Creator app
PIXMA Cloud Link
Canon Print Service Plugin (Android)
Google Cloud Print
Apple AirPrint
Wireless Direct
Access Point Mode
WLAN PictBridge
Memory Card Slot
Mopria (Android)

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS8350 series

Compatible Memory Cards	SD Card, SDHC Card, SDXC Card, miniSD Card*, microSD Card* mini SDHC Card*, microSDHC Card*, microSDXC Card* *Using recommended adapter - not supplied
SOFTWARE	
Supported Operating Systems	Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.11.6, macOS 10.12~macOS 10.14
Supported Mobile Systems	iOS, Android, Windows 10 Mobile
Minimum System Requirements	Windows: 2.0GB or more Mac: 1.0GB or more Note: for bundled software installation. The necessary amount of hard disk space required. Display: 1024 x 768 XGA
Software Included	MP Driver including Scanning Utility Easy-PhotoPrint Editor (download)
PHYSICAL FEATURES	
Weight	approx. 6.6kg
Dimensions (W x D x H)	approx. 373 x 319 x 141 mm
Acoustic Noise Levels	approx. 44.5dB(A) ^[6]
Recommended Operating Environment	Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation)
Power Source	AC 100-240V, 50/60Hz
Power Consumption	Off: Approx. 0.3W Standby (connected to PC via USB): Approx. 1.2W (scanning lamp off) Standby (all parts connected): Approx. 1.8W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 16W ^[7]

Footnotes

- ^[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- ^[2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- ^[3] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- ^[4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- ^[5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- ^[6] Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.
- ^[7] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- ^[8] Some colours may not be available in your region.

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Live for the story_

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2019

A PREMIUM LOOK FOR HIGH-CLASS RESULTS

PIXMA TS8350 series

Sleek with a creative streak, the PIXMA TS8350 Series delivers lab-quality photos using FINE technology and 6 individual inks, including Photo Blue. Print on a range of media, upload photos from your SD card and enjoy smart device control for a creative and uninhibited printing experience.

Sale Start Date: Sep 2019



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS8350 EUR BLACK	3775C006AA	4549292143331	<Please fill in RRP>
PIXMA TS8351 EUR WHITE	3775C026AA	4549292143409	<Please fill in RRP>
PIXMA TS8352 EUR RED	3775C046AA	4549292143454	<Please fill in RRP>

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-580 PGBK	2078C001AA	4549292087062	<Please fill in RRP>
CLI-581 BK	2106C001AA	4549292087079	<Please fill in RRP>
CLI-581 C	2103C001AA	4549292087086	<Please fill in RRP>
CLI-581 M	2104C001AA	4549292087093	<Please fill in RRP>
CLI-581 Y	2105C001AA	4549292087116	<Please fill in RRP>
CLI-581 PB	2107C001AA	4549292087123	<Please fill in RRP>
PGI-580XL PGBK	2024C001AA	4549292086980	<Please fill in RRP>
CLI-581XL BK	2052C001AA	4549292086997	<Please fill in RRP>
CLI-581XL C	2049C001AA	4549292087017	<Please fill in RRP>
CLI-581XL M	2050C001AA	4549292087024	<Please fill in RRP>
CLI-581XL Y	2051C001AA	4549292087031	<Please fill in RRP>
CLI-581XL PB	2053C001AA	4549292087055	<Please fill in RRP>
PGI-580XXL PGBK	1970C001AA	4549292086836	<Please fill in RRP>
CLI-581XXL BK	1998C001AA	4549292086874	<Please fill in RRP>
CLI-581XXL C	1995C001AA	4549292086898	<Please fill in RRP>
CLI-581XXL M	1996C001AA	4549292086928	<Please fill in RRP>
CLI-581XXL Y	1997C001AA	4549292086959	<Please fill in RRP>
CLI-581XXL PB	1999C001AA	4549292086966	<Please fill in RRP>

Canon

Live for the story_

A PREMIUM LOOK FOR HIGH-CLASS RESULTS

PIXMA TS8350 series

Sleek with a creative streak, the PIXMA TS8350 Series delivers lab-quality photos using FINE technology and 6 individual inks, including Photo Blue. Print on a range of media, upload photos from your SD card and enjoy smart device control for a creative and uninhibited printing experience.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS8350 EUR BLACK	3775C006AA	EA	Individual	1	446	212	457.9	8.72	TBC
PIXMA TS8351 EUR WHITE	3775C026AA		Pallet (Upper)	20	1,070.5	897	920.3	175.70	TBC
PIXMA TS8352 EUR RED	3775C046AA		Pallet (Bottom)	30	1,070.5	897	1378.2	263.2	TBC

What's in the box?

- All-in-one printer – PIXMA TS8350 Series
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

Canon

Live for the story_