DURABLE A4 COLOUR MULTI-FUNCTION PRINTERS CONNECTED TO THE CLOUD FOR STREAMLINED PRINTING AND SCANNING



i-SENSYS MF650 series
Designed for small to medium
businesses or individuals working
remotely, the Canon i-SENSYS
MF650 Series is a range of fast and
reliable A4 colour multi-function
printers







PRINT FROM YOUR SMARTPHONE





Access files from the cloud

Out-of-the-box cloud connectivity is compatible with Google Drive, DropBox, and OneDrive, making it quick and easy to print and scan directly to and from the cloud.

Print from your smartphone

Mobile connectivity with the Canon PRINT Business app, AirPrint (Apple) and Mopria (Android) means you can print from your phone, wherever you are.

Automate everyday tasks

Customise your workflows with the Application Library, which enables one-touch tasks such as printing stored forms, scanning to email, and copying documents.

Protect sensitive documents

Robust security features include Secure PIN to restrict jobs being automatically released and Verify System at Startup to protect your device from hacking and virus threats.

Increase efficiency

Fast printing, time-saving single-pass doublesided scanning, and a large colour touchscreen facilitate efficient print and scan workflows.



RANGE FEATURE STEP UP CHART







MF651Cw

MF655Cdw

MF657Cdw

Fax			•
A4 print speed	18ppm	21ppm	21ppm
Display	12.7cm colour touch screen	12.7cm colour touch screen	12.7cm colour touch screen
Secure PIN print	•	•	•
Automatic duplex printing		•	•
Built-in cloud connectivity	•	•	•
Application Library	•	•	•
Single pass duplex scan			•



TECHNICAL SPECIFICATIONS

i-SENSYS MF650 Series

PRINTER Print speed

Colour Laser All-In-One MF657Cdw: Print, Copy, Scan and Fax MF655Cdw/MF651Cw: Print, Copy and Scan

Printing method Print resolution Warm-up time First Print Out Time

Printer languages

Print margins

Toner saver mode Advanced printing features

COPIER Copy speed

First Copy Output Time (FCOT)

Copy resolution Copy modes Double sided copying

Multiple copy Reduction / Enlargement Other features

SCANNER Type Scan resolution

Colour scanning depth

Compatibility

Max. scan width

Scan to E-mail Scan to PC

Scan to PC Scan to USB memory key Scan to FTP Scan to Cloud¹ IFAX

FAX memory Speed dials Group dials/destinations Sequential broadcast Memory backup Double sided faxing Other features

MEDIA HANDLING Scanner type

Paper input (Standard)

Paper input (Option) Maximum paper input capacity Paper output Media types

MF651Cw: Single sided : Up to 18 ppm (A4) Up to 38 ppm (A5-Landscape)

Colour laser beam printing Up to 1200 x 1200 dpi Approx. 13 seconds or less from power on Colour approx.: 10.5 seconds or less Mono approx.: 10.4 seconds or less

MF657Cdw: UFRII, PCL 5c², PCL6, Adobe* PostScript3 MF655Cdw: UFRII, PCL 5c², PCL6 MF651Cw: UFRII MF651CW: UFRII MF657Cdw: 93 PCL fonts 136 PostScript fonts MF655Cdw: 45 PCL fonts

5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)

Yes MF657Cdw:

Yes
MF657/Cdw:
Secure Print
Print from USB memory key (JPEG/TIFF/PDF)
Print from Cloud' (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG)
Barcode Print
IOS. AirPrint, Canon PRINT Business app
Android: Mporia certified, Canon Print Service Plug-in, Canon PRINT Business app
MF655/Cdw,MF651Cw:
Print from USB memory key (JPEG/TIFF/PDF)
Print from Cloud' (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG)
IOS: AirPrint, Canon PRINT Business app
Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

MF657Cdw/MF655Cdw: Single sided (A4): Up to 21 ppm Double sided (A4): Up to 12.7 ppm MF651Cw: Single sided (A4): Up to 18 ppm

MF657Cdw/MF65SCdw:
ADF (A4):
Colour Approx. 13.4 seconds or less
Mono Approx. 11.4 seconds or less
Mono Approx. 11.4 seconds or less
Mono Approx. 12.3 seconds or less
MF65ICw:
Platen (A4):
Colour Approx. 13.4 seconds or less
MF65ICw:
Mono Approx. 13.4 seconds or less
M601Approx. 13.4 seconds or less
M601Approx. 13.4 seconds or less

Up to 600 x 600 dpi Text/Photo/Map (Default),Text/Photo/Map (quality), Printed Image, Text

MF657Cdw: 2-sided to 2-sided (Automatic) MF655Cdw: 1-sided to 2-sided (Automatic) Up to 999 copies

Who so some states to 2-sided (Automatic)
Up to 999 copies
25-400% in 1% increments
Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy

Colour
Optical: Up to 600 x 600 dpi
Enhanced: Up to 9600 x 9600 dpi
EF657Cdw:
Single sided mono: 27ipm (300x600dpi)
Single sided colour: 14ipm (300x600dpi)
Double sided mono: 47ipm (300x600dpi)
Double sided colour: 27ipm (300x600dpi)

MF657Cdw: 24 bit/24 bit (input/output) MF655Cdw: 24 bit/24 bit (input/output) MF651Cw: 24 bit/24 bit (input/output)

MF657Cdw: 256 levels MF655Cdw: 256 levels

MF657Cdw: 216mm
MF655Cdw: 216mm
MF657Cdw: TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF4/
PDF (Digital signature)'
MF655Cdw: MF651Cw: TIFF/JPEG/PDF/Compact PDF/Searchable PDF

TIFF/JPEG/PDF/PNG⁵ MF657Cdw: ITU-T.37

MF657Cdw ONLY
3.5.6 Kbps (Up to 3 seconds/page*)
Fax only, Fax/Tel Auto Switch, Answer Mode, Manual
Standard: 200 x 100 dpi
Fline: 200 x 200 dpi
Super fine: 200 x 400 dpi
Ultra fine: 400 x 400 dpi
Ultra fine: 400 x 400 dpi

Up to SIZ pages*
Up to SIZ pages*
Up to SIZ dials
Max. 299 dials / Max. 299 destinations
Max. 310 destinations
Max. 310 destinations
Vas. Transmit and Receive)
Sender's Name (TTI), Direct Send, TX Report, Sequential Broadcasting

MF657Cdw: Platen, 2-sided ADF (single pass) MF655Cdw: Platen, ADF MF651Cw: Platen

MF65TCw: Platen
MF657Cdw:
250-sheet cassette
1-sheet manual feed slot
50-sheet ADF
MF655Cdw/MF651Cw:
250-sheet cassette
1-sheet manual feed slot

Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Label, Post card, Envelope

CONSUMABLES

ACCESSORIES/ OPTIONS Items MF657Cdw: TEL 6 Kit Long Cord (Telephone handset) Barcode Printing Kit-E1E Send PDF Security Feature Set-E1

Media weights

Interface type

Network Protocol

Double sided printing

INTERFACE & SOFTWARE

Operating System compatibility

Cassette:
A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO,
B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop
(COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 216 x 355.6 mm.

Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2×127 mm Max. 216×355.6 mm.

ADF (MF657Cdw/MF655Cdw only): A4, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x 355.6 mm

max 215.9 x 355.6 mm Cassette: 60 to 163 g/m² (Up to 200 g/m² with Coated paper) Multi-purpose tray: 60 to 163 g/m² (Up to 200 g/m² with Coated paper) ADF (MF657Cdw)MF655Cdw): 50 to 105 g/m² WF657Cdw)MF655Cdw only Automatic Cassette:

Cassette: A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap. 16K

Custom size - Min. 182 x 257 mm Max. 215.9 x 355.6 mm 60 to 200 g/m²

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
Windows' 11 / Windows' 10 / Windows' 8.1 /
Server' 2019 / Server' 2016 / Server' 2012R2 / Server' 2012
Mac OS X version 10.11 & up
Linux?

Print: TCP/IP (LPD/Port9100/IPP/IPPS/WSD) Scan: Scan:
Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP)
E-mail/1-Fax: SMTP (send), POP3 (receive)
Pull Scan: TCP/IP

Management: SNMPv1, SNMPv3 (IPv4,IPv6)

Security: TLS1.3, IPSec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
Security (wireless): Infrastructure Mode:
WFP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES)
Access Point Mode:
WPA2-PSK(AES)

Software and printer management

MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
IW Enterprise Management Console: Server-based software for centralised
management of a fleet of devices
management of a fleet of devices
such as meter capture, automatic device Ros allows remote eMaintenance services such as meter
capture, automic consumables management and remote diagnostics.
Application Library

GENERAL FEATURES
Recommended Monthly Print Volume

Recommended M Duty cycle Processor Speed Memory Control panel

Dimensions with trays (W x D x H) Installation space (W x D x H)

Operating environment

Noise Levels

Power Source Power Consumption

MF651Cw: 651 mm x 1.046 mm x 780 n MF651Cw: 18.9 kg MF651Cw: 18.9 kg Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensa 220-240V(±10%) 50/60Hz (±2Hz) Maximum: Approx. 450 W Active printing: Approx. 370W Standby: Approx. 110. W Sleep mode: Approx. 0.8 W

MF657Cdw/MF655SCdw:
Typical Electricity Consumption (TEC): 0.22 kWh/week12
MF651Cw:
MF651Cw:
Typical Electricity Consumption (TEC): 0.19 kWh/week12
Typical Electricity Consumption (TEC): 0.22 kWh/week12
Typical Electricity Consumption (TEC): 0.19 kWh/week12
Typical Electricity Consumpt

MF655CW: 168 L27, cm LCD Colour Touch Screen MF657Cdw/MF655Cdw: 451 mm x 460 mm x 413 mm MF651Cw: 451 mm x 460 mm x 360 mm MF657Cdw/MF655Cdw: 733 mm x 1,211 mm x 789 mm MF651Cw: 651 mm x 1,046 mm x 780 mm

Sound Power⁹: Active: Simplex 65dB or less / Duplex 67 dB or less Standby: Inaudible

Sound Power⁹: Active: 64dB or less Standby: Inaudible

Cartridge 067 Black (1,350 pages ¹⁰)¹¹ Cartridge 067H Black (3,130 pages ⁵⁰)¹¹ Cartridge 067 Cyan (1,250 pages ⁵⁰)¹¹ Cartridge 067H Cyan (2,350 pages ⁵⁰)¹¹ Cartridge 067H Agenta (1,250 pages ⁵⁰) Cartridge 067H Magenta (2,350 pages ⁵⁰) Cartridge 067H Magenta (2,350 pages ⁵⁰)¹¹ Cartridge 067H Yellow (1,250 pages ⁵⁰)¹⁰ Cartridge 067H Yellow (2,350 pages ⁵⁰)¹⁰





PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF651Cw	5158C017AA	8714574670300
i-SENSYS MF655Cdw	5158C015AA	8714574670287
i-SENSYS MF657Cdw	5158C011AA	8714574670249

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
MiCard Attachment kit-B1	5146B002AA	4549292027235
Barcode Printing Kit-E1E	5143B002AA	N/A (e-delivery)
Send PDF Security Feature Set-E1	9594B002AA	N/A (e-delivery)
Telephone 6 Kit EU (CW)	0752A054AA	4960999453910
Telephone 6 Kit UK (CW)	0752A053AA	4960999453897
Telephone 6 Kit SA (CW)	0752A055AA	4960999453927

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 067 Black	5102C002AA	4549292187564
Cartridge 067H Black	5106C002AA	4549292187397
Cartridge 067 Yellow	5099C002AA	4549292187434
Cartridge 067H Yellow	5103C002AA	4549292187595
Cartridge 067 Magenta	5100C002AA	4549292187502
Cartridge 067H Magenta	5104C002AA	4549292187625
Cartridge 067 Cyan	5101C002AA	4549292187533
Cartridge 067H Cyan	5105C002AA	4549292187656

Canon Ireland 3006 Lake Drive Citywest, Saggart Co. Dublin, Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525

canon.ie

5 The Square Stockley Park Uxbridge UB11 1ET Tel: 01895 648 000 www.canon.co.uk

Canon (UK) Ltd

Canon Inc. canon.com Canon Europe canon-europe.com English edition © Canon Europa N.V.,2021

