



Revision: 2020-03-22 **Version:** 07.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Good Sense Breakdown

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P403 - Floor cleaner. Manual process AISE-P409 - Carpet cleaner. Manual process AISE-C18 - Air fresheners non-aerosol

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

 $Contains\ 1, 2-benzisothiazol-3 (2H)-one\ (Benzisothiazolinone),\ 2-phenoxyethanol\ (Phenoxyethanol),\ d-limonene\ (Limonene)$

Hazard statements:

H319 - Causes serious eye irritation.

EUH208 - May produce an allergic reaction.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex xIII

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl alcohol ethoxylate	[4]	68439-46-3	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		1-3

				Aquatic Chronic 3 (H412)	
d-limonene	227-813-5	5989-27-5	01-2119529223-47	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	0.1-1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get

medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. Skin contact: No known effects or symptoms in normal use.

Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
d-limonene	-	-	-	4.76

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	=	-	=	-
d-limonene	0.222 mg/cm ² skin	-	No data available	=

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
d-limonene	0.111 mg/cm ² skin	-	No data available	-

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
d-limonene	=	-	=	33.3

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
d-limonene	-	-	=	8.33

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	-	-	-	-
d-limonene	0.014	0.0014	-	1.8

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
alkyl alcohol ethoxylate	-	-	-	-
d-limonene	3.85	0.385	0.763	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: Provide a good standard of general ventilation. Ensure that foam equipment does not generate

respirable particles.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Safety glasses are not normally required. However, their use is recommended in those cases Eye / face protection:

where splashes may occur when handling the product (EN 166).

Hand protection: No special requirements under normal use conditions. Body protection: No special requirements under normal use conditions.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

No special requirements under normal use conditions. **Environmental exposure controls:**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid Colour: Hazy, Red Odour: Perfumed

Odour threshold: Not applicable

ISO 4316 **pH** ≈ 10 (neat)

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 232		
d-limonene	175-178	Method not given	1013

Method / remark

Not relevant to classification of this product

open cup

Flammability (liquid): Not flammable.

Flash point (°C): > 60 °C Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not relevant for classification of this product.

Flammability (solid, gas): Not applicable to liquids

Upper/lower flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
d-limonene	0.7	6.1

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vanour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	10		37
d-limonene	190-230	Method not given	20

Method / remark

Not relevant to classification of this product Vapour density: Not determined

Relative density: ≈ 1.00 (20 °C) OECD 109 (EU A.3)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Soluble	Method not given	
d-limonene	Insoluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Not relevant to classification of this product Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/kg)			time (h)
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	Method not given	
d-limonene	LD 50	4400 - 5100	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/kg)			time (h)
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given	
d-limonene	LD 50	> 5000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data			
		available			
d-limonene		No data			
		available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	Method not given	
d-limonene	Irritant	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
d-limonene	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritating to			
	respiratory tract			
d-limonene	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
d-limonene	Sensitising	Guinea pig	Method not given	

Sensitisation by inhalation

	Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate		No data available			
ſ	d-limonene	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
, ,	No evidence for mutagenicity, negative test results		No data available	(iii vivo)
d-limonene	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect		
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results		
d-limonene	No data available		

Toxicity for reproduction

Toxicity for reproduction							,
Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
alkyl alcohol ethoxylate	NOAEL		> 250	Rat			No known significant effects or critical hazards
d-limonene			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Sub-acute of sub-chronic oral toxicity						
Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data				
		available				
d-limonene		No data				
		available	l			1

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU B.28)		
d-limonene		No data available		D.20)		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data				
		available				
d-limonene		No data				
		available				

Chronic toxicity

Official toxicity								
Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
alkyl alcohol ethoxylate		NOAEL	80		Method not			
					given			
d-limonene			No data					
			available					

STOT-single exposure

er er eingle expectie	
Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
d-limonene	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
d-limonene	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC 50	5 - 7	Fish	OECD 203 (EU C.1)	96
d-limonene	LC 50	0.72	Pimephales promelas	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
alkyl alcohol ethoxylate	EC 50	5.3	Daphnia	92/69/EEC	48
			magna Straus		
d-limonene	EC 50	0.36	Daphnia	OECD 202 (EU C.2)	48
	1				

Aquatic short-term toxicity - algae					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
		(IIIg/I)			time (n)
alkyl alcohol ethoxylate	EC 50	1.4 - 47	Not specified	92/69/EEC	72
d-limonene	Er C 50	150	Desmodesmus	OECD 201 (EU C.3)	72
			subspicatus		

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data			-
		available			
d-limonene		No data			-
		available			l l

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value	Inoculum	Method	Exposure
		(mg/l)			time
alkyl alcohol ethoxylate	EC 50	> 140	Bacteria	Method not given	
d-limonene		No data			
		available			ľ

Aquatic long-term toxicity

Aquatic long-term toxicity - fish						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
alkyl alcohol ethoxylate	EC 10	8983	Not specified	Method not	21 day(s)	
				given		
d-limonene		No data				
		available				

Aquatic long-term toxicity - crustacea						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
alkyl alcohol ethoxylate		2579	Daphnia	Method not	21 day(s)	
			magna	given		
d-limonene		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:									
Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed			
alkyl alcohol ethoxylate		No data available			-				
d-limonene		No data available			-				

Terrestrial toxicity

l errestrial toxicity - soil invertebrates, including earthworms, if available:							
	Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
	alkyl alcohol ethoxylate		No data available			-	
	d-limonene		No data available			-	

Terrestrial toxi	city - plants	, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
d-limonene		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data			-	
		available				
d-limonene		No data			-	
		available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data			-	
		available				
d-limonene		No data			-	
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
		soil)			time (days)	
alkyl alcohol ethoxylate		No data			-	
		available				
d-limonene		No data			-	
		available				ļ

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

	Biodegradation Ready biodegradability - aerobic conditions					
	Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
Ī	alkyl alcohol ethoxylate			80%	Method not given	Readily biodegradable
	d-limonene			80 % in 28 day(s)	OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	3.11 - 4.19			
d-limonene	No data available		High potential for bioaccumulation	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	< 500				
d-limonene	683.1		Method not given	High potential for bioaccumulation	

12.4 Mobility in soil

ntion to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				High potential for mobility in soil
d-limonene	No data available				High potential for mobility in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

products:

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- · Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: RNF6-M0MS-D00F-K69J

Ingredients according to EC Detergents Regulation 648/2004

< 5 % non-ionic surfactants

perfumes, Phenoxyethanol, Limonene, Benzyl Salicylate, Hexyl Cinnamal, Benzisothiazolinone,

Linalool, Citronellol, Geraniol, Benzyl Alcohol

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7187 Version: 07.0 Revision: 2020-03-22

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 2, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- · H226 Flammable liquid and vapour.
- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- · H312 Harmful in contact with skin.
- · H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- H320 Causes eye irritation.H331 Toxic if inhaled.
- · H332 Harmful if inhaled.
- · H335 May cause respiratory irritation.
- · H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

- Abbreviations and acronyms:

 AISE The international Association for Soaps, Detergents and Maintenance Products

 DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement

- EUH CLP Specific hazard statement
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
 ATE Acute Toxicity Estimate
 LD50 Lethal Dose, 50% / Median Lethal dose
 LC50 Lethal Concentration, 50% / Median Lethal Concentration

- EC50 effective concentration, 50%

- NOEL No observed effect level
 NOAEL No observed adverse effect level
 OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet