

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. unauthorised use of this Safety Data Sheet is strictly prohibited and may result in leg being taken by HP. ***	
1.1. Product identifier		
Trade name or designation of the mixture	4K0U9Series	
Registration number	-	
UFI:	QCWM-GC5D-361W-59YX	
Synonyms	None.	
Issue date	16-Nov-2023	
Version number	01	
1.2. Relevant identified uses o Identified uses	of the substance or mixture and uses advised against Inkjet printing	
Uses advised against	None known.	
1.3. Details of the supplier of t	the safety data sheet	
	HP Inc UK Ltd, Regulatory Enquiries, Earley West 300 Thames Valley Park Drive, Reading, RG6 1PT	
Telephone	+44 20 7660 0596 (Consumer)	
	+44 20 7660 0403 (Commercial)	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	sustainability@hp.com	
1.4 Emergency telephone number	+44 20 35147487	
SECTION 2: Hazards ide	entification	
2.1. Classification of the subs	tance or mixture	
Classification according to Re	egulation (EC) No 1272/2008 as amended	
Health hazards Skin sensitization	Category 1 H317 - May cause an reaction.	allergic skin
2.2. Label elements		
Label according to Regulation Contains:	n (EC) No. 1272/2008 as amended 1,2-Benzisothiazolin-3-one (Benzisothiazolinone), 2,4,7,9-Tetramethyl-5-decyne-4,7- ethoxylated, 2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)	diol,
Hazard pictograms		
Signal word	Warning	
Hazard statements		
H317	May cause an allergic skin reaction.	
Precautionary statements		
Prevention		
P280 P261	Wear protective gloves/protective clothing/eye protection. Avoid breathing mist/vapor.	
Material name: 4K0U9Series	S	SDS GREAT BRITAI

12969 Version #: 01 Issue date: 16-Nov-2023

P272	Contaminated work clothing must not be allowed out of the workplace.
Response	
P302 + P352 P333 + P313 P362 + P364	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Not available.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	Endocrine disrupting properties (Toxicity/Ecotoxicity): This mixture does not contain known components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels above possible trace contaminate levels. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2,4,7,9-Tetramethyl-5-decyne , ethoxylated	4,7-diol <1	9014-85-1 500-022-5	-	-	
Classifi	cation: Eye Dam.	1;H318, Skin Sens.	1;H317, Aquatic Chronic 3;H4	12	
1,2-Benzisothiazolin-3-one (Benzisothiazolinone)	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classification: Acute Tox. 4;H302, Acute Tox. 2;H330, Skin Irrit. 2;H315, Eye Dam. 1;H318, Skin Sens. 1A;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411					
2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)	<0.05	2682-20-4 220-239-6	01-2120764690-50-XXXX	-	
Classifi	1B;H314,		3;H311, Acute Tox. 2;H330, kin Sens. 1A;H317, Aquatic A c 1;H410		
Composition comments	This ink supply c	ontains an aqueous ir	nk formulation.		
SECTION 4: First aid meas	sures				
General information	Not available.				
4.1. Description of first aid measured	ures				
Inhalation	Move to fresh air	. If symptoms persist,	get medical attention.		
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.				
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.				
Ingestion	If ingestion of a la	arge amount does oc	cur, seek medical attention.		
4.2. Most important symptoms and effects, both acute and delayed	Not available.				
4.3. Indication of any immediate medical attention and special treatment needed	Not available.				

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
Material manage (IKOLIOO and a	

5.2. Special hazards arising from the substance or mixture	Not available.		
5.3. Advice for firefighters Special protective	Not available.		
equipment for firefighters Special fire fighting	Not available.		
procedures	None established.		
Specific methods			
SECTION 6: Accidental re	lease measures		
6.1. Personal precautions, protect	ctive equipment and emergency procedures		
For non-emergency personnel	Wear appropriate personal protective equipment.		
For emergency responders	Not available.		
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.		
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.		
6.4. Reference to other sections	Not available.		
SECTION 7: Handling and	storage		
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.		
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.		
7.3. Specific end use(s)	Not available.		
SECTION 8: Exposure cor	ntrols/personal protection		
8.1. Control parameters			
Occupational exposure limits	No exposure limits noted for ingredient(s).		
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Recommended monitoring procedures	Not available.		
Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
Exposure guidelines	Exposure limits have not been established for this product.		
8.2. Exposure controls			
Appropriate engineering controls	Use in a well ventilated area.		
Individual protection measures,	such as personal protective equipment		
General information	Use personal protective equipment to minimize exposure to skin and eye.		
Eye/face protection	Not available.		
Skin protection			
- Hand protection	Not available.		
- Other	Not available.		
Respiratory protection	Not available.		
Thermal hazards	Not available.		
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.		
Environmental exposure controls	Not available.		
SECTION 9: Physical and	chemical properties		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid.
Not available.
Yellow

Odor	Not available.
Odor threshold	Not available.
рН	9 - 10
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	>230.0 °F (>110.0 °C) Pensky-Martens Closed Cup US EPA Method 1020
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Density and/or relative density	
Density	1.04 g/cm3
Relative vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	<7 g/L
SECTION 10: Stability and	l reactivity
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.

10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information

Not available.

Information on likely routes of e	xposure		
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	May cause an allergic skin reaction.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Health injuries are not known or expected under normal use.		
Symptoms	Not available.		
11.1. Information on toxicologica	al effects		
Acute toxicity	Based on available data, the classification criteria are not met.		

	Species	Test Results
	7-diol, ethoxylated (CAS 9014-8	5-1)
Acute		
Inhalation LC50	Rat	20 mg/l, 1 h Dusts, mists and fumes. The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).
Oral		
LD50	Rat	6300 mg/kg
	ethylisothiazolinone) (CAS 2682-	
<u>Acute</u>		20 1)
Dermal	_	
LD50	Rat	242 mg/kg (OECD 402)
Inhalation		
LC50	Rat	0.11 mg/l, 4 h (OECD 403)
Oral		
LD50	Rat	120 mg/kg
kin corrosion/irritation	Based on available data, the	classification criteria are not met.
Irritation Corrosion - S		
	3-one (Methylisothiazolinone) lecyne-4,7-diol, ethoxylated	Corrosive, rabbit (OECD 404) Not irritating, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test Duration: 24 h
erious eye damage/eye	Based on available data, the	classification criteria are not met.
rritation Eye		
rritation Eye 2-Methyl-2h-isothiazol-3	3-one (Methylisothiazolinone) lecyne-4,7-diol, ethoxylated	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d	ecyne-4,7-diol, ethoxylated	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization	lecyne-4,7-diol, ethoxylated Based on available data, the	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met.
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization	ecyne-4,7-diol, ethoxylated	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met.
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization Sensitization	lecyne-4,7-diol, ethoxylated Based on available data, the	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met.
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization	ecyne-4,7-diol, ethoxylated Based on available data, the May cause an allergic skin re	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction.
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2-Methyl-2h-isothiazol-3	Based on available data, the May cause an allergic skin re lecyne-4,7-diol, ethoxylated 3-one (Methylisothiazolinone)	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction. May cause sensitization by skin contact. Sensitzing, mice (OECD 429), Sensitzing, guinea pigs
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2-Methyl-2h-isothiazol-3 Germ cell mutagenicity	Based on available data, the May cause an allergic skin re decyne-4,7-diol, ethoxylated 3-one (Methylisothiazolinone) Based on available data, the	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction. May cause sensitization by skin contact. Sensitzing, mice (OECD 429), Sensitzing, guinea pigs (OECD 406)
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2-Methyl-2h-isothiazol-3 Germ cell mutagenicity	Based on available data, the May cause an allergic skin re lecyne-4,7-diol, ethoxylated 3-one (Methylisothiazolinone) Based on available data, the Based on available data, the	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction. May cause sensitization by skin contact. Sensitzing, mice (OECD 429), Sensitzing, guinea pigs (OECD 406) classification criteria are not met.
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2-Methyl-2h-isothiazol-3 Germ cell mutagenicity 2,4,7,9-Tetramethyl-5-decyr	Based on available data, the May cause an allergic skin re lecyne-4,7-diol, ethoxylated 3-one (Methylisothiazolinone) Based on available data, the Based on available data, the ne-4,7-diol, ethoxylated	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction. May cause sensitization by skin contact. Sensitzing, mice (OECD 429), Sensitzing, guinea pigs (OECD 406) classification criteria are not met. classification criteria are not met. Ames (OECD 471), Chromosomal aberration (OECD 473), gene mutation (OECD 476), negative. The data are derived from the evaluations or test results achieved with similar
Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2-Methyl-2h-isothiazol-3 Germ cell mutagenicity Carcinogenicity 2,4,7,9-Tetramethyl-5-decyr Reproductive toxicity Specific target organ toxicity -	Based on available data, the May cause an allergic skin re decyne-4,7-diol, ethoxylated B-one (Methylisothiazolinone) Based on available data, the Based on available data, the based on available data, the Based on available data, the	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction. May cause sensitization by skin contact. Sensitzing, mice (OECD 429), Sensitzing, guinea pigs (OECD 406) classification criteria are not met. classification criteria are not met. Ames (OECD 471), Chromosomal aberration (OECD 473), gene mutation (OECD 476), negative. The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2-Methyl-2h-isothiazol-3 Germ cell mutagenicity 2,4,7,9-Tetramethyl-5-decyr Reproductive toxicity 2,4,7,9-Tetramethyl-5-decyr Reproductive toxicity Specific target organ toxicity - ingle exposure Specific target organ toxicity -	Based on available data, the May cause an allergic skin re lecyne-4,7-diol, ethoxylated 3-one (Methylisothiazolinone) Based on available data, the Based on available data, the ne-4,7-diol, ethoxylated Based on available data, the Based on available data, the	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction. May cause sensitization by skin contact. Sensitzing, mice (OECD 429), Sensitzing, guinea pigs (OECD 406) classification criteria are not met. classification criteria are not met. Ames (OECD 471), Chromosomal aberration (OECD 473), gene mutation (OECD 476), negative. The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). classification criteria are not met.
rritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2-Methyl-2h-isothiazol-3 Germ cell mutagenicity Carcinogenicity 2,4,7,9-Tetramethyl-5-decyr Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - sepeated exposure	Based on available data, the May cause an allergic skin re lecyne-4,7-diol, ethoxylated B-one (Methylisothiazolinone) Based on available data, the Based on available data, the	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction. May cause sensitization by skin contact. Sensitzing, mice (OECD 429), Sensitzing, guinea pigs (OECD 406) classification criteria are not met. classification criteria are not met. Ames (OECD 471), Chromosomal aberration (OECD 473), gene mutation (OECD 476), negative. The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). classification criteria are not met. classification criteria are not met.
irritation Eye 2-Methyl-2h-isothiazol-3 2,4,7,9-Tetramethyl-5-d Respiratory sensitization Skin sensitization 2,4,7,9-Tetramethyl-5-d Skin sensitization 2-Methyl-2h-isothiazol-3 Germ cell mutagenicity Carcinogenicity	Based on available data, the May cause an allergic skin re lecyne-4,7-diol, ethoxylated B-one (Methylisothiazolinone) Based on available data, the Based on available data, the	Corrosive, based on OECD 404 results Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit classification criteria are not met. eaction. May cause sensitization by skin contact. Sensitzing, mice (OECD 429), Sensitzing, guinea pigs (OECD 406) classification criteria are not met. classification criteria are not met. Ames (OECD 471), Chromosomal aberration (OECD 473), gene mutation (OECD 476), negative. The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). classification criteria are not met. classification criteria are not met. classification criteria are not met. classification criteria are not met. classification criteria are not met.

12.1. Toxicity

Aquatic toxicity

Not expected to be harmful to aquatic organisms.

Product		Species		Test Results
4K0U9Series				
Aquatic				
Acute		-		
	LC50		w (Pimephales promelas)	
Components		Species		Test Results
2,4,7,9-Tetramethyl-5-decyne-4,7-	diol, ethoxylate	d (CAS 9014-85-	1)	
Acute	LC50	Scophtalmus m	naximus (turbot)	52 mg/l, 96 h
	2030	Scopillainius II	iaximus (turbot)	32 mg/i, 90 m
Aquatic				
<i>Acute</i> Crustacea	EC50	Daphnia magna	2	88 mg/l, 48 h The data are derived from
Grustadda	2000	Dapinia nagi	2	the evaluations or test results achieved with similar products (conclusion by analogy). (OECD 202)
	LC50	Acartia tonsa		166 mg/l, 48 h
Fish	LC50	Pimephales pro	omelas	36 mg/l, 96 h The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). (OECD 203)
2-Methyl-2h-isothiazol-3-one (Meth	nylisothiazolino	ne) (CAS 2682-20)-4)	
Acute				
	EC50	Activated sludg	e	34.6 mg/l (DIN 38412-3)
Other	EC50	Pseudokirchne	rella subcapitata	0.445 mg/l, 120 h (OECD 201)
Aquatic				
Acute				
Crustacea	EC50	Daphnia magna	a	1.68 mg/l, 48 h (OECD 202)
Fish	LC50	Rainbow Trout		6 mg/l, 96 h (OECD 203)
Chronic				
	NOEC	Daphnia magna		0.0442 mg/l, 21 d (OECD 211)
Fish	NOEC	Oncorhynchus	mykiss	4.93 mg/l, 98 d (OECD 210)
12.2. Persistence and degradabi	lity			
Biodegradability Percent degradation (Ae 2-Methyl-2h-isothiazol-3-c	-		54.1 %, (OECD 301B) Test Duration: 29 d	
12.3. Bioaccumulative potential	Not available			
Partition coefficient				
n-octanol/water (log Kow) 2-Methyl-2h-isothiazol-3-one (Methylisothiaz	olinone)	-0.32 (OECD 107)	
-	Methylisot iaz	olinone)	-0.52 (OLOD 107)	
Bioconcentration factor (BCF) 2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)		48.1, Viscera (1972) Species: Bluegill (Lepoi 5.75, Carcass (1972) Species: Bluegill (Lepoi		
12.4. Mobility in soil	Not available			
12.5. Results of PBT and vPvB assessment	Not a PBT or	PBT or vPvB substance or mixture.		
12.6. Other adverse effects	Not available			
SECTION 13: Disposal co	nsideration	S		
13.1. Waste treatment methods				
Residual waste	Not available			
Contaminated packaging	Not available			
Some packaging		•		

EU waste code Not available.

Disposal methods/information Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling

of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

ADR

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not Regulated
name	
14.3. Transport hazard class(es)
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
14.6. Special precautions for user	Not assigned.
ATA	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not Regulated
name	
14.3. Transport hazard class(· · ·
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
14.6. Special precautions for user	Not assigned.
MDG	
	Net regulated as depression as de
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not Regulated
14.3. Transport hazard class(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	5
Marine pollutant	No
EmS	Not assigned.
14.6. Special precautions	Not assigned.
for user	Natavailable
14.7. Maritime transport in bulk according to IMO instruments	Not available.
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
	Transport in bulk according to Annex II of MARPOL73/78 and the

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed. Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

IBC code: Not applicable.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

HP complies with chemical regulatory requirements in chemical substance notification laws, where applicable. All chemical substances are notified or exempt from notification or listed in the inventory as existing substances in the following countries: US (TSCA), Canada (DSL/NDSL), Australia (AICIS), Japan (ISHL, ENCS), Philippines (PICCS), New Zealand (NZIoC) and China (IECSC). For guidance on importation and/or additional requirements for registration schemes such as EAEU, EU, South Korea, Turkey, UK, India and Taiwan, please contact the Sustainability and Compliance Center (sustainability@hp.com).

Not available.

15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

SECTION 16: Other information			
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).		
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).		
	The information in this document is based on the present state of our knowledge, including but not limited to the data present in the registrations of the ingredients, it does not purport to be all-inclusive and shall be used only as a guide.		
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.		
Full text of any statements, which are not written out in full			
under sections 2 to 15	 H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. 		
Revision information	1. Product and Company Identification: Alternate Trade Names		

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

ACGIH	American Conference of Governmental Industrial Hygienists		
Acute Tox.	American Conference of Governmental Industrial Hygienists Acute toxicity		
Aquatic Acute	Short-term (acute) aquatic hazard		
Aquatic Chronic	Long-term (acute) aquatic hazard		
Asp. Tox.			
Carc.	Aspiration hazard		
CAS	Carcinogenicity Chemical Abstracts Service		
CERCLA	Comprehensive Environmental Response Compensation and Liability Act		
CFR	Completenensive Environmental Response Completisation and Liability Act		
COC	Cleveland Open Cup		
DOT	Department of Transportation		
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)		
Eye Dam.	Serious eye damage		
Eye Irrit.	Eye Irritation		
Flam. Liq.	Flammable liquids		
Flam. Sol.	Flammable solids		
Lact.	Effects on or via lactation		
Muta.	Germ cell mutagenicity		
IARC	International Agency for Research on Cancer		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program		
OSHA	Occupational Safety and Health Administration		
Ox. Liq.	Oxidising liquids		
Ozone	Hazardous to the ozone layer		
PEL	Permissible Exposure Limit		
Press. Gas	Gases under pressure		
RCRA	Resource Conservation and Recovery Act		
REC	Recommended		
REL	Recommended Exposure Limit		
Repr.	Reproductive toxicity		
Resp. Sens.	Respiratory sensitization		
SARA	Superfund Amendments and Reauthorization Act of 1986		
Skin Corr.	Skin corrosion		
Skin Irrit.	Skin irritation		
Skin Sens.	Skin sensitization		
STEL	Short-Term Exposure Limit		
STOT RE	Specific target organ toxicity - repeated exposure		
STOT SE	Specific target organ toxicity - single exposure		
TCLP	Toxicity Characteristics Leaching Procedure		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
VOC	Volatile Organic Compounds		

Safe Use of Mixtures Information (SUMI)

--Water Based Ink: WB02 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS. The REACH registration numbers, where applicable, complete an extended product SDS.

SDS.				
Operational conditions				
Maximum duration	Up to 8 hours per day.			
Frequency of exposure	< 240 days per year.			
Physical state	Liquid.			
Process conditions	Covers use at ambient temperatures.			
	Provide a good standard of controlled ventilation (10 to 15 ai	ir changes per hour).		
	Avoid direct contact.			
	Regular cleaning of equipment and work area.			
	Supervision in place to check that Risk Management Measure	es (RMM's) in place are being correctly used and Operational		
	Conditions (OC's) followed.			
Pick management measures				
Risk management measures	Wear safety glasses with side shields (or gazdes) if salashing			
Conditions and measures related to	Wear safety glasses with side shields (or goggles), if splashing			
Personal Protection Equipment	Wear appropriate chemical resistent gloves: see section 8 of	the SDS.		
(PPE), hygiene and health	Wear appropriate chemical resistent clothing.			
evaluation	In case of inadequate ventilation wear respiratory protection.			
	Eye wash station and emergency showers are recommended.			
	Avoid breathing mist/vapours.			
	Avoid contact with skin, eyes and clothing.			
	Training of workers in relation to proper use and maintenanc	e of all Personal protection equipment (PPE) must be ensured.		
		23		
Good practice advice				
Use personal protective equipment as	•			
Wash hands before breaks and after v				
Keep good industrial hygiene and safe	ty practice.			
Use only with adequate ventilation.				
Do no eat, drink or smoke when using	this product.			
Wash contaminated clothing before r	euse.			
Store at room temperature.				
Environmental measures				
Do not allow this material to drain int	o sewers/water supplies			
	o Local, State, Federal and Provincial Environmental Regulatio	nc		
		nis.		
	propriately licenced waste contractor.			
Use descriptors				
IS-Use at industrial sites.				
PW-Widespread use by professional v				
SU7-Printing and reproduction media.				
PC18-Inks and Toners.				
PROC3- Manufacture or formulation in	n the chemical industry in closed batch processes with occasic	onal controlled exposure or processes with equivalent		
containment condition.				
PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.				
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities.				
PROC28 - Manual maintenance (cleaning and repair) of machinery.				
ERC5-Use at industrial site leading to inclusion into/onto article.				
ERC8c-Widespread use leading to inclusion into/onto article (indoor).				
Additional information on product composition				
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.				
Most of the water based inks are "not classified".				
All ingredients contributing to the classification are stated in Section 3 of the SDS.				
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.				
The product may contain sensitizing ingredients that may cause allergic reaction to certain people.				
Section 2 of the SDS states these ingredients where applicable.				
		WB02_English.pdf		