

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifierTrade name or designation of the mixtureC1Q43SeriesRegistration number-SynonymsNone.Issue date14-Feb-2014Version number08Revision date10-Oct-2018Supersedes date01-Oct-20181.2. Relevant identified uses of the substance or mixture and uses advised against Identified usesInkjet printing. Uses advised against1.3. Details of the supplier of the Bracknell, Berkshire RG12 1HN United KingdomHP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United KingdomTelephone44 (0) 879 013 0790HP Inc. tustomer Care Line1-800-457-4209 (Direct)(Toll-free within the US)1-800-457-4209 (Direct)(Direct)1-800-474-6836 (Direct)(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com1.4 Emergency telephone0207771 5307 | | |
|---|------------------------------------|---|
| of the mixture-Registration number-SynonymsNone.Issue date14-Feb-2014Version number08Revision date10-Oct-2018Supersedes date01-Oct-20181.2. Relevant identified uses of the substance or mixture and uses advised against Identified usesInkjet printing.Uses advised againstNone known.1.3. Details of the supplier of the Bracknell, Berkshire RG12 1HN United KingdomHP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United KingdomTelephone44 (0) 879 013 0790HP Inc. health effects line (Toll-free within the US)1-800-457-4209 1-760-710-0048HP Inc. Customer Care Line (Toll-free within the US)1-800-474-6836 1-208-323-2551Email:hpcustomer.inquiries@hp.com | 1.1. Product identifier | |
| None.Issue date14-Feb-2014Version number08Revision date10-Oct-2018Supersedes date01-Oct-20181.2. Relevant identified uses of tbe substance or mixture and uses advised against Identified usesInkjet printing.Uses advised againstNone known.1.3. Details of the supplier of tbe safety data sheet Bracknell, Berkshire RG12 1HN United KingdomHP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United KingdomTelephone44 (0) 879 013 0790HP Inc. customer Care Line (Toll-free within the US)1-800-457-4209 (Direct)1-800-457-4209 1-760-710-0048HP Inc. Customer Care Line (Toll-free within the US)1-800-474-6836 1-208-323-2551Email:hpcustomer.inquiries@hp.com | • | C1Q43Series |
| Issue date 14-Feb-2014 Version number 08 Revision date 10-Oct-2018 Supersedes date 01-Oct-2018 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Inkjet printing. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet HP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United Kingdom Telephone 44 (0) 879 013 0790 HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com | Registration number | - |
| Version number08Revision date10-Oct-2018Supersedes date01-Oct-20181.2. Relevant identified uses of the substance or mixture and uses advised against Identified usesInkjet printing. Uses advised againstUses advised againstNone known.1.3. Details of the supplier of the safety data sheet HP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United KingdomTelephone44 (0) 879 013 0790HP Inc. health effects line (Toll-free within the US)1-800-457-4209 1-760-710-0048HP Inc. Customer Care Line (Toll-free within the US)1-800-474-6836 (Direct)(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | Synonyms | None. |
| Revision date10-Oct-2018Supersedes date01-Oct-20181.2. Relevant identified uses of the substance or mixture and uses advised against Identified usesInkjet printing. Uses advised againstUses advised againstNone known.1.3. Details of the supplier of the safety data sheet HP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United KingdomTelephone44 (0) 879 013 0790HP Inc. health effects line (Toll-free within the US)1-800-457-4209 1-760-710-0048HP Inc. Customer Care Line (Toll-free within the US)1-800-474-6836 (Direct)(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | Issue date | 14-Feb-2014 |
| Supersedes date 01-Oct-2018 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Inkjet printing. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet HP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United Kingdom United Kingdom Telephone 44 (0) 879 013 0790 HP Inc. health effects line 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Incomer Care Line 1-208-323-2551 Email: hpcustomer.inquiries@hp.com | Version number | 08 |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against Inkjet printing. Uses advised against1.3. Details of the supplier of the safety data sheet HP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United KingdomTelephone44 (0) 879 013 0790HP Inc. health effects line (Toll-free within the US)1-800-457-4209 1-760-710-0048HP Inc. Customer Care Line (Toll-free within the US)1-800-474-6836 1-208-323-2551Email:hpcustomer.inquiries@hp.com | Revision date | 10-Oct-2018 |
| Identified usesInkjet printing.Uses advised againstNone known.1.3. Details of the supplier of the safety data sheetHP Inc. UK LimitedCain Road, Amen CornerBracknell, Berkshire RG12 1HNUnited KingdomTelephone44 (0) 879 013 0790HP Inc. health effects line(Toll-free within the US)1-800-457-4209(Direct)1-760-710-0048HP Inc. Customer CareLine(Toll-free within the US)1-800-474-6836(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | Supersedes date | 01-Oct-2018 |
| Uses advised against None known. 1.3. Details of the supplier of the safety data sheet HP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United Kingdom Telephone 44 (0) 879 013 0790 HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com | 1.2. Relevant identified uses of | the substance or mixture and uses advised against |
| 1.3. Details of the supplier of the safety data sheet HP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United KingdomTelephone44 (0) 879 013 0790HP Inc. health effects line (Toll-free within the US)1-800-457-4209 1-760-710-0048HP Inc. Customer Care Line (Toll-free within the US)1-800-474-6836 1-208-323-2551Email:hpcustomer.inquiries@hp.com | Identified uses | Inkjet printing. |
| HP Inc. UK Limited Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United Kingdom Telephone 44 (0) 879 013 0790 HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com | Uses advised against | None known. |
| Cain Road, Amen Corner Bracknell, Berkshire RG12 1HN United Kingdom Telephone 44 (0) 879 013 0790 HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com | 1.3. Details of the supplier of th | e safety data sheet |
| Bracknell, Berkshire RG12 1HN United KingdomTelephone44 (0) 879 013 0790HP Inc. health effects line (Toll-free within the US)1-800-457-4209(Direct)1-760-710-0048HP Inc. Customer Care Line1-800-474-6836(Toll-free within the US)1-800-474-6836(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | | HP Inc. UK Limited |
| TelephoneUnited KingdomTelephone44 (0) 879 013 0790HP Inc. health effects line (Toll-free within the US)1-800-457-4209(Direct)1-760-710-0048HP Inc. Customer Care Line (Toll-free within the US)1-800-474-6836(Direct)1-800-474-6836(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | | Cain Road, Amen Corner |
| Telephone 44 (0) 879 013 0790 HP Inc. health effects line | | Bracknell, Berkshire RG12 1HN |
| HP Inc. health effects line(Toll-free within the US)1-800-457-4209(Direct)1-760-710-0048HP Inc. Customer CareLine(Toll-free within the US)1-800-474-6836(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | | United Kingdom |
| (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com | Telephone | 44 (0) 879 013 0790 |
| (Direct) 1-760-710-0048 HP Inc. Customer Care Inc Line Inc (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com | HP Inc. health effects line | |
| HP Inc. Customer CareLine(Toll-free within the US)1-800-474-6836(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | (Toll-free within the US) | 1-800-457-4209 |
| Line (Toll-free within the US)1-800-474-6836(Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | (Direct) | 1-760-710-0048 |
| (Direct)1-208-323-2551Email:hpcustomer.inquiries@hp.com | | |
| Email: hpcustomer.inquiries@hp.com | (Toll-free within the US) | 1-800-474-6836 |
| | (Direct) | 1-208-323-2551 |
| 1.4 Emergency telephone 0207771 5307 | Email: | hpcustomer.inquiries@hp.com |
| | 1.4 Emergency telephone | 0207771 5307 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

number

Label according to Regulation (EC) No. 1272/2008 as amended

| 5 5 (| |
|--------------------------------|---|
| Contains: | 1,2-Benzisothiazolin-3-one, 2-methyl-2h-isothiazol-3-one, Diethylene glycol, Water |
| Hazard pictograms | None. |
| Signal word | None. |
| Hazard statements | The mixture does not meet the criteria for classification. |
| Precautionary statements | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Supplemental label information | Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction. |

2.3. Other hazards

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Note |
|-----------------------------|--------------------------------------|---|---|--------------|------|
| | | | | | |
| Water | 70-80 | 7732-18-5 | - | - | |
| | | 231-791-2 | | | |
| Classification: | | | | | |
| Diethylene glycol | <5 | 111-46-6 | 01-2119457857-21-XXXX | 603-140-00-6 | |
| | | 203-872-2 | | | |
| Classification: | Acute Tox. 4;H302 | | | | |
| 1,2-Benzisothiazolin-3-one | <0.1 | 2634-33-5 | - | 613-088-00-6 | |
| | | 220-120-9 | | | |
| | Acute Tox. 4;H302, S Acute 1;H400 | kin Irrit. 2;H315, Skin | Sens. 1;H317, Eye Dam. 1;H3 | 18, Aquatic | |
| 2-methyl-2h-isothiazol-3-or | ne <0.1 | 2682-20-4 | - | - | |
| | | 220-239-6 | | | |
| | | cute Tox. 3;H311, Ski E 3;H335, Aquatic Ac | n Corr. 1B;H314, Skin Sens. 1 ute 1;H400 | ;H317, Acute | |
| nposition comments | This ink supply of | contains an aqueous i | nk formulation. | | |
| | Carbon black is | present only in a bour | nd form in this preparation. | | |
| CTION 4: First aid m | easures | | | | |
| neral information | Not available. | | | | |
| | | | | | |
| Description of first aid m | easures | | | | |

Skin contactWash affected areas thoroughly with mild soap and water. Get medical attention if irritation
develops or persists.Eve contactDo not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

| 2 | least 15 minutes or until particles are removed. If irritation persists get medical attention. |
|---|--|
| Ingestion | If ingestion of a large amount does occur, seek medical attention. |
| 4.2. Most important symptoms and effects, both acute and delayed | Not available. |
| 4.3. Indication of any immediate medical attention and special treatment needed | Not available. |

SECTION 5: Firefighting measures

| General fire hazards | Not available. |
|--|---|
| 5.1. Extinguishing media | |
| Suitable extinguishing media | Dry chemical, CO2, water spray or regular foam. |
| Unsuitable extinguishing media | None known. |
| 5.2. Special hazards arising from the substance or mixture | Not available. |

| 5.3. Advice for firefighters Special protective | Not available | 2 | | | |
|---|--|--|--|--|---|
| equipment for firefighters | | | | | |
| Special fire fighting procedures | Not available | 2 . | | | |
| Specific methods | None establ | ished. | | | |
| SECTION 6: Accidental rel | lease meas | sures | | | |
| .1. Personal precautions, protec | ctive equipm | ent and emergency | procedures | | |
| For non-emergency personnel | | priate personal prote | - | | |
| For emergency responders | Not available | e. | | | |
| 2.2. Environmental precautions | - | | | | nitary sewer system. |
| 3.3. Methods and material for containment and cleaning up | or diatomace | eous earth, commerc | | | osorbent such as dry clay, sar os. |
| 6.4. Reference to other sections | Not available | 9. | | | |
| SECTION 7: Handling and | storage | | | | |
| 7.1. Precautions for safe name | Avoid contac | ct with skin, eyes and | d clothing. | | |
| 7.2. Conditions for safe storage, including any ncompatibilities | Keep out of | the reach of children | . Keep away from | excessive heat c | r cold. |
| 7.3. Specific end use(s) | Not available | e. | | | |
| SECTION 8: Exposure con | trols/pers | onal protection | | | |
| 3.1. Control parameters | | p | | | |
| • | | | | | |
| | | | | | |
| | uro Limite (M | | | | |
| UK. EH40 Workplace Exposu Components | ure Limits (W | Туре | | Value | |
| UK. EH40 Workplace Exposu | ure Limits (W | _ | | 101 mg/m3 | |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) | | Type TWA | ed for the ingredie | 101 mg/m3 23 ppm | |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring | | Type TWA Il exposure limits not | ed for the ingredie | 101 mg/m3 23 ppm | |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures | No biologica Not available | Type TWA Il exposure limits not | ed for the ingredie | 101 mg/m3 23 ppm | |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures | No biologica Not available | Type TWA Il exposure limits not | ed for the ingredie | 101 mg/m3 23 ppm | Form |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) | No biologica Not available | Type TWA Il exposure limits not e. | | 101 mg/m3 23 ppm nt(s). | Form Systemic long term |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components | No biologica Not available | Type TWA Il exposure limits not e. Type | Route | 101 mg/m3 23 ppm nt(s). Value | Systemic long term Local long term |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components | No biologica Not available | Type TWA Il exposure limits not e. Type | Route Dermal Inhalation Dermal | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg | Systemic long term Local long term Systemic long term |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components | No biologica Not available | Type TWA Il exposure limits not e. Type Consumers | Route Dermal Inhalation | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 | Systemic long term Local long term |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration | No biologica Not available 3-6) | Type TWA Il exposure limits not e. Type Consumers Workers | Route Dermal Inhalation Dermal Inhalation | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 | Systemic long term Local long term Systemic long term Local long term |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components | No biologica Not available 5-6) ns (PNECs) | Type TWA Il exposure limits not e. Type Consumers Workers Type | Route Dermal Inhalation Dermal Inhalation Route | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value | Systemic long term Local long term Systemic long term |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration | No biologica Not available 5-6) ns (PNECs) | Type TWA Il exposure limits not e. Type Consumers Workers | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l | Systemic long term Local long term Systemic long term Local long term |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring brocedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components | No biologica Not available 5-6) ns (PNECs) | Type TWA Il exposure limits not e. Type Consumers Workers Type | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l | Systemic long term Local long term Systemic long term Local long term Form Releases |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components | No biologica Not available 5-6) ns (PNECs) | Type TWA Il exposure limits not e. Type Consumers Workers Type | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg | Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 | No biologica Not available 3-6) ns (PNECs) | Type TWA Il exposure limits not e. Type Consumers Workers Type | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l | Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 | No biologica Not available 3-6) ns (PNECs) | Type TWA Il exposure limits not e. Type Consumers Workers Type Not applicable | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l | Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 Diethylene glycol (CAS 111-46 | No biologica Not available 3-6) ns (PNECs) | Type TWA Il exposure limits not e. Type Consumers Workers Type Not applicable | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l | Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 Diethylene glycol (CAS 111-46 Exposure guidelines 3.2. Exposure controls Appropriate engineering controls ndividual protection measures, s | No biologica Not available 5-6) ms (PNECs) 5-6) Exposure lin Not available such as pers | Type TWA Il exposure limits not e. Type Consumers Workers Type Not applicable nits have not been es e. | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 10 mg/l 10 mg/l 1.53 mg/kg 1.53 mg/kg 199.5 mg/l product. | Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant |
| UK. EH40 Workplace Exposu Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 Diethylene glycol (CAS 111-46 Exposure guidelines 3.2. Exposure controls Appropriate engineering controls ndividual protection measures, s General information | No biologica Not available 3-6) ms (PNECs) 3-6) 5-6) 5-6) 5-6) 5-6) 5-6) 5-6) 5-6) 5 | Type TWA Il exposure limits not e. Type Consumers Workers Type Not applicable Not applicable | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 10 mg/l 10 mg/l 1.53 mg/kg 1.53 mg/kg 199.5 mg/l product. | Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant |
| Components Diethylene glycol (CAS 111-46-6) Biological limit values Recommended monitoring procedures Derived no effect levels (DNELs) Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, set | No biologica Not available 3-6) ms (PNECs) 3-6) 5-6) 5-6) 5-6) 5-6) 5-6) 5-6) 5-6) 5 | Type TWA Il exposure limits not e. Type Consumers Workers Type Not applicable nits have not been es e. | Route Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this | 101 mg/m3 23 ppm nt(s). Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 10 mg/l 10 mg/l 1.53 mg/kg 1.53 mg/kg 199.5 mg/l product. | Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant |

| - Hand protection | Use protective gloves made of: Nitrile rubber. |
|------------------------------------|--|
| - Other | Wear appropriate chemical resistant clothing. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety practice. |
| Environmental exposure controls | Not available. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | |
|--|-------------------------|
| Physical state | Liquid. |
| Form | Not available. |
| Color | Black. |
| Odor | Not available. |
| Odor threshold | Not available. |
| рН | 8 - 10 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | > 230.0 °F (> 110.0 °C) |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not available. |
| Oxidizing properties | Not determined |
| 9.2. Other information | |
| Specific gravity | 1 - 1.1 |
| VOC | < 180 g/l |
| | |

SECTION 10: Stability and reactivity

| • |
|--|
| Not available. |
| Stable under recommended storage conditions. |
| None known. |
| Not available. |
| Incompatible with strong bases and oxidizing agents. |
| Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen fluoride. |
| |

SECTION 11: Toxicological information

General information

Not available.

| Information on likely routes | of exposure |
|------------------------------|--|
| Inhalation | Under normal conditions of intended use, this material is not expected to be an inhalation hazard. |
| Skin contact | Contact with skin may result in mild irritation. |
| Eye contact | Contact with eyes may result in mild irritation. |
| Ingestion | Ingestion is not a likely route of exposure. |
| Symptoms | Not available. |

11.1. Information on toxicological effects

| Acute toxicity | Based on available data, the classification criteria are not met. | | |
|--|---|--|--|
| Components | Species | Test Results | |
| Diethylene glycol (CAS 111-46-6) | | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | 11890 mg/kg | |
| Inhalation | | | |
| Aerosol | | | |
| LC50 | Rat | > 4.6 mg/l, 4 Hours | |
| Oral | | | |
| LD50 | Rat | 12565 mg/kg | |
| Skin corrosion/irritation | Non irritant in rabbit (OECD 404 |) Based on available data, the classification criteria are not met. | |
| Serious eye damage/eye irritation | Based on available data, the cla | ssification criteria are not met. | |
| Respiratory sensitization | Based on available data, the cla | ssification criteria are not met. | |
| Skin sensitization | Based on available data, the cla | ssification criteria are not met. | |
| Germ cell mutagenicity | Based on available data, the cla | ssification criteria are not met. | |
| Carcinogenicity | Based on available data, the cla | ssification criteria are not met. | |
| | 2B) and by the State of Californi organizations indicate that exposed | arcinogen by the IARC (possibly carcinogenic to humans, Group a under Proposition 65. In their evaluations of carbon black, both sure to carbon black, per se, does not occur when it remains pecifically, rubber, ink, or paint. Carbon black is present only in a | |
| Reproductive toxicity | Based on available data, the cla | ssification criteria are not met. | |
| Specific target organ toxicity - single exposure | Based on available data, the cla | ssification criteria are not met. | |
| Specific target organ toxicity - repeated exposure | Based on available data, the cla | ssification criteria are not met. | |
| Aspiration hazard | Based on available data, the cla | ssification criteria are not met. | |
| Mixture versus substance information | Not available. | | |
| Other information | Complete toxicity data are not av | vailable for this specific formulation | |

SECTION 12: Ecological information

| 1. Toxicity | No information | n available. | | |
|--|-------------------|----------------------|-------------------|----------------------|
| uatic toxicity | No informatior | n available. | | |
| oduct | | Species | | Test Results |
| Q43Series | | | | |
| Aquatic | | | | |
| Fish | LC50 | Fathead minnow (Pime | ephales promelas) | > 750 mg/l, 96 Hours |
| 2. Persistence and gradability | Not available. | | | |
| 3. Bioaccumulative potenti | al Not available. | | | |
| rtition coefficient octanol/water (log Kow) | Not available. | | | |
| oconcentration factor (BCF) | Not available. | | | |
| 4. Mobility in soil | Not available. | | | |

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|-------------------------------|---|
| Residual waste | Not available. |
| Contaminated packaging | Not available. |
| EU waste code | Not available. |
| Disposal methods/information | Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. |

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

| Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed. |
|--|
| Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed. |
| Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed. |
| Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed. |
| Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed. |
| Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed. |
| Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed. |
| Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed. |
| Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed. |
| Authorizations |
| Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization Not listed. |
| Restrictions on use |
| Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed. |
| Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work |
| Not regulated. |
| Other EU regulations |
| Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended |

Not listed.

| Other regulations | All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. |
|--|--|
| Other information | This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments). |
| National regulations | Not available. |
| 15.2. Chemical safety assessment | See attached SUMI or GEIS document, if applicable. |
| SECTION 16: Other inform | ation |
| References | Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH). |
| | Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006. |
| | Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP). |
| Information on evaluation method leading to the classification of mixture | The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. |
| Full text of any H-statements not written out in full under Sections 2 to 15 | |
| Sections 2 to 15 | H301 Toxic if swallowed. H302 Harmful if swallowed. |
| | H311 Toxic in contact with skin. |
| | H314 Causes severe skin burns and eye damage. |
| | H315 Causes skin irritation. |
| | H317 May cause an allergic skin reaction. H318 Causes serious eye damage. |
| | H330 Fatal if inhaled. |
| | H335 May cause respiratory irritation. H400 Very toxic to aquatic life. |
| Revision information | None. |
| Training information | Follow training instructions when handling this material. |
| Disclaimer | This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. |

Explanation of abbreviations

| ACGIH | American Conference of Governmental Industrial Hygienists |
|--------|---|
| | |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |
| | |

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

| , , , , , , , , , , , , , , , , , , , | 3, where upplicable, completes an extended product 3D3. | |
|--|--|--|
| Operational conditions | | |
| Maximum duration | Up to 8 hours per day | |
| Frequency of exposure | < 240 days per year | |
| Process conditions | Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions | |
| | followed. | |
| Risk management measures | | |
| Conditions and measures | Wear safety glasses with side shields (or goggles), if splashing is possible. | |
| related to Personal Protection | | |
| | Wear appropriate chemical resistent gloves: see section 8 of the SDS. | |
| Equipment, hygiene and | Wear appropriate chemical resistent clothing. | |
| health evaluation | In case of inadequate ventilation wear respiratory protection. | |
| | Eye wash fountain and emergency showers are recommended. | |
| | Avoid breathing mist/vapours. | |
| | Avoid contact with skin, eyes and clothing. | |
| | Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured. | |
| | | |
| Good practice advice | | |
| Use personal protective equipme | ent as required. | |
| Wash hands before breaks and a | after work. | |
| Keep good industrial hygiene and | d safety practice. | |
| Use only with adequate ventilati | | |
| Do no eat, drink or smoke when | | |
| Wash contaminated clothing be | | |
| Store at room temperature. | | |
| Environmental measures | | |
| | in intercourse/unitercourselies | |
| Do not allow this material to dra | | |
| - | ding to Local, State, Federal and Provincial Environmental Regulations. | |
| | ith appropriately licenced waste contractor. | |
| Use descriptors | | |
| IS-Use at industrial sites | | |
| PW-Widespread use by profession | onal workers | |
| SU7-Printing and reproduction n | nedia | |
| PC18-Inks and Toners | | |
| PROC1-Chemical production or r | refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. | |
| PROC2-Chemical production or r | refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions | |
| condition PROC8a-Transfer of substance o | tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities | |
| ERC5-Use at industrial site leading | | |
| | | |
| | io inclusion into/onto article (indoor) | |
| Additional information on prod | | |
| In section 2 of the SDS as well as on the label, the classification of the mixture is provided. | | |
| Most of the water based inks are "not classified". | | |
| The classification of the mixture is based on the individuel ingredients and their concentration within the mixture. | | |
| All ingredients contributing to the classification are stated in Section 3 of the SDS. | | |
| Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS. | | |
| | zing ingredients that may cause allergic reaction to certain people. | |
| Section 2 of the SDS states these | | |
| I | WB01 English.pdf | |