

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

1.1. Product identifier

Trade name or designation

HP Color LaserJet CF259A-X-XC-XH-XR Black Print Cartridge

of the mixture

Registration number

Synonyms None.

Issue date 06-Nov-2021

Version number 03

Revision date 31-May-2022 16-Mar-2022 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

This product is a toner preparation that is used in HP LJ Pro M404, HP LJ Pro M405, HP LJ Pro Identified uses

M304, HP LJ Pro M305, HP LJ Pro MFP M329, HP LJ Enterprise M406, HP LJ Enterprise M407,

HP LJ Enterprise MFP M430 and HP LJ Enterprise MFP M431 series printers.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West

300 Thames Valley Park Drive, Reading, RG6 1PT

+44 20 7660 0596 (Consumer) Telephone

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct) Email: sustainability@hp.com +44 20 35147487 1.4 Emergency telephone

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Iron oxide, Styrene acrylate copolymer, Wax

Hazard pictograms None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements**

Precautionary statements

Prevention Not available. Not available Response Not available. Storage Disposal Not available.

Supplemental label information

Material name: CF259A-X-XC-XH-XR

2.3. Other hazards

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<50	Trade Secret	-	-	
Classification: -					
Iron oxide	<45	1317-61-9 215-277-5	01-2119457646-28-XXXX	-	
Classification: -					
Wax	<15	Proprietary	-	-	
Classification: -		-			
Amorphous silica	<2	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

Not available. **General information**

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

4.2. Most important symptoms

and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders Not available.

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Material name: CF259A-X-XC-XH-XR 14946 Version #: 03 Revision date: 31-May-2022 Issue date: 06-Nov-2021 6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

, 5 mg/m3 (Respirable Fraction), 3 mg/m3 (Respirable Particulate) TRGS 900 (Luftgrenzwert) - 10

mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) UK WEL: 10 mg/m3

(Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection

Not available.

Skin protection

- Hand protection Not available. - Other Not available. Respiratory protection Not available. Thermal hazards Not available. Hygiene measures Not available. Not available. **Environmental exposure**

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Fine powder **Appearance** Solid Physical state Form solid Color Black.

Odor Slight plastic odor **Odor threshold** Not available. Not applicable нα Melting point/freezing point Not available. Initial boiling point and boiling Not applicable

range

Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Not available

Material name: CF259A-X-XC-XH-XR 14946 Version #: 03 Revision date: 31-May-2022 Issue date: 06-Nov-2021 Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not applicable Vapor pressure Vapor density Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

No information available.

Partition coefficient (n-octanol/water)

Not available.

Not available **Auto-ignition temperature** > 392 °F (> 200 °C) **Decomposition temperature Viscosity** Not applicable

Not available. **Explosive properties**

Oxidizing properties 9.2. Other information

> 194 - 284 °F (90 - 140 °C) Softening point

1.4 - 1.8Specific gravity VOC Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

Imaging Drum: Exposure to light 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

SECTION 11: Toxicological information

Not available. General information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eye contact Ingestion Ingestion is not a likely route of exposure.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Product Species Test Results

CF259A-X-XC-XH-XR

Acute

LD50 > 2000 mg/kg

Based on available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. Specific target organ toxicity -

single exposure

Material name: CF259A-X-XC-XH-XR

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

LL50: > 1000 mg/l, Fish, 96.00 Hours 12.1. Toxicity

Product Species Test Results

CF259A-X-XC-XH-XR

Aquatic

ErL50 Algae Algae > 1000 mg/l, 72 Hours EL50 > 1000 mg/l, 48 Hours Crustacea Crustacea LL50 > 1000 mg/l, 96 Hours Fish Fish

12.2. Persistence and

degradability

Not available.

Not available. 12.3. Bioaccumulative potential **Partition coefficient**

n-octanol/water (log Kow)

Not available.

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Not available. Residual waste Contaminated packaging Not available. EU waste code Not available.

Disposal methods/information

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

UN number Not available. Not Regulated UN proper shipping name

Transport hazard class(es)

Not available. Class

Subsidiary risk

Not available. **Packing group**

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN2807 **UN** number

Magnetized Material **UN proper shipping name**

Transport hazard class(es)

Class 9 Magnetized Material

Subsidiary risk

Not available. Packing group

Environmental hazards Nο

Special precautions for user Not available.

Material name: CF259A-X-XC-XH-XR

SDS UK 14946 Version #: 03 Revision date: 31-May-2022 Issue date: 06-Nov-2021

IMDG

Not available. **UN** number **UN** proper shipping name Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant Nο

EmS Not available. Special precautions for user Not available.

ADR

Not available. **UN** number **UN** proper shipping name Not regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. Hazard No. (ADR) Not available. Tunnel restriction code **Packing group** Not available.

Environmental hazards No.

Special precautions for user Not available.

Further information 27 or more of these cartridges shipped together in a single package (e.g., box, container), by air,

are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Material name: CF259A-X-XC-XH-XR 14946 Version #: 03 Revision date: 31-May-2022 Issue date: 06-Nov-2021 Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Not available

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CF259A-X-XC-XH-XR

SDS UK 14946 Version #: 03 Revision date: 31-May-2022 Issue date: 06-Nov-2021

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

Department of Transportation DOT

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

Occupational Safety and Health Administration **OSHA**

Permissible Exposure Limit PEL

Resource Conservation and Recovery Act **RCRA**

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

Short-Term Exposure Limit **STEL**

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CF259A-X-XC-XH-XR

SDS UK 14946 Version #: 03 Revision date: 31-May-2022 Issue date: 06-Nov-2021