

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

C2P26Series

1.1. Product identifier

Trade name or designation

of the mixture

Registration number

**Synonyms** None.

Issue date 20-Jun-2014

Version number 13

22-Apr-2021 **Revision date** 11-Feb-2021 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West 300 Thames Valley Park Drive, Reading, RG6 1PT

**Telephone** +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct)

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

1,2-Benzisothiazolin-3-one (Benzisothiazolinone), 2-Methyl-2h-isothiazol-3-one Contains:

(Methylisothiazolinone), Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

**Hazard pictograms** 

Signal word Warning

**Hazard statements** 

May cause an allergic skin reaction. H317

**Precautionary statements** 

Prevention

Material name: C2P26Series SDS LIK

12969 Version #: 13 Revision date: 22-Apr-2021 Issue date: 20-Jun-2014

P280 Wear protective gloves/protective clothing/eye protection.

P261 Avoid breathing mist/vapor.

P272 Contaminated work clothing must not be allowed out of the workplace.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None

**2.3. Other hazards** Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific

formulation

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		65-85	7732-18-5 231-791-2	-	-	
Classification:	-					
Ethoxylated-2,4,7,9-tetran yn-4,7-diol	nethyl-5-dec	<1	9014-85-1 500-022-5	-	-	
Classification:	Skin Sens. 1	;H317, Eye	e Dam. 1;H318, Aqua	atic Chronic 3;H412		
1,2-Benzisothiazolin-3-on (Benzisothiazolinone)	е	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classification:	Acute Tox. 4 Acute 1;H400		n Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H	318, Aquatic	
2-Methyl-2h-isothiazol-3-c (Methylisothiazolinone)	one	<0.05	2682-20-4 220-239-6	01-2120764690-50-XXXX	-	
Classification:		B, Acute To		n Corr. 1B;H314, Skin Sens. cute 1;H400(M=10), Aquatic		

**Composition comments** This ink supply contains an aqueous ink formulation.

#### **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and

ina enecis, boin acute and

delayed

Not available.

4.3. Indication of any immediate medical attention

Not available.

immediate medical attention and special treatment needed

### **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

Dry chemical, CO2, water spray or regular foam.

media

Material name: C2P26Series sps uk

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective

Not available.

equipment for firefighters

Special fire fighting

procedures

Not available.

Specific methods None established.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Not available.

**6.2. Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect

Not available.

concentrations (PNECs)

Exposure limits have not been established for this product.

Exposure guidelines 8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

- Hand protection Not available.
 - Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure** 

Material name: C2P26Series

controls

Not available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.

Not available. **Form** 

Color Yellow

Odor Not available. **Odor threshold** Not available.

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point

pН

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup US EPA Method 1020

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Not available.

9 - 10

Flammability limit - upper (%)

Vapor pressure Not available. Vapor density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. Auto-ignition temperature **Decomposition temperature** Not available. **Viscosity** Not available. Not available. **Explosive properties** Not determined **Oxidizing properties** 

9.2. Other information

VOC <7 g/L

## **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous

dioxide and/or low molecular weight hydrocarbons. decomposition products

### **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact May cause an allergic skin reaction.

Contact with eyes may result in mild irritation. Eye contact

Ingestion Health injuries are not known or expected under normal use.

Not available. **Symptoms** 

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

Components **Species Test Results** 

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

**Acute Dermal** 

LD50 Rat 242 mg/kg

Material name: C2P26Series SDS LIK

Components	Species	Test Results				
Inhalation						
LC50	Rat	0.11 mg/l, 4 h				
Oral						
LD50	Rat	120 mg/kg				
Skin corrosion/irritation	Based on available data, the	classification criteria are not met.				
Serious eye damage/eye irritation	Based on available data, the	classification criteria are not met.				
Respiratory sensitization	Based on available data, the classification criteria are not met.					
Skin sensitization	May cause an allergic skin reaction.					
Germ cell mutagenicity	Based on available data, the classification criteria are not met.					
Carcinogenicity	Based on available data, the classification criteria are not met.					
Reproductive toxicity	Based on available data, the classification criteria are not met.					
Specific target organ toxicity - single exposure	Based on available data, the	classification criteria are not met.				
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.					
Aspiration hazard	Based on available data, the classification criteria are not met.					
Mixture versus substance information	Not available.					
Other information		t available for this specific formulation al health effects and Section 4 for first aid measures.				

## **SECTION 12: Ecological information**

Aquatic toxicity Not expected to be harmful to aquatic organisms.

Product Species Test Results

C2P26Series

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Components Species Test Results

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

Acute

Other EC50 Pseudokirchnerella subcapitata 0.138 - 0.22 mg/l, 120 h (OECD 201)

Chronic

NOEC Pseudokirchneriella subcapitata 0.05 mg/l, 120 h (OECD 201)

Aquatic Acute

Fish

Crustacea EC50 Daphnia magna 1.6 mg/l, 48 h (OECD 202)

LC50 Daphnia magna 0.934 mg/l, 48 h (OECD 202)
LC50 Oncorhynchus mykiss 4.77 mg/l, 96 h (OECD 203)

**12.2. Persistence and** Not available.

degradability

**12.3. Bioaccumulative potential** Not available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** 

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) 48.1, Viscera (1972)

Species: Bluegill (Lepomis macrochirus)

5.75, Carcass (1972)

Species: Bluegill (Lepomis macrochirus)

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol 21.09 - 111.7, L/kg wet-wt (EpiSuite v4.11, BCFBAF v3.01)

**12.4. Mobility in soil** Not available.

12.5. Results of PBT and vPvB Not a PBT or vPvB substance or mixture.

assessment

**12.6. Other adverse effects** Not available.

Material name: C2P26Series
12969 Version #: 13 Revision date: 22-Apr-2021 Issue date: 20-Jun-2014

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Not available. Residual waste Contaminated packaging Not available. EU waste code Not available.

Disposal methods/information Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

DOT

**UN** number Not available. **UN** proper shipping name Not Regulated

Transport hazard class(es)

Not available.

Subsidiary risk

Not available. Packing group

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

**UN** number Not available. **UN** proper shipping name Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Not available. **Packing group** 

**Environmental hazards** 

Special precautions for user Not available.

**IMDG** 

Not available. **UN number UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. Packing group

Transport hazard class(es)

Marine pollutant Nο

Not available. **EmS** Special precautions for user Not available.

**ADR** 

Not available. **UN number UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. Hazard No. (ADR) Not available. **Tunnel restriction code** Not available. Packing group

**Environmental hazards** No

Special precautions for user Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulations

Material name: C2P26Series SDS UK Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in

the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and

amendments).

**National regulations** 

15.2. Chemical safety

assessment

Not available.

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H301 Toxic if swallowed. H302 Harmful if swallowed.

H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

Material name: C2P26Series

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

**Revision information** 

vone.

**Training information** 

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C2P26Series sps uk

## Safe Use of Mixture Information (SUMI)

--

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.  Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

### Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





### Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.



# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

C2P25Series

of the mixture

Registration number

**Synonyms** None.

Issue date 20-Jun-2014

Version number 16

23-Apr-2021 **Revision date** 31-Jan-2021 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West 300 Thames Valley Park Drive, Reading, RG6 1PT

**Telephone** +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

1,2-Benzisothiazolin-3-one (Benzisothiazolinone), 2-Methyl-2h-isothiazol-3-one Contains:

(Methylisothiazolinone), Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

**Hazard pictograms** 



Signal word Warning

**Hazard statements** 

May cause an allergic skin reaction. H317

**Precautionary statements** 

Prevention

Material name: C2P25Series SDS LIK

12968 Version #: 16 Revision date: 23-Apr-2021 Issue date: 20-Jun-2014

P280 Wear protective gloves/protective clothing/eye protection.

P261 Avoid breathing mist/vapor.

P272 Contaminated work clothing must not be allowed out of the workplace.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None

**2.3. Other hazards** Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific

formulation

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		65-85	7732-18-5 231-791-2	-	-	
Classification:	-					
Ethoxylated-2,4,7,9-tetran yn-4,7-diol	nethyl-5-dec	<1	9014-85-1 500-022-5	-	-	
Classification:	Skin Sens. 1	;H317, Eye	e Dam. 1;H318, Aqua	atic Chronic 3;H412		
1,2-Benzisothiazolin-3-on (Benzisothiazolinone)	е	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classification:	Acute Tox. 4 Acute 1;H400		n Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H	318, Aquatic	
2-Methyl-2h-isothiazol-3-c (Methylisothiazolinone)	one	<0.05	2682-20-4 220-239-6	01-2120764690-50-XXXX	-	
Classification:		B, Acute To		n Corr. 1B;H314, Skin Sens. cute 1;H400(M=10), Aquatic		

**Composition comments** This ink supply contains an aqueous ink formulation.

#### **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms

and effects, both acute and

delayed

Not available.

4.3. Indication of any Not a

immediate medical attention and special treatment needed

Not available.

### **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

Dry chemical, CO2, water spray or regular foam.

media

Material name: C2P25Series sps uk

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective

Not available.

equipment for firefighters Special fire fighting

procedures

Not available.

Specific methods None established.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Not available. For emergency responders

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Not available. 7.3. Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect

Not available.

concentrations (PNECs)

Exposure limits have not been established for this product.

**Exposure guidelines** 8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

Not available. - Hand protection Not available. - Other Not available. Respiratory protection Thermal hazards Not available.

Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.

Material name: C2P25Series 12968 Version #: 16 Revision date: 23-Apr-2021 Issue date: 20-Jun-2014

Not available. **Form** Color Magenta Odor Not available. **Odor threshold** Not available.

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point

pН

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup US EPA Method 1020

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Not available.

9 - 10

Flammability limit - upper (%)

Vapor pressure Not available. Vapor density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient (n-octanol/water)

Auto-ignition temperature **Decomposition temperature Viscosity** 

Not available. Not available. Not available. Not available. Not determined

**Oxidizing properties** 9.2. Other information

**Explosive properties** 

VOC < 17 g/L

## **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous

dioxide and/or low molecular weight hydrocarbons. decomposition products

## **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact May cause an allergic skin reaction.

Contact with eyes may result in mild irritation. Eye contact

Ingestion Health injuries are not known or expected under normal use.

Not available. **Symptoms** 

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

Components **Species Test Results** 

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

**Acute Dermal** 

LD50 Rat 242 mg/kg

Material name: C2P25Series SDS LIK

Components	Species	Test Results				
Inhalation						
LC50	Rat	0.11 mg/l, 4 h				
Oral						
LD50	Rat	120 mg/kg				
Skin corrosion/irritation	Based on available data, the	classification criteria are not met.				
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.					
Respiratory sensitization	Based on available data, the classification criteria are not met.					
Skin sensitization	May cause an allergic skin reaction.					
Germ cell mutagenicity	Based on available data, the classification criteria are not met.					
Carcinogenicity	Based on available data, the classification criteria are not met.					
Reproductive toxicity	Based on available data, the classification criteria are not met.					
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.					
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.					
Aspiration hazard	Based on available data, the classification criteria are not met.					
Mixture versus substance information	Not available.					
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.					

## **SECTION 12: Ecological information**

Aquatic toxicity Not expected to be harmful to aquatic organisms.

Product Species Test Results

C2P25Series

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Components Species Test Results

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

Acute

Other EC50 Pseudokirchnerella subcapitata 0.138 - 0.22 mg/l, 120 h (OECD 201)

Chronic

NOEC Pseudokirchneriella subcapitata 0.05 mg/l, 120 h (OECD 201)

Aquatic Acute

Crustacea EC50 Daphnia magna 1.6 mg/l, 48 h (OECD 202)

LC50 Daphnia magna 0.934 mg/l, 48 h (OECD 202)

Fish LC50 Oncorhynchus mykiss 4.77 mg/l, 96 h (OECD 203)

**12.2. Persistence and** Not available.

degradability

**12.3. Bioaccumulative potential** Not available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** 

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) 48.1, Viscera (1972)

Species: Bluegill (Lepomis macrochirus)

5.75, Carcass (1972)

Species: Bluegill (Lepomis macrochirus)

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol 21.09 - 111.7, L/kg wet-wt (EpiSuite v4.11, BCFBAF v3.01)

**12.4. Mobility in soil** Not available.

12.5. Results of PBT and vPvB Not a PBT or vPvB substance or mixture.

assessment

**12.6. Other adverse effects** Not available.

Material name: C2P25Series

12968 Version #: 16 Revision date: 23-Apr-2021 Issue date: 20-Jun-2014

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

**Disposal methods/information** Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

# **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

# Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Material name: C2P25Series sps uk

#### Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

**National regulations** 

15.2. Chemical safety assessment

Not available.

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

**Revision information Training information** Disclaimer

None.

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: C2P25Series SDS UK

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C2P25Series sps uk

## Safe Use of Mixture Information (SUMI)

--

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.  Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

### Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.



# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

C2P24Series

of the mixture

Registration number

**Synonyms** None.

Issue date 20-Jun-2014

Version number 15

21-Apr-2021 **Revision date** 31-Jan-2021 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Inkjet printing Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West 300 Thames Valley Park Drive, Reading, RG6 1PT

**Telephone** +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct)

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

1,2-Benzisothiazolin-3-one (Benzisothiazolinone), 2-Methyl-2h-isothiazol-3-one Contains:

(Methylisothiazolinone), Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

**Hazard pictograms** 



Signal word Warning

**Hazard statements** 

May cause an allergic skin reaction. H317

**Precautionary statements** 

Prevention

Material name: C2P24Series

12967 Version #: 15 Revision date: 21-Apr-2021 Issue date: 20-Jun-2014

P280 Wear protective gloves/protective clothing/eye protection.

P261 Avoid breathing mist/vapor.

P272 Contaminated work clothing must not be allowed out of the workplace.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None

**2.3. Other hazards** Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific

formulation

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name		%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water		65-85	7732-18-5 231-791-2	-	-	
Classification:	-					
Ethoxylated-2,4,7,9-tetral yn-4,7-diol	methyl-5-dec	<1	9014-85-1 500-022-5	-	-	
Classification:	Skin Sens. 1	;H317, Ey	e Dam. 1;H318, Aqua	atic Chronic 3;H412		
1,2-Benzisothiazolin-3-or (Benzisothiazolinone)	ne	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classification:	Acute Tox. 4 Acute 1;H40		in Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	318, Aquatic	
2-Methyl-2h-isothiazol-3- (Methylisothiazolinone)	one	<0.05	2682-20-4 220-239-6	01-2120764690-50-XXXX	-	
Classification:		B, Acute To		n Corr. 1B;H314, Skin Sens. Acute 1;H400(M=10), Aquatic		
omposition comments	This ink	supply co	ontains an aqueous ir	ık formulation.		

## **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and

delaved

Not available.

4.3. Indication of any

Not available.

immediate medical attention and special treatment needed

### **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

Dry chemical, CO2, water spray or regular foam.

media

Material name: C2P24Series sps uk

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising

from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective

Not available.

equipment for firefighters

Special fire fighting

procedures

Not available.

Specific methods

None established.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Not available. For emergency responders

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Not available. 7.3. Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect

Not available.

concentrations (PNECs)

Exposure limits have not been established for this product.

**Exposure guidelines** 8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

Not available. - Hand protection Not available. - Other Not available. Respiratory protection Thermal hazards Not available.

Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.

Material name: C2P24Series 12967 Version #: 15 Revision date: 21-Apr-2021 Issue date: 20-Jun-2014

SDS UK

**Form** Not available.

Color Cvan

Odor Not available. **Odor threshold** Not available.

9 - 10 pН

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup US EPA Method 1020 Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressure Not available. Vapor density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. Auto-ignition temperature **Decomposition temperature** Not available. **Viscosity** Not available. Not available. **Explosive properties** Not determined **Oxidizing properties** 

9.2. Other information

VOC <7 g/L

## **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous

dioxide and/or low molecular weight hydrocarbons. decomposition products

## **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact May cause an allergic skin reaction.

Contact with eyes may result in mild irritation. Eye contact

Ingestion Health injuries are not known or expected under normal use.

Not available. **Symptoms** 

### 11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

Components **Species Test Results** 

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

**Acute Dermal** 

LD50 Rat 242 mg/kg

Material name: C2P24Series SDS LIK

Components	Species	Test Results				
Inhalation						
LC50	Rat	0.11 mg/l, 4 h				
Oral						
LD50	Rat	120 mg/kg				
Skin corrosion/irritation	Based on available data, the	classification criteria are not met.				
Serious eye damage/eye irritation	Based on available data, the	classification criteria are not met.				
Respiratory sensitization	Based on available data, the classification criteria are not met.					
Skin sensitization	May cause an allergic skin reaction.					
Germ cell mutagenicity	Based on available data, the classification criteria are not met.					
Carcinogenicity	Based on available data, the classification criteria are not met.					
Reproductive toxicity	Based on available data, the classification criteria are not met.					
Specific target organ toxicity - single exposure	Based on available data, the	classification criteria are not met.				
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.					
Aspiration hazard	Based on available data, the classification criteria are not met.					
Mixture versus substance information	Not available.					
Other information		t available for this specific formulation al health effects and Section 4 for first aid measures.				

## **SECTION 12: Ecological information**

Aquatic toxicity Not expected to be harmful to aquatic organisms.

Product Species Test Results

C2P24Series

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Components Species Test Results

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

Acute

Other EC50 Pseudokirchnerella subcapitata 0.138 - 0.22 mg/l, 120 h (OECD 201)

Chronic

NOEC Pseudokirchneriella subcapitata 0.05 mg/l, 120 h (OECD 201)

Aquatic

Acute

Crustacea EC50 Daphnia magna 1.6 mg/l, 48 h (OECD 202)

LC50 Daphnia magna 0.934 mg/l, 48 h (OECD 202) LC50 Oncorhynchus mykiss 4.77 mg/l, 96 h (OECD 203)

Fish LC50 Oncorhynchus mykiss 4.77 mg/

12.2. Persistence and

degradability

Not available.

**12.3. Bioaccumulative potential** Not available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** 

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) 48.1, Viscera (1972)

Species: Bluegill (Lepomis macrochirus)

5.75, Carcass (1972)

Species: Bluegill (Lepomis macrochirus)

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol 21.09 - 111.7, L/kg wet-wt (EpiSuite v4.11, BCFBAF v3.01)

**12.4. Mobility in soil** Not available.

12.5. Results of PBT and vPvB Not a PBT or vPvB substance or mixture.

assessment

**12.6. Other adverse effects** Not available.

Material name: C2P24Series

12967 Version #: 15 Revision date: 21-Apr-2021 Issue date: 20-Jun-2014

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

**Disposal methods/information** Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**IMDG** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

**ADR** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Material name: C2P24Series SDS UK

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

**Other information** This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in

the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and

amendments).

**National regulations** 

15.2. Chemical safety

assessment

Not available.

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H301 Toxic if swallowed. H302 Harmful if swallowed.

H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

Material name: C2P24Series

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

### **Revision information**

1. Product and Company Identification: EU Poison Center

3. Composition / Information on Ingredients: Disclosure Overrides

GHS: Classification

### **Training information**

Disclaimer

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C2P24Series sps uk

## Safe Use of Mixture Information (SUMI)

--

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.  Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

### Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





### Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.