Safety data sheet according to 1907/2006/EC, Article 31

Page 1/6 Printing date 04.01.2018 Revision: 04.01.2018 Version number 59

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: 600 B-S violet blue
- · Article number: 100000000571
- · Registration number

The ingredients of this ink meet the criteria of the Regulation 1907/2006/EC (REACH).

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Currently no such applications are identified
- · Application of the substance / the mixture Ball Pen Ink
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

DOKUMENTAL GmbH & Co KG Woellnerstraße 26 D-67065 Ludwigshafen Phone + 49(0)621/37702 321 Fax + 49(0)621/37702 391 www.dokumental.de

· Further information obtainable from:

Technical Service, Dr. B. Polzin Tel.: +49-621-37702 322 Mobile +49-1726204412 E-Mail: bernd.polzin@dokumental.de· 1.4 Emergency telephone number:

GBK Gefahrgut Büro GmbH ++49 (0) 6132 / 84463 Ingelheim, Deutschland

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. H318 Causes serious eye damage.



GHS07

H302 Harmful if swallowed. Acute Tox. 4 Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 $\,$ H317 $\,$ May cause an allergic skin reaction.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

P310

GHS07

· Signal word Danger

· Hazard-determining components of labelling:

2-Phenoxyethanol C. I. Solvent Blue 4 < 0,1% Michler's Ketone Benzyl alcohol Phosphoric acid mono-bis-(2-ethylhexyl)-ester

· Hazard statements

H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

according to 1907/2006/EC, Article 31



Page 2/6 Printing date 04.01.2018 Revision: 04.01.2018 Version number 59

Trade name: 600 B-S violet blue

P321 Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 122-99-6	2-Phenoxyethanol	25-50%		
EINECS: 204-589-7	♠ Acute Tox. 4, H302; Eye Irrit. 2, H319			
CAS: 107-41-5	2-methylpentane-2,4-diol	2.5-10%		
EINECS: 203-489-0	Skin illie. 2, holo, by clille. 2, holo			
CAS: 100-51-6	Benzyl alcohol	2.5-10%		
EINECS: 202-859-9	• Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319			
CAS: 84281-86-7	C. I. Solvent Violet 8	2.5-10%		
EINECS: 282-630-8	V 1, 1, 1, 1, 1, 1, 1, 1,			
CAS: 6786-83-0	C. I. Solvent Blue 4 < 0,1% Michler's Ketone	2.5-10%		
EINECS: 229-851-8	📀 Eye Dam. 1, H318; 🐧 Skin Sens. 1B, H317			
CAS: 12645-31-7	Phosphoric acid mono-bis-(2-ethylhexyl)-ester	2.5-10%		
EINECS: 235-741-0	🥎 Skin Corr. 1C, H314			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

according to 1907/2006/EC, Article 31

okumental

Page 3/6 Printing date 04.01.2018 Revision: 04.01.2018 Version number 59

Trade name: 600 B-S violet blue

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

 ${\it Keep away from foodstuffs, beverages and feed.}$

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance: Form:

Colour:

According to product specification

Odour:

Product specific



Trade name: 600 B-S violet blue

	(Contd. of page
· Odour threshold:	Not determined.
 Important information on protection of health a environment, and on safety. 	nd _
· pH-value at 20 °C:	5
 Change in condition Melting point/freezing point: Initial boiling point and boiling range: 	Undetermined. 198.5 °C
· Flash point:	94 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	260 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Not determined.
· Explosion limits: Lower: Upper:	1.4 Vol % 9 Vol %
· Vapour pressure:	Not determined.
· Density at 20 °C: · Relative density · Vapour density · Evaporation rate	1.1 g/cm³ Not determined. Not determined. Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic at 20 °C: Kinematic:	18,500 mPas Not determined.
· Solvent content: Organic solvents:	45.0 %
Solids content: · 9.2 Other information	44.0 % The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- \cdot 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:				
122-9	122-99-6 2-Phenoxyethanol			
Oral	LD50	2,740 mg/kg (rat)		
84281-86-7 C. I. Solvent Violet 8				
Oral	LD50	700 mg/kg (rat)		

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

okumental power your pen

Page 5/6
Printing date 04.01.2018
Revision: 04.01.2018
Version number 59

Trade name: 600 B-S violet blue

(Contd. of page 4)

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

· Acute effects (acute toxicity, irritation and corrosivity)

Based on the guidline OECD 431 in vitro tests have been performed. These tests proved, that the ink does not show any corrosive effect to the human skin.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

6786-83-0 C. I. Solvent Blue 4 < 0,1% Michler's Ketone

EC50 / 48h 0.025 mg/l (Daphnie)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	not applicable	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	not applicable	
· 14.4 Packing group		
ADR, IMDG, IATA	not applicable	
· 14.5 Environmental hazards:		
Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex	x II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	not applicable	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Page 6/6 Printing date 04.01.2018 Revision: 04.01.2018 Version number 59

Trade name: 600 B-S violet blue

(Contd. of page 5)

- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	25-50

- · Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

okumental

· Relevant phrases

H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

PBI: Persistent, Bloaccumulative and roxic VPVB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

 \cdot * Data compared to the previous version altered.