

PRODUCT SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Vanish Oxi Action Colour Safe Chlorine Free Fabric Stain Remover

SDS number: D8374403 Code: 3140421 v1.0 / 3066077, 3083496, 0262026, 3057990, 3083698

1.2. Relevant identified uses of the substance or mixture and uses advised against

Laundry Detergent Consumer Use

1.3. Details of the Supplier of the Safety Data Sheet The United Kingdom:

RB UK Hygiene Home Commercial Ltd Wellcroft House Wellcroft Road Slough, Berkshire SL1 4AQ Tel: 0800 376 8181 Email: consumer.relations-ukroi@rb.com

The Republic Of Ireland:

RB Ireland Hygiene Home Commercial Ltd 7 Riverwalk Citywest Business Campus Dublin 24 Ireland Tel: 01 661 7318 Email: consumer.relations-ukroi@rb.com

1.4 Emergency telephone number

GB - NHS 111/NHS 24 Tel: 111

NI - www.gpoutofhours.hscni.net/

IE - Poisons Information Centre of Ireland: 01 809 2166 8am-10pm 7 days a week.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315

Eye Dam. 1, H318

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

D8374403 v.1

| Hazard pictograms | : |
|---|--|
| | |
| Signal word | : Danger |
| Hazard statements | : Causes serious eye damage. Causes skin irritation. |
| Precautionary statements | |
| General | : Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Wear eye protection. Wash hands thoroughly after handling. |
| Response | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. |
| Storage | : Not applicable. |
| Disposal | : Not applicable. |
| Hazardous ingredients | : SODIUM CARBONATE PEROXIDE |
| Supplemental label elements | : <u>Additional Safety Information:</u> Do not get on clothes while wearing. For sensitive skin the use of gloves is recommended. Reclose lid after each use and keep Vanish in a cool dry place. |
| | Composition: - >30%: Oxygen-Based Bleaching Agents - < 5%: Non-Ionic Surfactants, Anionic Surfactants, Zeolites, Enzymes, Perfumes. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable. |
| Special packaging requirem | <u>ients</u> |
| Containers to be fitted with child-resistant fastenings | : Not applicable. |
| Tactile warning of danger | : Not applicable. |
| 2.3 Other hazards | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| Other hazards which do not result in classification | : May form explosible dust-air mixture if dispersed. |
| | |

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

| Product/ingredient name | Identifiers | % | Regulation (EC) No. 1272/2008 [CLP] | Туре |
|-------------------------------|---|-----------|--|------|
| SODIUM CARBONATE PEROXIDE | REACH #: 01-2119457268-30 EC: 239-707-6 CAS: 15630-89-4 | ≥25 - ≤50 | Ox. Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318 | [1] |
| SODIUM CARBONATE | REACH #: 01-2119485498-19 EC: 207-838-8 CAS: 497-19-8 Index: 011-005-00-2 | ≥10 - ≤25 | Eye Irrit. 2, H319 | [1] |
| Alcohols, C12-16, ethoxylated | EC: 500-221-7 CAS: 68551-12-2 | ≤1 | Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412 | [1] |
| | | | See Section 16 for the full text of the H statements declared above. | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u> Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. |
|--------------|---|
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

SECTION 4: First aid measures

| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
|----------------------------|---|
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

| Eye contact | : Adverse symptoms may include the following: pain watering redness |
|--------------|--|
| Inhalation | : Adverse symptoms may include the following: respiratory tract irritation coughing |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : Adverse symptoms may include the following: stomach pains |

| 4.3 Indication of any immediate medical attention and special treatment needed | | |
|--|--|--|
| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. | |
| Specific treatments | : No specific treatment. | |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media | |
|---------------------------------------|--|
| Suitable extinguishing media | : Use dry chemical powder. |
| Unsuitable extinguishing media | : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. |
| 5.2 Special hazards arising | from the substance or mixture |
| Hazards from the substance or mixture | : May form explosible dust-air mixture if dispersed. |
| Hazardous combustion products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides |

5.3 Advice for firefighters

| SECTION 5: Firefighting measures | | |
|---|---|--|
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. | |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. | |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, pro | tective equipment and emergency procedures |
|---------------------------------|---|
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 6.3 Methods and materials for | containment and cleaning up |
| Small spill | : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. |
| 6.4 Reference to other sections | : See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain preduct recidue and can be bazardous. Do not reuse containers |
|---------------------|---|
| | product residue and can be hazardous. Do not reuse container. |

SECTION 7: Handling and storage

| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment |
|--|--|
| | before entering eating areas. See also Section 8 for additional information on |
| | hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Recommended storage temperature: daily average 30°C.

| 7.3 Specific end use(s) | |
|--------------------------------------|---|
| Recommendations | : Fabric Care Laundry Liquid Consumer uses |
| Industrial sector specific solutions | : Not available. |

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

DNELs/DMELs

| Product/ingredient name | Туре | Exposure | Value | Population | Effects |
|---------------------------|------|--------------------------|------------------------|--------------------------------------|---------|
| SODIUM CARBONATE PEROXIDE | DNEL | Short term Dermal | 6.4 mg/cm ² | General population [Consumers] | Local |
| | DNEL | Short term Dermal | 12.8 mg/ cm² | Workers | Local |
| | DNEL | Short term Inhalation | 5 mg/m³ | Workers | Local |
| SODIUM CARBONATE | DNEL | Long term Inhalation | 10 mg/m³ | Workers | Local |
| | DNEL | Short term Inhalation | 10 mg/m³ | General population [Consumers] | Local |

PNECs

| Product/ingredient name | Compartment Detail | Value | Method Detail |
|---------------------------|-----------------------------|--------------------------|--|
| SODIUM CARBONATE PEROXIDE | Sewage Treatment Plant | 16.24 mg/l | Assessment Factors |
| | Fresh water Marine water | 0.035 mg/l 0.035 mg/l | Assessment Factors Assessment Factors |

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

SECTION 8: Exposure controls/personal protection

| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
|---------------------------------|---|
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. |
| Skin protection | |
| Hand protection | EN 16523-1:2015 Tested for protection against chemical permeation. Low chemical resistant or waterproof gloves. (EN 16523-1:2015 supersedes EN 374-3:2003) EN 374-2:2003 Tested for protection against liquid penetration and micro-organisms. EN 388:2003 Tested for protection against mechanical risks (abrasion, blade cut resistance, tear resistance and puncture resistance). ISO 374-1:2016/Type A Protective glove with permeation resistance of at least 30 minutes each for at least 6 test chemicals. ISO 374-1:2016/Type B Protective glove with permeation resistance of at least 30 minutes each for at least 3 test chemicals. ISO 374-1:2016/Type C Protective glove with permeation resistance of at least 10 minutes for at least 1 test chemical. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the |
| Body protection | protection time of the gloves cannot be accurately estimated. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| | |

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physic | al and chemical properties |
|---------------------------------|----------------------------|
| <u>Appearance</u> | |
| Physical state | : Solid. [Powder.] |
| Color | : White. |
| Odor | : Floral. Chemical. |
| Odor threshold | : Not available. |
| рН | : 10 to 11.4 |
| Melting point/freezing point | : Not available. |
| | |

Date of issue/Date of revision

SECTION 9: Physical and chemical properties

| - | • • | |
|---|--|--|
| Initial boiling point and boiling range | Not available. | |
| Flash point | Not available. | |
| Evaporation rate | Not available. | |
| Flammability (solid, gas) | Not available. | |
| Upper/lower flammability or explosive limits | Not available. | |
| Vapor pressure | Not available. | |
| Vapor density | Not available. | |
| Relative density | 1 to 1.2 | |
| Solubility(ies) | Easily soluble in the following materials: cold water and hot water. | |
| Partition coefficient: n-octanol/ water | Not applicable, complex mixtures containing surfactants. | |
| Decomposition temperature | Not available. | |
| Viscosity | Not available. | |
| Explosive properties | No explosive ingredients present. | |
| Oxidizing properties | Based on available test data, classification requirements are not met. | |
| 9.2 Other information | | |

| | oulei | initio | mation |
|----|---------|--------|-------------|
| Αι | uto-ign | ition | temperature |

: Not available.

| SECTION 10: Stability and reactivity | | | | |
|--|--|--|--|--|
| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredients. | | | |
| 10.2 Chemical stability | : The product is stable. | | | |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. | | | |
| 10.4 Conditions to avoid | : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation. Do not mix with: acids, reducing agents, chlorine-basaed bleaching agents. Keep away from heat and direct sunlight. Protect from moisture. Store at temperatures not exceeding 50°C. | | | |
| 10.5 Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials | | | |
| 10.6 Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | | |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|----------------------------------|--------------------------|---------------|---------------------------|----------|
| SODIUM CARBONATE PEROXIDE | LD50 Oral | Rat | 1034 mg/kg | - |
| SODIUM CARBONATE | LD50 Dermal LD50 Oral | Rabbit Rat | >2000 mg/kg 2800 mg/kg | - |
| Alcohols, C12-16, ethoxylated | LD50 Oral | Rat - Female | 1650 mg/kg | - |

SECTION 11: Toxicological information

Conclusion/Summary : Based on available data, the classification criteria are not met.

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|--|------------------|-------------------|--------------------------------|----------------------------------|--|
| disodium carbonate, compound with hydrogen peroxide (2:3) sodium carbonate | 1034 2800 | N/A N/A | N/A N/A | N/A N/A | N/A N/A |
| Alcohols, C12-16, ethoxylated | 1650 | N/A | N/A | N/A | N/A |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|----------------------------------|--------------------------|---------|-------|----------------------------------|-------------|
| SODIUM CARBONATE | Eyes - Mild irritant | Rabbit | - | 0.5 minutes 100 milligrams | - |
| | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 milligrams | - |
| Alcohols, C12-16, ethoxylated | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 microliters | - |

Conclusion/Summary

: Expert judgment. Causes skin irritation.

Eyes : Based on Calculation method: Causes serious eye damage.

Respiratory

: Based on available data, the classification criteria are not met.

Sensitization

Skin

| Product/ingredient name | Route of exposure | Species | Result |
|-------------------------|-------------------|---------|--------|
| Not applicable. | | | |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Respiratory

Skin

: Based on available data, the classification criteria are not met.

Mutagenicity

| Product/ingredient name | Test | Experiment | Result |
|-------------------------|------|------------|--------|
| Not applicable. | | | |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Carcinogenicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|--------|---------|------|----------|
| Not applicable. | | | | |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Reproductive toxicity

| Product/ingredient name | Maternal toxicity | Fertility | Development toxin | Species | Dose | Exposure |
|-------------------------|----------------------|-----------|----------------------|---------|------|----------|
| Not applicable. | | | | | | |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|--------------------------------|-----------------------|-----------------|----------|
| Not applicable. | | | | |
| Conclusion/Summary | : Based on available data, the | classification criter | ia are not met. | |

Specific target organ toxicity (single exposure)

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

| 2015/830 D8374403 v.1 | | , | • | • • • () | | |
|--|---|--|------------------------|------------------------|--|--|
| | | | | | | |
| SECTION 11: Toxico | logical information | n | | | | |
| Product/ing | Category | Route of exposure | Target organs | | | |
| Not applicable. | | | | | | |
| Specific target organ toxici | ty (repeated exposure) | | | 1 | | |
| Product/inc | redient name | Category | Route of | Target organs | | |
| | , | | exposure | | | |
| Not applicable. | | | | | | |
| Aspiration hazard | | | | | | |
| | ingredient name | | Result | | | |
| Not applicable. | | | | | | |
| | | | | | | |
| Information on the likely routes of exposure | : Not available. | | | | | |
| Potential acute health effects | | | | | | |
| Eye contact | : Causes serious eye da | • | | | | |
| Inhalation | : Exposure to airborne c limits may cause irritati | | | ended exposure | | |
| Skin contact | : Causes skin irritation. | | | | | |
| Ingestion | : No known significant e | No known significant effects or critical hazards. | | | | |
| | | | | | | |
| Symptoms related to the phy | | | | | | |
| Eye contact | : Adverse symptoms ma pain watering redness | ay include the following | : | | | |
| Inhalation | | Adverse symptoms may include the following: respiratory tract irritation | | | | |
| Skin contact | : Adverse symptoms ma pain or irritation redness | ay include the following | : | | | |
| Ingestion | blistering may occurAdverse symptoms ma | av include the following | : | | | |
| J | stomach pains | , | | | | |
| Delayed and immediate effect | ts and also chronic effec | ts from short and lon | <u>g term exposure</u> | | | |
| Short term exposure | | | | | | |
| Potential immediate effects | : Not available. | | | | | |
| Potential delayed effects | : Not available. | | | | | |
| Long term exposure | | | | | | |
| Potential immediate effects | : Not available. | Not available. | | | | |
| Potential delayed effects | : Not available. | | | | | |
| Potential chronic health eff | <u>ects</u> | | | | | |
| Conclusion/Summary | : Based on available dat | ta, the classification crit | teria are not met. | | | |
| General | : Repeated or prolonged | d inhalation of dust may | y lead to chronic re | espiratory irritation. | | |
| Carcinogenicity | : No known significant e | | | | | |
| Mutagenicity | : No known significant e | | | | | |
| Teratogenicity | : No known significant e | | S. | | | |
| man and a second at a ff and the | NEED AND A REPORT OF A REPORT | ff (| | | | |

Date of issue/Date of revision

Developmental effects

: 26/02/2020 Date of

: No known significant effects or critical hazards.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

D8374403 v.1

SECTION 11: Toxicological information

Fertility effects

: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|----------------------------------|------------------------------------|-----------------------------|-----------|
| SODIUM CARBONATE PEROXIDE | Acute EC50 70 mg/l | Algae - Chlorella emersonii | 240 hours |
| | Acute EC50 4.9 mg/l | Daphnia - Daphnia Pulex | 48 hours |
| | Acute LC50 70.7 mg/l | Fish - Pimephales promelas | 48 hours |
| SODIUM CARBONATE | Acute EC50 242000 µg/l Fresh water | Algae - Navicula seminulum | 96 hours |
| | Acute LC50 176000 µg/l Fresh water | Crustaceans - Amphipoda | 48 hours |
| | Acute LC50 265000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 300000 µg/l Fresh water | Fish - Lepomis macrochirus | 96 hours |
| Alcohols, C12-16, ethoxylated | Acute EC50 0.8 mg/l | Daphnia | 48 hours |

Conclusion/Summary : Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | Dose | Inoculum |
|----------------------------------|-----------------|------------------------------|--------------------------|------------------|
| Alcohols, C12-16, ethoxylated | 301F | 77.4 % - Readily - 28 | days - | - |
| , | OECD 311 | 75 % - Readily - 60 d | ays - | - |
| Conclusion/Summary | : Based on av | ailable data, the classifica | ation criteria are not m | et. |
| Product/ingredient name | Aquatic half-li | fe I | Photolysis | Biodegradability |
| Alcohols, C12-16, ethoxylated | - | - | | Readily |

12.3 Bioaccumulative potential

Not available.

| 12.4 Mobility in soil | |
|--|------------------|
| Soil/water partition coefficient (Koc) | : Not available. |
| Mobility | : Not available. |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

SECTION 13: Disposal considerations

| Methods of disposal | : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
|---------------------|---|
| Hazardous waste | : The classification of the product may meet the criteria for a hazardous waste. |
| Packaging | |
| Methods of disposal | : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Special precautions | This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

For long distance transport of bulk material or shrunk pallet take into consideration sections 7 and 10.

| | ADR/RID | ADN | IMDG | ΙΑΤΑ |
|------------------------------------|----------------|----------------|----------------|----------------|
| 14.1 UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - | - |
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. | No. |

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

SECTION 15: Regulatory information

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

| 15.2 Chemical Safety | : No Chemical Safety Assessment has been carried out. |
|----------------------|---|
| Accomment | |

Assessment

SECTION 16: Other information

✓ Indicates information that has changed from previously issued version.

| Abbreviations and acronyms : | ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative |
|------------------------------|---|
|------------------------------|---|

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|---------------------|--------------------|
| Skin Irrit. 2, H315 | Expert judgment |
| Eye Dam. 1, H318 | Calculation method |

Full text of abbreviated H statements

| Full text of appreviated H | |
|---|---|
| H272 H302 H315 H318 H319 H400 H412 | May intensify fire; oxidizer. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects. |
| Full text of classifications | [CLP/GHS] |
| Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Eye Dam. 1, H318 Eye Irrit. 2, H319 Ox. Sol. 3, H272 Skin Irrit. 2, H315 | ACUTE TOXICITY (oral) - Category 4 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 OXIDIZING SOLIDS - Category 3 SKIN CORROSION/IRRITATION - Category 2 |
| Date of printing | : 26/02/2020 |
| Date of issue/ Date of revision | : 26/02/2020 |
| Date of previous issue | : No previous validation |
| Version | : 1 |
| | |

Date of issue/Date of revision

SECTION 16: Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.