

Certification Pack

FFP2 Particle Filtering Half Face Respirator Mask

Model – BBFFP2

Banner Order Code - 1159015

Contents

- **Mask and Packaging**
- **Module B - EU Type Examination Certificate**
- **Module D – Production Verification**
- **Declaration of Conformity**

Particle Filtering Half Face Respirator



Shipped as a box of 20 masks



- Vertical fold flat design.
- Latex free synthetic rubber head band
- Comfortable face fit
- Low breathing resistance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR



Module B - EU Type Examination Certificate

EU Notified body BSI (2797)

bsi.

EU Type Examination Certificate



This is to certify that:

Beeswift Limited
Delta House, Delta Point
Greets Green Road
West Bromwich
B70 9PL
United Kingdom

Holds Certificate Number: CE 707664

In respect of:

**Filtering Masks To EN 149:2001 + A1:2009
Various Models**

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Previous Notified Body: BSI 0086

First Issued: 2019-05-03

Latest Issue: 2019-09-12


Drs. Dave Hagerlaars, Managing Director

Effective Date: 2019-09-12

Expiry Date: 2024-05-03

Page: 1 of 8

...making excellence a habit™



This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 707664

Product Specification

Half masks range without clogging

Description: Vertical fold flat disposable face mask

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR

FFP Class: FFP2

Models: BBFFP2
BBFFP2V (mask with exhalation valve fitted)

FFP Class: FFP3

Model: BBFFP3V (mask with exhalation valve fitted)

First Issued: 2019-05-03

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-05-03

Page: 2 of 8

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Module D – Production Monitoring EU Notified body BSI (2797)




By Royal Charter

Conformity to Type based on Quality Assurance of the Production Process

This is to certify that:

REDACTED INFORMATION
CONFIDENTIAL BEESWIFT SUPPLIER

Holds Certificate Number: CE 79995

In respect of:

The manufacture of respiratory filtering devices to the standards listed on continuation sheets.

on the basis that BSI carried out the quality assurance assessment under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment regulation (PPE) Annex VIII (Module D)



Drs. Dave Hagenlaars, Managing Director

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):
Previous Notified Body: BSI 0086
First Issued: 2007-01-11
Latest Issue: 2019-09-12

Effective Date: 2019-09-12
Expiry Date: 2023-06-19

Page: 1 of 4

 **PRODUCTS**
BSI A C ENI

...making excellence a habit™

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John H. Kayweg 9, 3084 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authorized [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33284394, at John H. Kayweg 9, 3084 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Conformity to Type based on Quality Assurance of the Production Process

No. CE 79995

Manufacturing Site

REDACTED INFORMATION
CONFIDENTIAL BEESWIFT SUPPLIER

Product Specifications

The products covered by the scope of this Module D certificate conform to the following standards:

Standard	Product Type
EN149:2001+A1:2009	Respiratory protective devices. Filtering half masks to protect against particles.
EN 140:1999	Respiratory protective devices. Half masks and quarter masks.
EN 143:2000 incorporating amendment A1:2006	Respiratory protective devices. Particle filters.
EN 14387:2004+A1:2008	Respiratory protective devices. Gas filter(s) and combined filter(s).

First Issued: 2007-01-11
Latest Issue: 2019-09-12

Effective Date: 2019-09-12
Expiry Date: 2023-06-19

Page: 2 of 4

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John H. Kayweg 9, 3084 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authorized [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33284394, at John H. Kayweg 9, 3084 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Module D – Production Monitoring

EU Notified body BSI (2797)

Conformity to Type based on Quality Assurance of the Production Process

No. CE 79995

Certificate Administration Details.

Certificate Amendment Record

Issue date	Comments	BSI Project Number
June 2018	Transition of certificate to Module D under PPE Regulation (EU) 2016/425, formerly Article 11b of the PPE Directive 89/686/EEC.	0095:18:8953403

Certificate validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall process utilised in the manufacture of the products, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

First Issued: 2007-01-11
Latest Issue: 2019-09-12

Effective Date: 2019-09-12
Expiry Date: 2023-06-19

Page: 3 of 4

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John H. Kayreplein 5, 3266 EP Amsterdam, The Netherlands and should be returned immediately upon request. To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33294254, at John H. Kayreplein 5, 1096 EP Amsterdam, The Netherlands. A member of BSI Group of Companies.

Conformity to Type based on Quality Assurance of the Production Process

No. CE 79995

Location	Certified Activities
REDACTED INFORMATION CONFIDENTIAL BEESWIFT SUPPLIER	The manufacture of respiratory filtering devices to the standards listed on continuation sheets.
REDACTED INFORMATION CONFIDENTIAL BEESWIFT SUPPLIER	The manufacture of respiratory filtering devices to the standards listed on continuation sheets.

First Issued: 2007-01-11
Latest Issue: 2019-09-12


Effective Date: 2019-09-12
Expiry Date: 2023-06-19

Page: 4 of 4

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John H. Kayreplein 5, 3266 EP Amsterdam, The Netherlands and should be returned immediately upon request. To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33294254, at John H. Kayreplein 5, 1096 EP Amsterdam, The Netherlands. A member of BSI Group of Companies.

Validity of Certification checked via BSI directory on their website



The screenshot shows the BSI VerifEye Directory website. The header includes the BSI logo, the text "VerifEye™ Directory Enabling supply chain visibility", and navigation links for "About BSI", "About the Directory", "PAS 7000", and "Contact us". A search bar contains the number "707664". Below the search bar, there is a "Share" button, "Number of views: 100", and a "<< Back to results" button. The main content area is titled "Certificate Profile" and "CE PPE Module B Product - Respiratory protection equipment". It lists the manufacturer as "Beeswift Limited" with the address: "Delta House, Delta Point, Greets Green Road, West Bromwich, B70 9PL, United Kingdom". A table provides details about the certificate:

Certificate number	CE 707664		
Scope	Filtering Masks To EN 149:2001 + A1:2009 Various Models		
Original Registration Date	Effective Date	Latest Revision Date	Expiry Date
03/05/2019	02/07/2020	02/07/2020	03/05/2024

At the bottom, there is a "Related sites" section with a right-pointing arrow.

Check the validity of a certificate issued by BSI for personal protective equipment (PPE) via the Certificate Directory Search function link below



Test Report page 1-2

Test Report			
Report No	255/7454734/5 of 5	This Report consists of 6 pages	
Licence/Certificate No	CE 70730		
Client	<div style="background-color: #cccccc; padding: 5px; text-align: center;"> REDACTED INFORMATION CONFIDENTIAL BEESWIFT SUPPLIER </div>		
Authority & date	BSI: Service Management Order No 7454734 dated 30 October 2009 Equipment Record No 10110462		
Items tested	HY8220 FFP2 Vertical Fold-flat Disposable Mask – (Non valve) Ten (10) samples submitted		
Specification	Article 11A Audit test to BS EN 149:2001 + A1: 2009 Respiratory protective devices – Filtering half masks to protect against particles– Incorporating Corrigendum July 2002. See Assessment Summary		
Results	See Assessment Summary		
Prepared by	M Thompson 	Technical Engineer	
Authorized by	D J Newton 	Senior Engineer	
Issue Date	26 November 2009		
Conditions of issue	<small>This Test Report is issued subject to the conditions stated in current issue of CP0322 'Conditions of Contract for Testing'. The results contained herein apply only to the particular samples tested and to the specific tests carried out, as detailed in this Test Report. The issuing of this Test Report does not indicate any measure of Approval, Certification, Supervision, Control or Surveillance by BSI of any product. No extract, abridgement or abbreviation from a Test Report may be published or used to advertise a product without the written consent of the Managing Director, BSI Testing Services, who reserves the absolute right to agree or reject all or any of the details of any items or publicity for which consent may be sought.</small>		
<small>BSI Moderns Avenue/Heron Road/Herfordshire HP2 4SD Telephone (0845) 799693</small>			

Report No 255/7454734/5 of 5	
Page 2 of 6	
BSI BS EN 149:2001 + A1: 2009	
SPECIFICATION:	Article 11A Audit testing to BS EN 149:2001 Respiratory protective devices - Filtering half masks to protect against particles– Incorporating Corrigendum July 2002 (See Assessment Summary for details)
CLIENT/MANUFACTURER:	REDACTED
MODEL:	HY8220 FFP2 Vertical Fold-flat Disposable Mask – (Non valve)
BUILD STANDARD:	As per Certified Product
NUMBER OF SAMPLES:	Ten (10) samples submitted
ER NO: 10110462	DATE RECEIVED: 29 October 2009
FILTER CLASSIFICATION: FFP2	DATE STARTED: 12 November 2009
INTRODUCTION	
The samples detailed above were submitted by the Client for an Article 11A audit assessment.	
The samples were assessed against Clause 7.9.2 'Penetration of filter material' with respect to the Exposure Test only at the request of BSI Product Certification.	
This Report describes the Article 11A Audit assessment for Model HY8220. Reports 255/7454734/1 of 5, 255/7454734/2 of 5, 255/7454734/3 of 5 and 255/7454734/4 of 5 describe the assessments of Models HY8610, HY8210, HY8620 and HY8920 respectively.	
This Report should be read in conjunction with the Specification referenced above.	
ASSESSMENT SUMMARY	
An Assessment Summary is presented on page 3.	

EC Declaration of Conformity



The manufacturer declares that the PPE described is in conformity with the provisions of **Regulation (EU) 2016/425** and the harmonised standard numbers **EN149:2001+A1:2009**

It is in compliance with **Module D – conformity to type based on quality assurance of the production process**

It is in compliance with the **Module B – EU Type Certification** and is identical to the PPE which is the subject of certificate number : **CE707664 Module D and B**

This certificate was issued by the **BSI Group The Netherlands B.V.**