

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815(Contains:Linalool, [1.alpha.(E),2.beta.]-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, alpha-Hexylcinnamaldehyde, dl-Citronellol)

**Other identifiers:** VA-25-028-EU

**Unique Formula Identifier (UFI):** 3861-007S-T00M-5D7S

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Urinal Screen,For Professional use only.

**Uses advised against:** Use only for intended applications

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Evo Group

**Company address:** Newland House, Unit 2 Express Way, Tuscany Park, Normanton, UK, WF6 2TZ

**Contact:** Evo Group

**E-Mail address:** info@evo-group.co.uk

**Company phone:** 0844 371 9490

**Supplier:** EVO Global Holdings Limited

**Address:** Units 5 & 6 Grants Drive Greenogue Business Park D24 W56C Rathcoole Dublin

**Phone:** 00 3531 257 2400

#### 1.4 Emergency telephone number

**Emergency phone:** National Poisons Information Service (Birmingham Centre).  
City Hospital.  
Dudley Road B18 7QH.  
0344 8952 0111  
Only for healthcare professionals.

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Sensitization - Skin Category 1  
Hazardous to the Aquatic Environment - Long-term Hazard Category 2  
H317, May cause an allergic skin reaction.  
H411, Toxic to aquatic life with long lasting effects.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

### 2.2 Label elements

#### Classification under Regulation (EC) No 1272/2008

**Signal word:** Warning.

**Hazard statements:** H317, May cause an allergic skin reaction.  
H411, Toxic to aquatic life with long lasting effects.

**Supplemental Information:** EUH208, Contains Allyl cyclohexanepropionate, Citral, Citronellal, Dimethylcyclohex-3-ene-1-carbaldehyde, Ethyl methylphenylglycidate, Linalyl acetate, beta-Pinene, d-Limonene. May produce an allergic reaction.

**Precautionary statements:** P280, Wear protective gloves/eye protection/face protection.  
P302/352, IF ON SKIN: Wash with plenty of soap and water.  
P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



**Unique Formula Identifier (UFI):** 3861-007S-T00M-5D7S

### 2.3 Other hazards

**Other hazards:** Sensitisers declared on a CLP Hazard Label: Allyl cyclohexanepropionate, Citral, Citronellal, Dimethylcyclohex-3-ene-1-carbaldehyde, Ethyl methylphenylglycidate, Linalyl acetate, beta-Pinene, d-Limonene  
Hydrocarbon Concentration %: 1.3000%

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

**Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Tricyclodecanyl acetate	5413-60-5	226-501-6		1-<5%	Aquatic Chronic 1; H410,-	oral: ATE = 2750 mg/kg bw
Benzyl acetate	140-11-4	205-399-7	01-2119638272-42-XXXX	1-<5%	Aquatic Chronic 3; H412,-	oral: ATE = 2490 mg/kg bw

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

alpha-Hexylcinnamaldehyde	101-86-0, 165184-98-5	202-983-3, 639-566-4	01-2119533092-50-XXXX	1-<5%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400-H411,-	M = 1-oral: ATE = 3100 mg/kg bw
Linalool	78-70-6	201-134-4	01-2119474016-42-XXXX	1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
2-tert-Butylcyclohexyl acetate	88-41-5	201-828-7	01-2119970713-33-xxxx	1-<5%	Aquatic Chronic 2; H411,-	oral: ATE = 4600 mg/kg bw
Alkanes, C12-15-branched and linear	1437281-03-2	846-790-8		1-<5%	Asp. Tox 1;H304,-	
Dihydromyrcenol	18479-58-8	242-362-4	01-2119457274-37-XXXX	1-<5%	Skin Irrit. 2-Eye Irrit. 2-STOT SE 3;H315-H319-H336,-	oral: ATE = 3020 mg/kg bw
Citral	5392-40-5	226-394-6	01-2119462829-23-XXXX	1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319,-	
dl-Citronellol	106-22-9, 7540-51-4	203-375-0		1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
alpha-Terpineol	98-55-5, 8000-41-7, 10482-56-1	202-680-6, 233-986-8, 232-268-1		1-<5%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-	oral: ATE = 4300 mg/kg bw
Ethyl methylphenylglycidate	77-83-8	201-061-8	01-2119967770-28-XXXX	1-<5%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	
Linalyl acetate	115-95-7	204-116-4	01-2119454789-19-XXXX	1-<5%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-	
beta-Pinene	127-91-3	204-872-5	01-2119519230-54-XXXX	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,-	M = 1
Allyl heptanoate	142-19-8	205-527-1	01-2119488961-23-XXXX	0.1-<1%	Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 2; H301-H311-H400-H411,-	M = 10-dermal: ATE = 810 mg/kg bw-oral: ATE = 218 mg/kg bw
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2, 68039-49-6, 68039-48-5	248-742-6, 268-264-1, 268-263-6, 943-728-2	01-2119982384-28-XXXX	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2;H315-H317-H319-H411,-	oral: ATE = 2830 mg/kg bw
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	214-946-9		0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1; H410,-	
Allyl cyclohexanepropionate	2705-87-5	220-292-5		0.1-<1%	Acute Tox. 4-Acute Tox. 4-Skin Sens. 1-Aquatic Acute 1-Aquatic Chronic 2; H302-H312-H317-H400-H411,-	M = 1-dermal: ATE = 1600 mg/kg bw-oral: ATE = 380 mg/kg bw
Citronellal	106-23-0	203-376-6		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	dermal: ATE = 2500 mg/kg bw-oral: ATE = 2500 mg/kg bw
Allyl hexanoate	123-68-2	204-642-4		0.1-<1%	Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 2; H301-H311-H400-H411,-	M = 1-dermal: ATE = 300 mg/kg bw-oral: ATE = 218 mg/kg bw

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

[1.alpha.(E),2.beta.]-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	71048-82-3	275-156-8		0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1; H302-H315-H317-H410,-	oral: ATE = 1400 mg/kg bw
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6	Exempt < 1 Tonne/pa or natural source	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,-	M = 1

### Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Citral	5392-40-5	226-394-6	01-2119462829-23-XXXX	1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319,-	
Dipropylene glycol	110-98-5	203-821-4		1-<5%	-,-,-	
beta-Pinene	127-91-3	204-872-5	01-2119519230-54-XXXX	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,-	M = 1
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6	Exempt < 1 Tonne/pa or natural source	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,-	M = 1

### Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

### Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## Section 5: Firefighting measures

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

### 7.3 Specific end use(s):

Urinal Screen,For Professional use only.: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

Ingredient	CAS	EC	Description	Value
Citral	5392-40-5	226-394-6	Polish NDS mgm3	27 mg/m <sup>3</sup>
			Polish NDSC h mgm3	54 mg/m <sup>3</sup>
Dipropylene glycol	110-98-5	203-821-4	German OEL Long term mgm3	100 mg/m <sup>3</sup>
			German OEL Short term mgm3	200 mg/m <sup>3</sup>
			(CH)-Switzerland_KZGW-Wert 2_ppm	400 ppm
			(CH)-Switzerland_MAK-Wert 1_mg/m <sup>3</sup>	200 mg/m <sup>3</sup>
beta-Pinene	127-91-3	204-872-5	(CH)-Switzerland_KZGW-Wert 1_mg/m <sup>3</sup>	224 mg/m <sup>3</sup>
			(CH)-Switzerland_KZGW-Wert 2_ppm	40 ppm
			(CH)-Switzerland_MAK-Wert 1_mg/m <sup>3</sup>	112 mg/m <sup>3</sup>
			(CH)-Switzerland_MAK-Wert 2_ppm	20 ppm
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6	German OEL Long term ppm	5 ppm
			German OEL Long term mgm3	28 mg/m <sup>3</sup>
			German OEL Short term mgm3	112 mg/m <sup>3</sup>
			(CH)-Switzerland_KZGW-Wert 1_mg/m <sup>3</sup>	40 mg/m <sup>3</sup>
			(CH)-Switzerland_KZGW-Wert 2_ppm	7 ppm
			(CH)-Switzerland_MAK-Wert 1_mg/m <sup>3</sup>	80 mg/m <sup>3</sup>
			(CH)-Switzerland_MAK-Wert 2_ppm	14 ppm

### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Physical State/Colour:</b>	blue Solid
<b>Odour:</b>	Fruity
<b>Odour threshold:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Boiling point or initial boiling point and boiling range:</b>	> 100 °C
<b>Flammability:</b>	Not determined
<b>Lower and upper explosion limit:</b>	Not determined
<b>Flash point:</b>	100 °C
<b>Auto-ignition temperature:</b>	> 200 °C
<b>Decomposition temperature:</b>	Not relevant
<b>pH:</b>	Not determined
<b>Kinematic viscosity:</b>	Not determined
<b>Solubility:</b>	Not determined
<b>Partition coefficient: n-octanol/water (log value):</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Density and/or relative density:</b>	< 1.0000
<b>Relative vapour density:</b>	Not determined
<b>Particle characteristics:</b>	Not determined

#### 9.2 Other information:

Volatile Organic Compound:	22.1000%
(CH) VOC % Switzerland:	22.100%

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

### 10.2 Chemical stability:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

### 10.4 Conditions to avoid:

Avoid extreme heat.

### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

## Section 11. Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

<b>Acute Toxicity:</b>	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
<b>Skin corrosion/irritation:</b>	Based on available data the classification criteria are not met.
<b>Serious eye damage/irritation:</b>	Based on available data the classification criteria are not met.
<b>Respiratory or skin sensitisation:</b>	Sensitization - Skin Category 1
<b>Germ cell mutagenicity:</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
<b>STOT-single exposure:</b>	Based on available data the classification criteria are not met.
<b>STOT-repeated exposure:</b>	Based on available data the classification criteria are not met.
<b>Aspiration hazard:</b>	Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Allyl heptanoate	142-19-8	205-527-1	218	810	Not available	Not available
Allyl hexanoate	123-68-2	204-642-4	218	300	Not available	Not available

Refer to Sections 2 and 3 for additional information.

### 11.2 Information on other hazards

Not Applicable

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

### Section 12. Ecological information

**12.1 Toxicity:**

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Results of PBT and vPvB assessment:**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable

**12.6 Other adverse effects:** Not available

### Section 13. Disposal considerations

**13.1 Waste treatment methods:**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
<b>UN Model Regulations</b>	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tricyclodecenyl acetate, beta-Pinene)	9	-	III
<b>IMDG</b>	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tricyclodecenyl acetate, beta-Pinene) MARINE POLLUTANT	9	-	III
<b>ADR,RID,ADN</b>	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tricyclodecenyl acetate, beta-Pinene)	9	-	III
<b>ICAO TI</b>	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tricyclodecenyl acetate, beta-Pinene)	9	-	III

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

### Section 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SD-000322S

We confirm that this product does not contain nanoforms or nanoparticles, based on verification from our supply chain.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** SS 1=33.33% EH C2=40.19% EH C3=4.01%

**Total Fractional Values:** SS 1=3.00 EH C2=2.49 EH C3=24.96

**Reference:** SD-000322S

#### Key to revisions:

14.2. UN proper shipping name

Classification under Regulation (EC) No 1272/2008

Concentration % Limits

Information about hazardous ingredients in the mixture

Product identifier

SECTION 3: Composition/information on ingredients

Total Fractional Values

Workplace exposure limits

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** 2WORK 60 DAY URINAL SCREEN -TROPICAL PUNCH 2W10815

**Version:** 2

P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.