

1.1 Product And Company Identification

Product Information. Insignia Shave foam

Variant: Rush Sensitive 300ml

1.2. Relevant identified use of the substance or mixture and uses advised against

Use and substance /mixture: Aerosol Shave soap

1.3. Details of the supplier of the safety data sheet

Company name: UNIVERSAL TOILETRIES CORPORATION LTD.,

Unit 7 Bermer Place,

Imperial Way,

Watford, WD24 4XX,

UK

1.4. Emergence telephone number

Emergency Tel: +44 208 4274271

Page 1 of 12 Revision : Sept 2023



Section 2:Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP: Danger extremely flammable aerosol

Most important adverse effects: Extremely flammable

2.2 Label elements

Hazard statements: H222: Danger: extremely flammable aerosol.

Signal words: Danger

Hazard pictograms: GHS02: Flame,



Hazard Statements: H222 Extremely flammable aerosol

H229 Pressurised container: may burst if heated

Precautionary statements:

P102 Keep out of reach of children

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P234 Keep only in original container.

P260 Do not breathe vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

 ${\tt P280\ Wear\ protective\ gloves/\ protective\ clothing/\ eye\ protection/\ face}$

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see medical advice on this label).

Page 2 of 12 Revision : Sept 2023



P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P403 Store in a well ventilated place.

P501 Dispose of contents/ container in accordance with national regulations..

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}\text{C}$

2.3. Other hazards.

Heating may cause an explosion which may cause a fire. Risk of explosion if heated. Reactions with the following materials may generate heat: Strong acids. Water

Section 3:

Composition/information on ingredients

3.2 Mixtures

Hazardous ingredient:

Ingredient	EINECS	CAS	Reach number	CLP Classification	Percent
Parfum (fragrance)	N/A	N/A	N/A	H315.H317,.H319, H410	0.1 -1.0%
PERTROLEUM GASES, LIQUEFIED	270-704-2	68476-85-7	Exempt	H220; H280 Flammable Gas, Category 1	5-10%

Section 4:

First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the effected skin with running water for 10 minutes if substance is still on skin.

Eye contact: Bathe the eye with running water for about 15 minutes If symptoms persist seek medical advice.

Ingestion: Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. If symptoms persist seek medical advice.

Page **3** of **12** Revision : Sept 2023



Inhalation: Move to fresh air in case of accidental inhalation of vapours. If symptoms persist seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

General Information: The severity of the symptoms described will vary dependant on the concentration and length of exposure.

Skin contact: Prolonged contact may cause irritation and redness at the site of contact.

Eye contact: May cause irritation and redness.

Ingestion: No specific symptoms known, but may cause discomfort if swallowed.

Inhalation: In high concentration may cause breathing difficulties.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical and special attention needed.

None.

Section 5:

Fire-fighting measures

5.1. Extinguishing media.

Extinguishing media: Use water spray to cool containers.

Carbon dioxide.

Dry chemical powder.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Extremely flammable

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Fight fire remotely due to possible exploding aerosol containers.

Page 4 of 12 Revision : Sept 2023



Section 6

Accidental release measures

6.1. Personal precaution, protective equipment and emergency procedures.

Personal precaution: Wear protective clothing, gloves eye and face protection. Eliminate all sources of ignition. Evacuate the area immediately.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Method and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Dispose of according to the Local Authority Regulations.

6.4. Reference to other sections: None

Section 7:

Handling and storage

7.1. Precaution for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden. Pressurised container: Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of Ignition. Keep out of direct sunlight.

Suitable packaging: As supplied aerosol containers

7.3. Specific end use(s): The identified uses for this product are detailed in section 1.2.

Page **5** of **12** Revision : Sept 2023



Section 8:

Exposure controls/personal protection

8.1. Control parameters

Hazard ingredients:

Workplace exposure limits:

Pa	rfum	
State	8 hour TWA	15 min. STEL
UK	150ppm	200ppm

PETROLEUM G	ASES LIQUEFIED	
State	8 hour TWA	15 min. STEL
UK	1750mg/CuM	2180mg/CuM

8.2. Exposure Control

Engineering measures: Ensure there is sufficient ventilation of the area, ensure lighting and electrical equipment are not a source of ignition. The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Gas/vapour filter, type A: organic Vapours (EN141).

Hand protection: Use protective gloves to specification EN1149-5 compliant.

Eye protection: Tightly fitting safety goggles

Skin protection: Protective Clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

Section 9:

Physical and chemical properties

9.1. Physical and chemical properties

Physical State	Aerosol
Appearance(Aerosol)	Clean white foam
Odour	Characteristic of variant
Ph	8.5 +/- 1.0
Melting Point/Freezing Point	No data available
Boiling Point/Range	N/A (Aerosol)
Flash Point	-40 o C
Evaporation Rate	No data available

Page 6 of 12 Revision: Sept 2023



Flammability (Solid, Gas)	No data available
Upper/Lower Flammability	No data available
Vapour Pressure	4.0 bar @20c
Specific Gravity	0.950 +/- 0.100
Water Solubility	Very soluble
Solubility Other Solvents	No data available
Partition Coefficient: n-octanol/water	No data available
Auto-Ignition Temperature	No data available
Viscosity	No data available
Explosive Properties	No data available
Oxidising Properties	No data available

9.2. Other information: No data available

Section 10:

Stability and reactivity

- **10.1. Reactivity:** Stable under recommended transport or storage conditions.
- **10.2. Chemical stability:** Stable under normal conditions. Stable at room temperature.
- **10.3. Possibility of hazardous reaction:** Hazardous reaction will not occur under normal transport or storage conditions.
- **10.4. Conditions to avoid: T**emperatures exceeding 50 $^{\circ}$ C. Should not be stored for long periods above 25 $^{\circ}$ C.
- 10.5. Incompatible materials: none known
- **10.6. Hazardous decomposition products:** In combustion emits fumes of carbon dioxide/carbon Monoxide.

Section 11

Toxicological information

11.1. Information on toxicological effects

Symptoms/routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Page **7** of **12** Revision : Sept 2023



Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

Acute Toxicity;	No known effect
Skin Corrosion/Irritation;	No known effect
Serious Eye Damage/Irritation;	No known effect
Respiratory Or Skin Sensitisation;	No known effect
Germ Cell Mutagenicity;	No known effect
Carcinogenicity;	No known effect
Reproductive Toxicity;	No known effect
STOT-Single Exposure;	No known effect
STOT-Repeated Exposure;	No known effect
Aspiration Hazard.	No known effect

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions

Toxicity to fish					
Component	CAS	End Point	Species	Value	Exposure Time
Parfum	N/A		Very toxic to aquatic life with long lasting effects.	No data avaliable	
Liquefied petroleum gas	68476-85-7	LC50	volatilise from the	indicate that petroleur aquatic environment a ald not be observed in	nd that acute and

Page 8 of 12 Revision : Sept 2023



Toxicity to aquatic invertebrates				
Component	CAS	End Point	Species	Value
Parfum	N/A	No data available	No data available	No data available
Liquefied petroleum gas	68476-	Physical properties indicate that petroleum gases will rapidly		gases will rapidly
	85-7	volatilise from the aquatic environment and that acute and		that acute and
		chronic effects would	I not be observed in pra	actice

Toxicity to aquatic plants					
Component	CAS	End Point	Species	Value	Component
Parfum	N/A	IC50	Algae	No data available	No data Available
Liquefied petroleum gas	68476-85-7	No information available.	No information available.	Physical properties petroleum gases w from the aquatic er that acute and chronot be observed in	ill rapidly volatilise nvironment and onic effects would

Persistence and degradability			
Component	CAS	Biodegradation	
Parfum	N/A	No data available	
Liquefied petroleum	68476-85-7	Expected To Be Readily Biodegradable. Oxidises Rapidly By Photo	
gas		Chemical Reactions In Air.	

Bio accumulative Potential				
Component	CAS	Bio concentration factor (BCF)	Partition coefficient	
Parfum	N/A	No data a	available	
Liquefied petroleum gas	68476-85-7	Not expected to bioacc	cumulate significantly.	

Page **9** of **12** Revision : Sept 2023



Mobility		
Component	CAS	End point
Parfum	N/A	No data available
Liquefied petroleum gas	68476-85-7	Because of their extreme volatility, air is the only environmental
		compartment that hydrocarbon gases will be found.

PBT and vPvB assessment		
Component	CAS	Results
Parfum	N/A	This substance does not meet the PBT/vPvB criteria of REACH, annex
		XIII.
Liquefied petroleum gas	68476-85-7	The substance does not fulfil all screening criteria for
		persistence, bioaccumulation and toxicity and hence is not
		considered to be PBT or vPvB.

Other adverse effects: None known

Section 13:

Disposal considerations

13.1. Waste treatment methods

Disposal operations: Dispose of as per the Local Authority Regulations.

Section 14: Transport information

Classified as dangerous goods for carriage under road/rail/sea/air regulations. This product is packed in accordance with the Limited Quantity Provisions of CDG, ADR and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the Limited Quantities requirements of these regulations.

14.1. UN number: UN1950

14.2. UN proper shipping name: AEROSOLS

14.3. Transport hazard class(es): 2.1 **14.4** Packing group: None allocated

14.5. Environmental hazards

Environmentally hazards: No **Marine pollutant:** No **14.6. Special precautions for user:** See section 8 for safe handling

Page **10** of **12** Revision : Sept 2023



Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

EU legislation.

The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment: Safety assessment has been carried out as this is a cosmetic product.

Section 16: Other information

Other information: This information is based on our present knowledge. However,
this shall not constitute a guarantee for any specific product
features and shall not establish a legally valid contractual relationship.

Key literature references and sources for data

Material Safety Data Sheet, Miscellaneous manufacturers.

SDS status The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.

Hazard statements in full: H220 Extremely flammable gas.

H222 Extremely flammable aerosol

H229 Pressurised container. May burst if heated.

H226 Flammable liquid and vapour H272 May intensify fire; oxidiser.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H301 Toxic if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn child

H319 Causes serious eye irritation.

Page **11** of **12** Revision : Sept 2023



H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H410 Very toxic to aquatic life with long lasting effects

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Abbreviations & Acronyms

ADN European Agreement Concerning the International Carriage of Dangerous Goods by Inland waterways **ADR** European Agreement Concerning the International Carriage of Dangerous Goods By Road

CAS Chemical Abstract Service Number

CDG The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations

CLP Classification Labelling & Packaging Regulation (EC No. 1272/2008)

COMAH Control of Major Accident Hazards

DSEAR The Dangerous Substances and Explosive Atmospheres Regulations

EH40 Workplace exposure limits -Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations

EINECS European Inventory of Existing Commercial Chemical Substances

EN European Standard

GHS Global Harmonised System of Classification and Labelling of Chemicals

IMDG International Maritime Dangerous Goods Code

OEL Occupational Exposure Limit

PBT Persistent Bio accumulative and Toxic

vPvB Very Persistent and Very Bio accumulative

PPE Personal Protective Equipment

PSSR The Pressure Systems Safety Regulations

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

RIDDOR Reporting of Injuries, Diseases and Dangerous Occurrences Regulations

STEL Short-Term Exposure Limit

TWA Time-Weighted Averages

WEL Workplace Exposure Limit

Page 12 of 12 Revision : Sept 2023