

# SAFETY DATA SHEET

magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

Page: 1

Compilation date: 24.06.2021

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).

### 1.3. Details of the supplier of the safety data sheet

**Company name:** HOLTZ OFFICE SUPPORT GmbH

Berta-Cramer-Ring 14-16

DE-65205 Wiesbaden

**Tel:** +49 6122 709 0

**Email:** einkauf@holtz-gmbh.de

### 1.4. Emergency telephone number

#### EMERGENCY TELEPHONE NUMBER

Poison Control Centre (Austria)

Tel. No.: +43 1 406 4343

Antigif Centrum Centre Antipoisons (Belgium)

Tel. No.: +32 070 245 245

National Toxicology Centre, Hospital for Active Medical Treatment and Emergency Medicine  
"N.I.Pirogov" (Bulgaria)

Tel. No. / fax.: +359 2 9154 233

Poison Control Centre (Croatia)

Tel. No.: +385 1 234 8342

Toxicological Information Centre (Czech Republic)

Tel. No.: +420 224 919 293 / +420 224 915 402

Poison Control Hotline (Denmark)

Tel. No.: +45 82 12 12 12

Poisoning Information Centre (Estonia)

Tel. No.: +372 794 3794 (or 16662 national)

Poison Information Centre (Finland)

Tel. No.: +358 09 471 977

ORFILA (INERIS) (France)

Tel. No.: +33 (0) 1 45 42 59 59

Health Toxicological Information Service (Hungary)

Tel. No.: +36 80 20 11 99

Poison Centre (Iceland)

Tel. No.: +354 543 2222

National Poisons Information Centre (Ireland)

Tel. No.: +353 (0)1 809 2566 / +353 (0)1 837 9964

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs (Latvia)

Tel. No.: +371 670 42473

[cont...]

## SAFETY DATA SHEET

magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

Page: 2

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs (Latvia)  
Tel. No.: +371 670 42473

Health Emergency Situations Centre of the Ministry of Health, Poison Information Bureau (Lithuania)  
Tel. No.: +370 5 236 20 52, mob.: +370 687 53378

Mater Dei Hospital (Malta)  
Tel. No.: +356 2545 0000

National Poisons Information Centre (NVIC) (Netherlands)  
Tel. No.: +31 (0) 30 274 8888

Mental Health Helpline (Norway)  
Tel. No.: +47 22 59 13 00

Instituto Nacional de Emergência Médica (Portugal)  
Tel. No.: +351 213 303 271

Biroul RSI si Informare Toxicologica (Romania)  
Tel. No.: +40 021 318 3606

National Toxicological Information Centre (NTIC) (Slovakia)  
Tel. No.: +421 2 5477 4166

Toxicology Information Service (Spain)  
Tel. No.: +34 91 562 04 20

Swedish Poisons Information Centre (Sweden)  
Tel. No.: +46 08 331231

Poison Control Center, Charité – Universitätsmedizin Berlin, Hindenburgdamm 30, 12203 Berlin  
(Germany)  
Tel. No.: +4930 30686700

Health and Safety Executive (HSE) (United Kingdom)  
Tel. No.: +44 0151 922 9235

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CLP:** -: EUH208

**Most important adverse effects:** Contains citral, linalool. May produce an allergic reaction.

#### 2.2. Label elements

**Label elements:**

**Hazard statements:** EUH208: Contains citral, linalool. May produce an allergic reaction.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

**Hazardous ingredients:**

[cont...]

# SAFETY DATA SHEET

magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

Page: 3

## 2-BUTOXYETHANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-5%

### Non-classified ingredients:

## PROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	0.1-1%

## CITRAL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
226-394-6	5392-40-5	-	Skin Irrit. 2: H315; Skin Sens. 1: H317	<.1%

## LINALOOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
201-134-4	78-70-6	-	Skin Sens. 1B: H317	0,003-0,3%

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**Delayed / immediate effects:** No symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Not applicable.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

[cont...]

# SAFETY DATA SHEET

magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

Page: 4

## 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**2-BUTOXYETHANOL**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	25 ppm	50 ppm	-	-

**Non-classified ingredients:**

[cont...]

# SAFETY DATA SHEET

magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

Page: 5

## PROPAN-2-OL

### Workplace exposure limits:

### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m <sup>3</sup>	1250 mg/m <sup>3</sup>	-	-

### DNEL/PNEC Values

DNEL / PNEC No data available.

### 8.2. Exposure controls

**Engineering measures:** The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** The floor of the storage room must be impermeable to prevent the escape of liquids.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Colourless

**Odour:** Characteristic odour

**Evaporation rate:** No data available.

**Viscosity:** Non-viscous

**Boiling point/range°C:** >100

**Melting point/range°C:** Nicht verfügbar.

**Flammability limits %: lower:** Nicht verfügbar.

**upper:** Nicht verfügbar.

**Flash point°C:** >61 oC

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability°C:** Nicht verfügbar.

**Vapour pressure:** Nicht verfügbar.

**Relative density:** Nicht verfügbar.

**pH:** 8.4

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

# SAFETY DATA SHEET

magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

Page: 6

## 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

## 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

##### 2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

#### Non-classified ingredients:

##### PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

##### CITRAL

IPR	RAT	LD50	460	mg/kg
ORL	MUS	LD50	6	gm/kg
ORL	RAT	LD50	4960	mg/kg

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**Delayed / immediate effects:** No symptoms.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

[cont...]

## SAFETY DATA SHEET

magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

Page: 7

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH208: Contains citral, linalool. May produce an allergic reaction.

H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

[cont...]

## SAFETY DATA SHEET

magnetoplan® ferroscrip Whiteboard cleaner 250ml (Art. No. 12300)

Page: 8

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H336: May cause drowsiness or dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.