SAFETY DATA SHEET

Version #: 05

Issue date: 12-August-2022 Revision date: 15-November-2023 Supersedes date: 27-October-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

YC CLEAN COTTON MEDIUM 2WICK JAR CANDLE 1630645E

Registration number

Synonyms None **Product code** 1630645E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products None known Uses advised against

1.3. Details of the supplier of the safety data sheet

Yankee Candle Company (Europe) Limited Company name

Poplar Way East, Cabot Park **Company Address**

> Avonmouth Bristol

United Kingdom **BS11 0YH**

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Centre

Belgium National Poisons

Control Centre

Bulgaria National

Toxicological Information Centre

Croatia Poisons

Information Centre

Cyprus Poison Centre

Czech Republic National Poisons Information

Centre

Denmark National Poisons Control Centre

Estonia National Poisons

Information Centre

Finland National Poison Information Centre

France National Poisons Control Centre

Greece Poison Information Centre telephone number

Hungary National Emergency Phone Number

Iceland Poison Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

+385 1 2348 342 (Hours of operation not provided, SDS/Product information may not be available for the Emergency Service.)

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day.

SDS/Product information may not be available for the Emergency Service.) ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day.

SDS/Product information may not be available for the Emergency Service.)

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Latvia Emergency medical

aid

Latvia Poison and Drug Information Centre

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatideliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided, SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Centre (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Centre

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None Signal word None

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not applicable. Not applicable. Response Not applicable. Storage Disposal Not applicable.

EUH208 - Contains Cyclohexanol, 4-(1,1-dimethylethyl)-, 1-acetate, cis-, Hexyl Cinnamal, Supplemental label information

Isocyclemone E, Oils, orange, sweet, Octabenzone, d-Limonene, Benzoic acid, 2-hydroxy-, hexyl

ester, Lyral. May produce an allergic reaction.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

nethylethyl)-,	≤ 1	40444				
		10411- 233-8		-	-	
lassification:	Acute Tox.	4;H302;(AT	E: 500 m	ıg/kg bw), Skin Sens. 1B;H3	317	
	≤ 1			01-2119533092-50	-	
			Aquatic A	cute 1;H400(M=1), Aquatic		
	≤ 0,3			-	-	
lassification:	Skin Irrit. 2	2;H315, Skin	Sens. 1	3;H317, Aquatic Chronic 1;F	1410	
	≤ 0,3			-	-	
lassification:	Skin Sens	. 1B;H317				
	≤ 0,3			-	-	
					Sens.	
-, hexyl ester	≤ 0,2			01-2119638275-36	-	
			Aquatic A	cute 1;H400(M=1), Aquatic		
	≤ 0,2			-	601-096-00-2	
	lassification: lassification: -, hexyl ester	lassification: Skin Sens Chronic 2; ≤ 0,3 lassification: Skin Irrit. 2 ≤ 0,3 lassification: Skin Sens ≤ 0,3 lassification: Flam. Liq. 1;H317, A: -, hexyl ester ≤ 0,2 lassification: Skin Sens Chronic 1; ≤ 0,2 lassification: Flam. Liq. 1;H304, A:	202-98 lassification: Skin Sens. 1B;H317, A Chronic 2;H411	202-983-3 202-983-3 202-983-3 202-983-3 202-983-3 203	202-983-3 lassification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411 ≤ 0,3 54464-57-2 - 259-174-3 lassification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;F ≤ 0,3 1843-05-6 - 217-421-2 lassification: Skin Sens. 1B;H317 ≤ 0,3 8008-57-9 - 616-926-9 lassification: Flam. Liq. 2;H225, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin 1;H317, Asp. Tox. 1;H304, Aquatic Chronic 2;H411 -, hexyl ester ≤ 0,2 6259-76-3 01-2119638275-36 228-408-6 lassification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 1;H410(M=1) ≤ 0,2 5989-27-5 - 227-813-5 lassification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1B;H317, 1;H304, Aquatic Acute 1;H400(M=1), Aquatic Chronic 3;H4	202-983-3 lassification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411 ≤ 0,3 54464-57-2 259-174-3 lassification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410 ≤ 0,3 1843-05-6 217-421-2 lassification: Skin Sens. 1B;H317 ≤ 0,3 8008-57-9 616-926-9 lassification: Flam. Liq. 2;H225, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Asp. Tox. 1;H304, Aquatic Chronic 2;H411 -, hexyl ester ≤ 0,2 6259-76-3 01-2119638275-36 - 228-408-6 lassification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 1;H410(M=1) ≤ 0,2 5989-27-5 - 601-096-00-2 227-813-5 lassification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1B;H317, Asp. Tox. 1;H304, Aquatic Acute 1;H400(M=1), Aquatic Chronic 3;H412

Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any Treat symptomatically.

immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

Material name: YC CLEAN COTTON MEDIUM 2WICK JAR CANDLE 1630645E

1630645E Version #: 05 Revision date: 15-November-2023 Issue date: 12-August-2022

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. For emergency responders

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

Observe industrial sector guidance on best practices. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -

Chemical agents, as amended

Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	
Petrolatum (CAS	TWA	5 mg/m3	
8009-03-8)		•	

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Denmark. Work Environment	Authority. Exposure Limits for Sul	bstances & Materials, Annex	2
Components	Туре	Value	Form
d-Limonene (CAS 5989-27-5)	TLV	25 ppm	
Petrolatum (CAS 8009-03-8)	STEL	2 mg/m3	Mist.
	TLV	1 mg/m3	Mist.
Finland. HTP-arvot, App 3., Bi	nding Limit Values, Social Affairs	and Ministry of Health	
Components	Туре	Value	Form
d-Limonene (CAS 5989-27-5)	STEL	280 mg/m3	
		50 ppm	

Material name: YC CLEAN COTTON MEDIUM 2WICK JAR CANDLE 1630645E

TWA

140 mg/m3 25 ppm

Components	Туре	Value	Form
etrolatum (CAS 009-03-8)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advi n the Work Area (DFG), as up	sory OELs). Commission for the I	nvestigation of Health Hazar	ds of Chemical Compound
Components	Туре	Value	Form
I-Limonene (CAS 989-27-5)	TWA	28 mg/m3	
Petrolatum (CAS 3009-03-8)	TWA	5 ppm 5 mg/m3	Respirable fraction.
,	luce in the Ambient Air at the Wes	rknlaga	
Components	lues in the Ambient Air at the Wor Type	Value	
-Limonene (CAS 989-27-5)	AGW	28 mg/m3	
		5 ppm	
•	ecree No. 307/1986, as amended		-
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Mist.
Hungary. OELs. Decree on pro Components	otection of workers exposed to ch Type	nemical agents (5/2020. (II.6)) Value	, Annex 1&2, as amended
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	
celand. OELs. Regulation 390	0/2009 on Pollution Limits and Me	asures to Reduce Pollution a	at the Workplace, as amend
		acaroo to recaaco i ciration e	• ′
	Type	Value	Form
Components Petrolatum (CAS			
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8	Туре	Value 1 mg/m3	Form Mist.
Components Petrolatum (CAS 8009-03-8)	Type TWA 3. 2, Code of Practice for Chemica	Value 1 mg/m3 I Agents and Carcinogens Re	Form Mist.
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 Components Petrolatum (CAS 8009-03-8)	Type TWA 3. 2, Code of Practice for Chemica Type	Value 1 mg/m3 I Agents and Carcinogens Re Value	Form Mist. egulations Form
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 Components Petrolatum (CAS 8009-03-8) taly. OELs (Legislative Decree	Type TWA 3. 2, Code of Practice for Chemica Type TWA	Value 1 mg/m3 I Agents and Carcinogens Re Value	Form Mist. egulations Form
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Type TWA 3. 2, Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3	Form Mist. egulations Form Inhalable fraction.
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 Components Petrolatum (CAS 8009-03-8) taly. OELs (Legislative Decrecomponents Petrolatum (CAS 8009-03-8) Legislative Decrecomponents Petrolatum (CAS 8009-03-8) Latvia. OELs. Occupational E	Type TWA 3. 2, Code of Practice for Chemica Type TWA E n.81, 9 April 2008), as amended Type	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction.
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 Components Petrolatum (CAS 8009-03-8) taly. OELs (Legislative Decrecomponents Petrolatum (CAS 8009-03-8) Latvia. OELs. Occupational Edit, as amended	Type TWA 2. Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended Type TWA TWA xposure Limits of Chemical Subst	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3 tances at Workplace (Reg. No	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction.
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 Components Petrolatum (CAS 8009-03-8) taly. OELs (Legislative Decrecomponents Petrolatum (CAS 8009-03-8) Latvia. OELs. Occupational Ed), as amended Components Petrolatum (CAS 9009-03-8) Latvia. OELs. Occupational Ed), as amended Components	Type TWA 2, Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended Type TWA	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction.
Components Petrolatum (CAS 3009-03-8) reland. OELVs, Schedules 1 8 Components Petrolatum (CAS 3009-03-8) taly. OELs (Legislative Decrecomponents Petrolatum (CAS 3009-03-8) Latvia. OELs. Occupational Edit, as amended Components Petrolatum (CAS 3009-03-8) Lithuania. OELs. Occupational	Type TWA & 2, Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended Type TWA TWA xposure Limits of Chemical Subst	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3 tances at Workplace (Reg. Novalue) 5 mg/m3	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction. 0. 325/ 2007, L.V. 80, Annex
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 8009-03-8 Petrolatum (CAS 8009-03-8) reland. OELs (Legislative Decree Components Petrolatum (CAS 8009-03-8) Latvia. OELs. Occupational Experiments Petrolatum (CAS 8009-03-8) Latvia. OELs. Occupational Experiments Petrolatum (CAS 8009-03-8) Latvia. OELs. Occupational Experiments Petrolatum (CAS 8009-03-8) Lithuania. OELs. Occupational CAS 8009-03-8) Lithuania. OELs. Occupational CAS 8009-03-8)	Type TWA 2. Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended Type TWA xposure Limits of Chemical Subst Type TWA TWA al Exposure Limit Values for Chemical Subst Type	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3 tances at Workplace (Reg. Novalue) 5 mg/m3	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction. 0. 325/ 2007, L.V. 80, Annex
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Type TWA 2. Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended Type TWA xposure Limits of Chemical Substitute Type TWA	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3 tances at Workplace (Reg. Now Value) 5 mg/m3 inical Substances (Hygiene Now Now Yalue)	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction. o. 325/ 2007, L.V. 80, Annex orm HN 23:2011; Order No.
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Type TWA 2. Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended Type TWA xposure Limits of Chemical Substitute Type TWA at Exposure Limit Values for Chemical Type	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3 tances at Workplace (Reg. Notation of the property of the	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction. o. 325/ 2007, L.V. 80, Annex orm HN 23:2011; Order No. Form
Components Petrolatum (CAS 8009-03-8) reland. OELVs, Schedules 1 8 8 8009-03-8 Petrolatum (CAS 8009-03-8) reland. OELs (Legislative Decree Components Petrolatum (CAS 8009-03-8) Latvia. OELs. Occupational Experiments Petrolatum (CAS 8009-03-8) Latvia. OELs. Occupational Experiments Petrolatum (CAS 8009-03-8) Lithuania. OELs. Occupational Components Petrolatum (CAS 8009-03-8) Lithuania. OELs. Occupational Components Petrolatum (CAS 8009-03-8) Retherlands. OELs per Annex	Type TWA 2. 2, Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended Type TWA xposure Limits of Chemical Substitute Type TWA at Exposure Limit Values for Chemical Type STEL	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3 tances at Workplace (Reg. Notation of the content of th	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction. o. 325/ 2007, L.V. 80, Annex orm HN 23:2011; Order No. Form Fume and mist. Fume and mist.
Components Petrolatum (CAS 3009-03-8) reland. OELVs, Schedules 1 8 20 20 20 20 20 20 20 20 20 20 20 20 20	Type TWA R. 2, Code of Practice for Chemica Type TWA e n.81, 9 April 2008), as amended Type TWA xposure Limits of Chemical Substitute Type TWA Il Exposure Limit Values for Chemical Type STEL TWA	Value 1 mg/m3 I Agents and Carcinogens Revalue 5 mg/m3 Value 5 mg/m3 tances at Workplace (Reg. Notation of the content of th	Form Mist. egulations Form Inhalable fraction. Form Inhalable fraction. o. 325/ 2007, L.V. 80, Annex orm HN 23:2011; Order No. Form Fume and mist. Fume and mist.

Infection Groups for Biologic Components	Type	Value	Form
d-Limonene (CAS 5989-27-5)	TLV	140 mg/m3	
		25 ppm	
Petrolatum (CAS 3009-03-8)	TLV	1 mg/m3	Mist.
1286/2018, Annex 1)	e concentrations and intensities of		·
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occ Components	upational exposure to chemical age Type	nts (NP 1796-2014) Value	Form
Petrolatum (CAS 3009-03-8)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Limit Values amended)	of Chemical Agents at Workplace (Regulation 1.218/2006, M.O	845, Annex 1, 3&4, as
Components	Туре	Value	
Petrolatum (CAS 8009-03-8)	STEL	10 mg/m3	
,	TWA	5 mg/m3	
Slovakia. OELs. Maximum pe Annex 1, Table 1, as amended	rmissible exposure limits for chemi d)	cal factors in workplace air	(Regulation No 355/2006
Components	Туре	Value	Form
Petrolatum (CAS 3009-03-8)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
	Il Exposure Limits of Chemicals at V Vork, Ann. I 100/2001), as amended	Vorkplace (Reg. on Protecti	ion of Workers from Risk
Components	Type	Value	
d-Limonene (CAS 5989-27-5)	KTV	112 mg/m3	
		20 ppm	
	I Exposure Limits of Chemicals at V	Vorkplace (Reg. on Protect	ion of Workers from Risk
due to Exp. to Chemicals at V Components	Vork, Annex I), as amended Type	Value	
d-Limonene (CAS 5989-27-5)	TWA	28 mg/m3	
0303-21-0)		5 ppm	
Spain. OELs. INSST, Límites ((VLAs)	de Exposición Profesional Para Age		lores Límites Ambientale
Components	Туре	Value	Form
d-Limonene (CAS 5989-27-5)	TWA	168 mg/m3	
		30 ppm	
Petrolatum (CAS 8009-03-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
	rk Environment Authority (AV), Occ	upational Exposure Limit V	/alues (AFS 2018:1), as
amended Components	Туре	Value	Form
<u> </u>	STEL	3 mg/m3	Mist.
Petrolatum (CAS	OILL	og,	Wilot.
Petrolatum (CAS 8009-03-8)	TWA	1 mg/m3	Mist.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte Form Value Components Type d-Limonene (CAS **STEL** 80 mg/m3 5989-27-5) 14 ppm TWA 40 ma/m3 7 ppm Petrolatum (CAS TWA 5 mg/m3 Inhalable fraction. 8009-03-8)

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines

Germany DFG MAK (advisory): Skin designation

d-Limonene (CAS 5989-27-5)

Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

d-Limonene (CAS 5989-27-5)

Can be absorbed through the skin.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

d-Limonene (CAS 5989-27-5)

Can be absorbed through the skin.

Spain OELs: Skin designation

d-Limonene (CAS 5989-27-5)

Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolid.FormSolid.ColourWhite

Odour Not available.

Melting point/freezing point $\geq 46 - \leq 95 \, ^{\circ}\text{C} \, (\geq 114.8 - \leq 203 \, ^{\circ}\text{F})$

Boiling point or initial boiling

point and boiling range

≥ 350 - ≤ 430 °C (≥ 662 - ≤ 806 °F) estimated

Flammability Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

1630645E Version #: 05 Revision date: 15-November-2023 Issue date: 12-August-2022

Explosive limit - upper

(%)

Not available.

Flash point ≥ 204 - ≤ 271 °C (≥ 399,2 - ≤ 519,8 °F) Open cup

Auto-ignition temperature 200 °C (392 °F) estimated

Decomposition temperature Not available. pH Not available.

Kinematic viscosity $> 2.5 - < 4.5 \text{ mm}^2/\text{s} \text{ (cSt) } (100^{\circ}\text{C})$

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure 0,119339 hPa estimated

Density and/or relative density

Density≥ 800 - ≤ 900 kg/m3Vapour densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity $\geq 0.8 - \leq 0.9$

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Components Species Test Results

Octabenzone (CAS 1843-05-6)

Acute Dermal

LD50 Rabbit > 10 g/kg

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible.

Skin sensitisation

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Material name: YC CLEAN COTTON MEDIUM 2WICK JAR CANDLE 1630645E

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

d-Limonene (CAS 5989-27-5)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

repeated exposure

Mixture versus substance

information

Due to partial or complete lack of data the classification is not possible.

11.2. Information on other hazards

Endocrine disrupting

Other information

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

May cause allergic respiratory and skin reactions.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

Components **Species Test Results**

No information available.

d-Limonene (CAS 5989-27-5)

Aquatic

Acute

EC50 Crustacea Water flea (Daphnia pulex) 69,6 mg/l, 48 hours

LC50 Fish Fathead minnow (Pimephales promelas) 0,619 - 0,796 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Benzoic acid, 2-hydroxy-, hexyl ester 5,5 4,57 d-Limonene 4.686 Hexyl Cinnamal Octabenzone 6.96

7,6 Estimated

Not available. **Bioconcentration factor (BCF)**

12.5. Results of PBT and vPvB

assessment

12.4. Mobility in soil

No data available. This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

12.6. Endocrine disrupting

properties

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties

according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a

concentration equal to or greater than 0.1% by weight.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.7. Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: YC CLEAN COTTON MEDIUM 2WICK JAR CANDLE 1630645E

1630645E Version #: 05 Revision date: 15-November-2023 Issue date: 12-August-2022

Disposal methods/information
Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -

Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned.

14.4. Packing group - **14.5. Environmental hazards** No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number14.2. UN proper shippingNot regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards
Marine pollutant No.

EmS Not assigned.

14.6. Special precautions

for user

Not assigned.

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

 ${\it Material\ name: YC\ CLEAN\ COTTON\ MEDIUM\ 2WICK\ JAR\ CANDLE\ 1630645E}$

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average.

Material name: YC CLEAN COTTON MEDIUM 2WICK JAR CANDLE 1630645E

VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data. if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Product and Company Identification: Product Codes

SECTION 2: Hazards identification: Disposal SECTION 2: Hazards identification: Prevention SECTION 2: Hazards identification: Response SECTION 2: Hazards identification: Storage

Training information

Revision information

Follow training instructions when handling this material.

Disclaimer Yankee Can

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: YC CLEAN COTTON MEDIUM 2WICK JAR CANDLE 1630645E